

Supplementary Information

Origin of Ferri-metallic behavior in NiCo_2O_4

Yugandhar Bitla[†], Yi-Ying Chin[‡], Jheng-Cyuan Lin[§], Chien Nguyen Van[†], Ruirui Liu^{||}, Yuanmin Zhu^{||}, Heng-Jui Liu[†], Qian Zhan^{||}, Hong-Ji Lin[‡], Chien-Te Chen[‡], Ying-Hao Chu^{†,§}, and Qing He[#]

[†]Department of Materials Science and Engineering, National Chiao Tung University, Hsinchu, 300, Taiwan

[‡]National Synchrotron Radiation Research Center, Hsinchu 300, Taiwan

[§]Institute of Physics, Academia Sinica, Taipei 105, Taiwan

^{||}Department of Material Physics and Chemistry, University of Science and Technology Beijing, Beijing 100083, China

[#] Department of Physics, Durham University, Durham DH1 3LE, United Kingdom




Figure S1. Room temperature x-ray diffractogram of metallic NiCo_2O_4 film grown on $\text{MgAl}_2\text{O}_4(100)$ substrate. Corresponding Reciprocal Space Map around the (206) reflection is shown in the inset.




Figure S2. Cross-sectional HRTEM image for the NiCo₂O₄ (NCO(M)) films grown on MgAl₂O₄ substrate. The corresponding selected area diffraction patterns of the NCO films and MAO substrate along the [100] zone axis.