

Supporting Information

Wittig Derivatization of Sesquiterpenoid Polygodial Leads to Cytostatic Agents with Activity Against Drug Resistant Cancer Cells and Capable of Pyrrolylation of Primary Amines

Ramesh Dasari, Annelise De Carvalho, Derek C. Medellin, Kelsey N. Middleton, Frédéric Hague, Marie N. M. Volmar, Liliya V. Frolova, Mateus F. Rossato, Jorge J. De La Chapa, Nicholas F. Dybdal-Hargreaves, Akshita Pillai, Roland E. Kälin, Véronique Mathieu, Snezna Rogelj, Cara B. Gonzales, João B. Calixto, Antonio Evidente, Mathieu Gautier, Gnanasekar Munirathinam, Rainer Glass, Patricia Burth, Stephen C. Pelly, Willem A. L. van Otterlo, Robert Kiss, and Alexander Kornienko*

Department of Chemistry and Biochemistry, Texas State University, San Marcos, Texas 78666, USA

Laboratoire de Cancérologie et de Toxicologie Expérimentale, Faculté de Pharmacie, Université Libre de Bruxelles, Brussels, Belgium

Laboratoire de Physiologie Cellulaire et Moléculaire, Faculté des Sciences, Université de Picardie Jules Verne, Amiens, France

Neurosurgical Research, University Clinics Munich, Marchioninstr. 15, 81377 Munich, Germany

Departments of Chemistry and Biology, New Mexico Tech, 801 Leroy Place, Socorro, NM 87801, USA

Center of Innovation and Preclinical Studies, Luiz Boiteux Piazza 1302, Cachoeira do Bom Jesus,

and Department of Pharmacology, UFSC, Florianópolis SC 88.056-000, Brazil

Department of Comprehensive Dentistry, Cancer Therapy and Research Center, UTHSCSA, San Antonio, Texas 78229, USA

Department of Pharmacology, UTHSCSA, San Antonio, Texas 78229, USA


Department of Biomedical Sciences, University of Illinois, College of Medicine, 1601 Parkview Ave, Rockford, IL 61107, USA

Dipartimento di Scienze Chimiche, Università di Napoli Federico II, Complesso Universitario Monte Sant'Angelo, Via Cintia 4, 80126 Napoli, Italy


Departamento de Biologia Celular e Molecular, Instituto de Biologia, Universidade Federal Fluminense, Outeiro de São João Batista; s/n° Campus do Valonguinho; Centro-Niterói, RJ 24020-140, Brazil


Department of Chemistry and Polymer Science, Stellenbosch University, Stellenbosch, Private Bag XI, Matieland, 7602, South Africa


Copies of ^1H and ^{13}C NMR Spectra




$^1\text{H NMR}$, CDCl_3 ,
400MHz










$^1\text{H NMR}$, C_6D_6 ,
400MHz










$^1\text{H NMR}$, C_6D_6 ,
400MHz










¹H NMR, C₆D₆,
400MHz










$^1\text{H NMR}$, C_6D_6 ,
400MHz










$^1\text{H NMR}$, CDCl_3 ,
400MHz












$^1\text{H NMR}$, C_6D_6 ,
400MHz














$^1\text{H NMR}$, C_6D_6 ,
400MHz

