

**S5 Appendix. Provider Ratings of Priorities for Improvement According to Provider Characteristics\*†**

Practice	Profession				Provider Experience			Institution Academic Status		Institution Location		Patient Population	
	MD	RN	RT	Allied Health	<10 years	10-20 years	>20 years	Teaching	Non-teaching	Urban	Regional	Adult	Pediatric
End-of-life care	8	8	8	8	8	8	8	8	8	8	8	8	8
Early mobilization	8	8	8	8	8	8	8	8	8	8	8	8	7
Strategies to preserve patient sleep	7	8	8	7	8	8	8	8	8	8	8	8	7
Establishing daily goals for patient care	7	7	7	7	7	7	7	7	7	7	7	7	7
Transition of patient care from ICU to hospital ward	7	7	7	8	7	7	8	7	7	7	7	7	7
Transition of patient care between providers within ICU	7	7	7	7.5	7	7	8	7	7	7	7	7	7
Daily sedation interruption	7	7	7	8	7	7	7	7	7	7	8	7	5.5
Delirium screening & diagnosis	7	7	7	8	7	7	8	7	7	7	7	7	6
Temperature control in patients after resuscitation from cardiac arrest	6	7	7	7	7	7	7	7	7	7	7	7	7

Duration of empiric antimicrobial prescriptions	7	6	6	7	6	6	7	7	6	6	7	6	7
Physical and pharmacological restraints	5.5	7	7	6	6	6	7	6	7	6	6	6	7
Patient and family participation in daily rounds	6	6	6	7	6	6	7	6	6	6	6	6	7
Routine blood tests	6	6	5	5	6	6	6	6	6	6	5	6	6

\* Data presented as medians. Shaded cells represent priorities rated as necessary or supplementary by different provider groups

† Abbreviations: MD, physician; RN, nurse; RT, respiratory therapist