

S2 Table. Clinical Manifestations of Primary Hypertrophic Osteoarthropathy in Patients with Chronic Nonspecific Multiple Ulcers of the Small Intestine

| Patients | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
|--------------------------------|-------|--------|--------|--------|--------|----|----|----|----|----|----|----|----|----|----|----|----|----|
| | A-V-2 | B-IV-3 | C-IV-3 | D-II-4 | D-II-5 | | | | | | | | | | | | | |
| Sex | F | F | F | F | F | F | F | F | F | F | M | M | F | F | F | M | M | F |
| Current age (yr) | 57 | 75 | 58 | 61 | 59 | 51 | 42 | 52 | 72 | 59 | 42 | 63 | 56 | 40 | 18 | 70 | 28 | 75 |
| Skeletal manifestations | | | | | | | | | | | | | | | | | | |
| Digital clubbing | + | - | - | - | - | - | - | - | + | - | - | + | - | - | - | + | + | + |
| Periostosis | - | - | - | NA | - | NA | NA | - | + | - | - | + | + | - | NA | + | + | + |
| Acro-osteolysis | - | - | - | NA | - | NA | NA | - | - | - | - | - | - | - | NA | - | - | - |
| Arthralgia of large joints | - | - | - | - | + | - | - | + | - | - | - | - | - | + | - | - | - | + |
| Knee-joint effusions | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | + |
| Skin manifestations | | | | | | | | | | | | | | | | | | |
| Hyperhidrosis | - | - | - | - | + | - | - | - | - | - | - | - | - | + | - | - | - | - |
| Pachydermia | - | - | - | - | - | - | - | - | - | - | - | + | - | - | - | + | + | - |
| Seborrhea | - | - | - | - | - | - | - | - | - | - | - | + | - | - | - | - | - | - |
| Acne | - | - | - | + | + | - | - | - | - | - | - | - | - | + | - | - | - | - |
| Flushing | - | - | - | - | + | - | - | - | - | - | - | + | - | - | - | - | + | - |
| Developmental manifestations | | | | | | | | | | | | | | | | | | |
| Patent ductus arteriosus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Delayed cranial suture closure | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

NA, not available.