

## Data supplement

Transcriptional changes associated with long-term left ventricle volume overload in rats: impact on enzymes related to myocardial energy metabolism.

Elise Roussel, Marie-Claude Drolet, Elisabeth Walsh-Wilkinson, Wahiba Dhahri, Dominic Lachance, Suzanne Gascon\*, Otman Sarrhini\*, Jacques A. Rousseau\*, Roger Lecomte\*, Jacques Couet and Marie Arsenault.

Groupe de recherche sur les valvulopathies, Centre de Recherche, Institut universitaire de cardiologie et de pneumologie de Québec, Université Laval, Quebec City, Canada.

\*: Centre d'imagerie moléculaire de Sherbrooke, Centre de recherché Étienne-LeBel, Centre Hospitalier Universitaire de Sherbrooke, Université de Sherbrooke, Sherbrooke, Canada.

Corresponding authors: Jacques Couet PhD and Marie Arsenault MD

Groupe de Recherche en Valvulopathies, Centre de Recherche, Institut universitaire de cardiologie et de pneumologie de Québec  
2725, Chemin Sainte-Foy, Québec, (Québec), Canada, G1V 4G5

Phone: 1-418-656-4760; Fax: 1-418-656-4509

Email: [jacques.couet@med.ulaval.ca](mailto:jacques.couet@med.ulaval.ca) or [marie.arsenault@criucpq.ulaval.ca](mailto:marie.arsenault@criucpq.ulaval.ca)

**Table S1.** Primer Assays used in Q-PCR analysis of gene expression (Figure S1).

mRNA	Symbol	Cat. No.	Amplicon (bp)
Connective tissue growth factor	Ctgf	QT00182021	102
Cathepsin K	Ctsk	QT00375599	80
Fibronectin 1	Fn1	QT00179333	92
Follistatin-like 1	Fstl1	QT00195762	131
Hepcidin antimicrobial peptide	Hamp	QT00372876	120
Integrin beta 1	Itgb1	QT00187656	117
Natriuretic peptide precursor type A	Nppa	QT00366170	94
Natriuretic peptide precursor type B	Nppb	QT00183225	89
Peripheral myelin protein 22	Pmp22	QT00175938	89
Transforming growth factor beta 2	Tgfb2	QT00187320	139
Tissue inhibitor of metalloproteinase 1	Timp1	QT00185304	113

**Table S2.** Significant up-regulated gene categories based on gene ontology annotation system.


System	Gene Category	No. of genes	EASE score <sup>a</sup>
GO Biological Process	regulation of cell cycle	16	4.29E-04
GO Biological Process	cell growth	9	5.59E-04
GO Biological Process	transition metal ion homeostasis	5	6.27E-04
GO Biological Process	di-, tri-valent inorganic cation homeostasis	7	7.50E-04
GO Biological Process	response to biotic stimulus	23	8.05E-04
GO Molecular Function	calcium ion binding	25	6.90E-06
GO Molecular Function	metal ion binding	36	8.01E-05
GO Molecular Function	cell adhesion molecule activity	15	2.11E-04
GO Molecular Function	calcium-dependent phospholipid binding	5	6.74E-04
GO Cellular Component	extracellular	70	2.70E-11
GO Cellular Component	extracellular matrix	22	6.04E-08
GO Cellular Component	extracellular space	42	3.80E-06

a: Ease Probability score. E: exponent, power of 10.

**Table S3.** Significant down-regulated gene categories based on gene ontology annotation system.


System	Gene Category	No. of genes	EASE score <sup>a</sup>
GO Biological Process	organic acid metabolism	18	2.49E-07
GO Biological Process	carboxylic acid metabolism	18	2.49E-07
GO Biological Process	fatty acid metabolism	11	4.64E-06
GO Biological Process	energy derivation by oxidation of organic compounds	10	2.75E-05
GO Biological Process	energy pathways	11	2.89E-05
GO Molecular Function	oxidoreductase activity	26	1E-10
GO Molecular Function	transferase activity	26	3.06E-04
GO Cellular Component	mitochondrion	54	4.8E-24

a: Ease Probability score. E: exponent, power of 10.



**Figure S1.** Comparison between fold change results obtained from the microarray and by quantitative RT-PCR for a subset of 11 up-regulated genes as determined in the array study. Results are reported in as mean  $\pm$  SEM (n = 5 per group for array and n=6 for qRT-PCR). Levels in sham animals were fixed to 1.





**Figure S2.** Impact of an 8-week fenofibrate (F) treatment on LV expression of 16 FAO genes in Sham (Sh) and AR rats. Levels in sham animals were fixed to 1 (Line). \*:  $p < 0.05$ , \*\*:  $p < 0.01$  and \*\*\*:  $p < 0.001$  vs. untreated sham animals.