

SUPPLEMENTARY INFORMATION TO

A novel algorithm for analyzing drug-drug interactions from MEDLINE literature

Yin Lu¹, Dan Shen², Maxwell Pietsch³, Chetan Nagar¹, Zayd Fadli⁴, Hong Huang⁵, Yi Cheng Tu³, Feng Cheng^{1,6,*}

¹Department of Pharmaceutical Science, College of Pharmacy, University of South Florida, Tampa, FL, 33612, USA

²Department of Mathematics & Statistics, University of South Florida, Tampa, FL, 33612, USA


³Department of Computer Science and Engineering, University of South Florida, Tampa, FL, 33612, USA

⁴College of Medicine, Syrian private university, Damascus, 0100, Syria

⁵School of Information, University of South Florida, Tampa, FL, 33612, USA

⁶Department of Epidemiology and Biostatistics, College of Public Health, University of South Florida, Tampa 33612, USA

* Correspondence and requests for materials should be addressed to F. C. (email: fcheng1@health.usf.edu)



Supplementary Figure S1. ROCs and the numbers of obtained compounds v.s. different values of cutoff when taking warfarin as an example via our algorithm ($p < 0.1$). With the augment of cutoff, the area under the curve (AUC) increases (**A**), while the number of obtained compounds decreases (**B**).