

Supplementary information (Table 2)

Title: A new sensitizer DVDMS combined with multiple focused ultrasound treatments: an effective antitumor strategy

Authors: Wenli Xiong¹

Pan Wang¹

Jianmin Hu¹

Yali Jia¹

Lijie Wu¹

Xiyang Chen¹

Quanhong Liu¹

Xiaobing Wang^{1*}

Table 2. The Organs weight were measured at the 15th day after treatment

Groups	Organs weight (g)				
	Heart	Liver	Spleen	Lung	Kidney
Control	0.179±0.024	1.566±0.151	0.171±0.037	0.196±0.017	0.346±0.008
DVDMS	0.173±0.030	1.569±0.119	0.169±0.048	0.192±0.025	0.345±0.032
U-1	0.170±0.023	1.568±0.192	0.173±0.044	0.197±0.017	0.346±0.026
U-2	0.173±0.023	1.573±0.152	0.171±0.053	0.196±0.031	0.342±0.031
U-3	0.177±0.028	1.568±0.069	0.170±0.020	0.197±0.028	0.342±0.015
S-1	0.175±0.023	1.561±0.191	0.171±0.055	0.196±0.025	0.342±0.011
S-2	0.173±0.026	1.515±0.129	0.162±0.016	0.197±0.027	0.388±0.014
S-3	0.175±0.021	1.563±0.074	0.171±0.022	0.196±0.134	0.341±0.013