

Table S1. Zero-order correlations among study variables.

	2	3	4	5	6	7	8	9	10	11	12	13	14
1. Composite Weight Stigma	.88***	.88***	.33*	.39**	.39**	.03	-.24	.28	.26	.36*	.33*	.01	.47**
2. Weight Stigma Frequency		.56**	.45**	.52**	.44**	.16	-.41**	.11	.21	.25	0.2	.05	.42**
3. Weight Stigma Consciousness			-.10	.17	.23	-.10	-.04	.39**	.25	.36*	.35*	-.01	.39**
4. Abdominal Fat				.77***	.67***	.03	-.27	-.07	-.20	-.03	-.02	-.17	.36*
5. BMI					.69***	.10	-.32*	-.11	-.06	.11	.10	-.16	.38**
6. Total Body Fat %						.24	-.13	.05	-.16	-.09	.06	-.16	.31*
7. Education							-.19	.10	-.06	-.06	-.10	.07	.06
8. Income								.22	-.03	-.12	.14	-.14	-.15
9. Global Perceived Stress									.03	.28	.44**	-.24	.16
10. Morning Serum Cortisol										.05	.33*	-.15	.14
11. Daily Total Cortisol (AUC)											.52**	.36*	-.03
12. CAR												-.28	.18
13. Cortisol Diurnal Slope													-.03
14. F2-Isoprostanes													

Note: Abdominal fat units are grams; Cortisol units are ln(mg/dL) for serum and ln(nmol/L) for saliva; F2-Isoprostane units are ln(ng/mL); BMI = Body Mass Index; AUC = Area Under the Curve; CAR = Cortisol Awakening Response; * $p < 0.05$ (2-tailed), ** $p < 0.01$ (2-tailed), *** $p < 0.001$ (2-tailed).