S3 Appendix. Systematic reviews of clinical prediction rule studies included in the study.

Systematic review	Clinical prediction rule	Outcome	Number of Validation studies
Banal et al., 2009	American College of Rheumatology 1987 Criteria	Early rheumatoid arthritis determined by expert opinion	6
	American College of Rheumatology 1987 Criteria	Established rheumatoid arthritis determined by expert opinion	10
Brennan et al., 2010	Hospital Anxiety and Depression Scale (HADS-D)	Major depression determined by standardized interview	8
	Hospital Anxiety and Depression Scale (HADS-D)	All depressive disorders determined by standardized interview	10
Ceriani et al., 2010	3-level Wells score	Pulmonary embolism define by negative D-dimer with intermediate or low clinical probability, ventilation-perfusion lung scan, helical computed tomography or pulmonary angiography	13
	2-level Wells score	Pulmonary embolism define by negative D-dimer with intermediate or low clinical probability, ventilation-perfusion lung scan, helical computed tomography or pulmonary angiography	6
	Geneva score	Pulmonary embolism define by negative D-dimer with intermediate or low clinical probability, ventilation-perfusion lung scan, helical computed tomography or pulmonary angiography	5
Dowling et al., 2009	Ottawa Ankle Rules	Ankle or mid-foot fracture in children determined by X-ray or ankle, foot or proxy measure such as telephone follow up	10
Geomini et al., 2009	Sassone model	Ovarian malignancy based on histology	17
	Lerner model	Ovarian malignancy based on histology	7
	DePriest model	Ovarian malignancy based on histology	7
	Ferrazi model	Ovarian malignancy based on histology	6
	Risk of Malignancy Index 1	Ovarian malignancy based on histology	12
	Risk of Malignancy Index 2	Ovarian malignancy based on histology	6

Systematic review	Clinical prediction rule	Outcome	Number of Validation studies
Gilbody et al., 2007	Patient Health Questionnaire (PHQ) 9	Depression determined by standardized diagnostic interview	9
Giles and Rothwell, 2010	ABCD score	Stroke based on World Health Organization (WHO) Criteria	8
	ABCD2 score	Stroke based on World Health Organization (WHO) Criteria	6
Harrington et al., 2010	St. Thomas's risk assessment tool (STRATIFY)	Fall in hospitalized patients	10
Hewitt et al., 2009	Edinburgh Postnatal Depression Scale (EPDS)	Major depression determined by standardized interview	16
	Edinburgh Postnatal Depression Scale (EPDS)	Major and minor depression determined by standardized interview	16
	Edinburgh Postnatal Depression Scale (EPDS)	Any psychiatric disorder determined by standardized interview	5
McPhail et al., 2010	Kings's College Hospital Criteria (KCC)	Emergency liver transplantation or death	11
Mitchell et al., 2010b	Geriatric Depression Scale (GDS) 30	Depression in medical settings and nursing homes determined by structured interview	21
	Geriatric Depression Scale (GDS) 15	Depression in medical settings and nursing homes determined by structured interview	14
Mitchell et al., 20101a	Geriatric Depression Scale (GDS) 30	Depression in primary care determined by structured interview	7
	Geriatric Depression Scale (GDS) 15	Depression in primary care determined by structured interview	8
Mitchell et al., 2010c	Hospital Anxiety and Depression Scale (HADS-D)	Depression determined by structured interview	7
	Hospital Anxiety and Depression Scale (HADS-T)	Depression determined by structured interview	5
	Hospital Anxiety and Depression Scale (HADS-T)	Any mental illness determined by structured interview	4
Serrano et al., 2010	San Francisco Syncope Rule (SFSR)	Adverse outcome after stroke (death, MI, arrhythmia, PE, stroke, subarachnoid hemorrhage, hemorrhage, ED return visit and hospitalization)	7
Warnick et al., 2008	Child Behavior Checklist (CBCL)	Any psychiatric disorder determined by structured interview	10