

A protective role for IL-13 receptor α 1 in bleomycin-induced pulmonary injury and repair

Danielle Karo-Atar¹, Amos Bordowitz¹, Ori Wand¹, Metsada Pasmanik-Chor²
Isis E Fernandez³, Michal Itan¹, Rachel Frenkel⁴, De'Broski R. Herbert⁵, Fred
D. Finkelman⁶, Oliver Eickelberg³, Ariel Munitz^{1,*}

¹Department of Clinical Microbiology and Immunology, The Sackler School of Medicine, The Tel-Aviv University, Ramat Aviv, 69978, Israel; ²Bioinformatics Unit, George S. Wise Faculty of Life Sciences, Tel Aviv University, Tel Aviv, Israel; ³Comprehensive Pneumology Center, Ludwig Maximilians University, University Hospital Grosshadern, and Helmholtz Zentrum München, Munich, Germany, Member of the German Center for Lung Research; ⁴Department of Math Physics and Computer Science, University of Cincinnati, OH; ⁵Division of Experimental Medicine, University of California, San Francisco, CA 94110, USA; ⁶Division of Allergy, Immunology and Rheumatology, University of Cincinnati College of Medicine, Cincinnati, OH 45267; Department of Medicine, Cincinnati Veterans Affairs Medical Center, Cincinnati, OH 45220; and Division of Immunobiology, Cincinnati Children's Hospital Medical Center, Cincinnati, Ohio 45229, USA

Running Title: IL-13R α 1 in pulmonary fibrosis

* Address correspondence to Ariel Munitz, PhD, Department of Clinical Microbiology and Immunology, The Sackler School of Medicine, The Tel-Aviv

University, Ramat Aviv, 69978, Israel, Tel (Office): +972-3-640- 7636,

Fax: +972-3-640-9160, arielm@post.tau.ac.il

Author contributions: D.K.A., A.B., O.W., I.E.F., K.H., M.I., O.E., and A.M. performed experiments; D.K.A., M.P.C, O.E., D.R.H and A.M. designed the experiments and analyzed the data; F.D.F. designed experiments and provided critical reagents; R.F. analyzed the data; D.K.A, R.F., O.E., D.R.H., F.D.F. and A.M. wrote the manuscript.

Table S1: A complete list of primers that were used in this study

Gene	Species	Forward 3'→5'	Reverse 3'→5'
<i>Hsc70</i>	Human	ttacccgccccgattgaagaac	tgtgtctgcggatggatggta
<i>Il13ra1</i>	Human	ggcgacaaacaagataaga	tcattgtgaaaggagaggt
<i>Il13ra2</i>	Human	ccgaaacatggtagtcaa	taggtccaaaggtatgct
<i>Il4ra</i>	Human	tcttgaggagcccacctgc	ccctcacccgtccctgttag
<i>Hprt</i>	Mouse	gtaatgatcagtcaacggggac	ccagcaagctgcaacctaacc
<i>Il13ra1</i>	Mouse	ccttgcttctgtggtagtagag	aaagggccaggagaaatac
<i>mf-Il13ra2</i>	Mouse	ggactcatcagactataaaga	gtgtgctccatttcattcta
<i>Il4ra</i>	Mouse	ttagtgtcagtgtggcgctgt	tctcagccccaacaagtggaaa
<i>Cica3</i>	Mouse	tgaaatttgctgctgaccgatgg	tgtctgcaggccctgtcatttt
<i>Retnla</i>	Mouse	ccctccactgtAACGAAGACTC	cacaccaggtagcagtcatcc
<i>Chi3l4</i>	Mouse	gactcctggcttacttgagatt	caaccactcattaccagatag
<i>Agr2</i>	Mouse	ctgcttctgtggccatttc	tggagagtgtctgaggtagtt
<i>Tff2</i>	Mouse	tctggtagagggcgagaaaa	caaaggcagcatccaagatcaa
<i>Timp1</i>	Mouse	ccagaaccgcagtgaagagtt	aagctgcaggcactgtatgt
<i>Mmp12</i>	Mouse	cgcctctgctgatgacatac	gctagggttgtcaaggatggg
<i>Tgfb1</i>	Mouse	cggggcgacctggcaccatccatgac	ctgctccacctggctgacccac

Figure S1. Lung epithelial cell gating strategy for sorting

Gating and sorting strategy to obtain DAPI⁺CD45⁻/Podoplanin⁺ cells of single-cell suspensions from enzymatically digested lungs of naïve wild type and *Il13ra1*^{-/-} mice.

Figure S2. Contribution of IL-4/IL-13 signaling to the bleomycin-induced transcriptional changes

(A) Venn plot analyses of transcripts that are differentially expressed following bleomycin-, IL-13- or IL-4 treatment as observed from the lungs of wild type mice treated (A-B).

Figure S1

A.




Figure S2

