



A


Bax	Q171C				
Urea	-	-	-	+	+
CHAPS	-	-	+	-	+
IASD (min)	0	30	30	30	30
M_r	1	2	3	4	5




I175C					
Urea	-	-	-	+	+
CHAPS	-	-	+	-	+
IASD (min)	0	30	30	30	30
M_r	1	2	3	4	5




V177C					
Urea	-	-	-	+	+
CHAPS	-	-	+	-	+
IASD (min)	0	30	30	30	30
M_r	1	2	3	4	5




Bax	A178C				
Urea	-	-	-	+	+
CHAPS	-	-	+	-	+
IASD (min)	0	30	30	30	30
M_r	1	2	3	4	5



G179C					
Urea	-	-	-	+	+
CHAPS	-	-	+	-	+
IASD (min)	0	30	30	30	30
M_r	1	2	3	4	5




V180C					
Urea	-	-	-	+	+
CHAPS	-	-	+	-	+
IASD (min)	0	30	30	30	30
M_r	1	2	3	4	5




T182C					
Urea	-	-	-	+	+
CHAPS	-	-	+	-	+
IASD (min)	0	30	30	30	30
M_r	1	2	3	4	5

Bax	A183C					I187C				
Urea	-	-	-	+	+	-	-	-	+	+
CHAPS	-	-	+	-	+	-	-	+	-	+
IASD (min)	0	30	30	30	30	0	30	30	30	30
M_r	1	2	3	4	5	1	2	3	4	5



L185C					
Urea	-	-	-	+	+
CHAPS	-	-	+	-	+
IASD (min)	0	30	30	30	30
M_r	1	2	3	4	5



Source Data for Figure 5