

**Table S1.** Frequencies of CO1 and ND4 haplotypes for all sample sites and for each island.

Locality	N	CO1							N	ND4		
		I	II	III	IV	V	VI	VII		I	II	III
Poi-NC	30	-	0.50	-	0.50	-	-	-	30	0.57	-	0.43
Nou-NC	30	0.20	0.23	-	0.57	-	-	-	30	0.77	-	0.23
Ouv-NC	30	0.20	0.23	-	0.57	-	-	-	30	0.77	-	0.23
Lau-FJ	30	-	0.73	-	-	0.27	-	-	30	0.37	-	0.63
Suv-FJ	30	-	0.37	-	-	0.53	-	0.1	30	0.80	0.07	0.13
Hav-TG	30	0.37	-	0.63	-	-	-	-	30	0.37	0.63	-
Tub-FP	30	0.77	-	0.23	-	-	-	-	30	0.77	0.23	-
Pap-FP	30	0.60	-	0.20	-	-	0.20	-	30	0.80	0.20	-
Vai-FP	30	0.10	0.1	0.80	-	-	-	-	30	0.13	0.87	-
<b>All samples</b>	<b>270</b>	<b>0.25</b>	<b>0.24</b>	<b>0.21</b>	<b>0.18</b>	<b>0.09</b>	<b>0.02</b>	<b>0.01</b>	<b>270</b>	<b>0.59</b>	<b>0.22</b>	<b>0.19</b>

N Number of individual analyzed.

Roman numerals indicate the name of CO1 or ND4 haplotypes.