eTable 1. Adjusted relative risks of single motherhood duration and partnership status while being a single mother on disability and SRH, ELSA and SHARE only

	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH
	(1)	(2)	(3)
single motherhood for 1-3	0.98	1.03	1.24*
yrs	[0.64,1.52]		
single motherhood for 4-7	0.01	1.04	1.22
yrs	0.81 [0.48,1.35]	1.04 [0.59,1.83]	1.22 [0.98,1.51]
single motherhood for 8-13	[0.10,000]	[,]	[000 0,000 0]
yrs	1.94**	1.62	1.35**
single motherhood for 14+	[1.18,3.17]	[0.88,2.98]	[1.08,1.70]
yrs	1.72**	1.49	1.28*
	[1.19,2.48]	[0.94,2.37]	[1.05,1.57]
ever had partners while	0.92	0.76	0.00
being a single mother	0.82 [0.55,1.20]	0.76 [0.48,1.20]	0.90 [0.75,1.09]

^{***} P<0.001, ** P<0.01, * P<0.05

Notes: Each column of Column (1) to (3) presents relative risks (point estimates and 95% confidence intervals) of single motherhood by duration and by whether had a partner as a single mother, obtained from modified Poisson regressions with robust variance clustered at individual level. Data are weighted by sampling weights. Other control variables include the interactions of four country/region dummies with age, age squared, secondary education, primary education or less, number of children, and current marital status, as well as country and time fixed effects.

Single mothers, even if had partners, are associated with increased relative risks for ADLs and IADLs that Data sources: ELSA in year 2004 and 2006; SHARE in year 2004 and 2006 and SHARELIFE in year 2008.

eTable 2. Adjusted relative risks of age, education, and childhood conditions on having single motherhood experience, by region, using ELSA and SHARE

	I	Had single motherhoo	od experience in
	England	Scandinavia	Western Europe
Age	0.89*	0.86**	0.91
	[0.80, 0.99]	[0.77,0.95]	[0.83,1.01]
Age squared	1.00	1.00*	1.00
	[1.00,1.00]	[1.00,1.00]	[1.00,1.00]
Secondary education	1.26	1.10	1.05
	[0.97, 1.64]	[0.94,1.29]	[0.85,1.30]
Primary education or less	1.50**	1.09	0.99
	[1.15,1.97]	[0.92,1.30]	[0.77,1.28]
Poor health at age 10	1.06	1.01	0.95
	[0.92, 1.22]	[0.87, 1.17]	[0.80,1.12]
Number of ppl per room at age 10	1.05	1.09*	1.01
	[0.97,1.13]	[1.01,1.18]	[0.96,1.06]
Number of books at home at age 10	0.98	1.03	1.03
	[0.92,1.04]	[0.97, 1.09]	[0.95,1.11]
Living with both natural parents at age 10	0.76**	0.80*	0.56***
	[0.64,0.91]	[0.64,0.99]	[0.42,0.75]

^{***} P<0.001, ** P<0.01, * P<0.05

Adjusted relative risks (point estimates and 95% confidence intervals) were obtained from modified Poisson regressions, with robust variance clustered at individual level. Country and time fixed effects were included.

Countries in each region are: Scandinavia (Denmark and Sweden) ,Western Europe (Austria, France, Germany, Switzerland, Belgium, Netherlands)

eTable 3. Adjusted relative risks of single motherhood on disability and SRH, by region, using ELSA and SHARE

		Model specificatio	n I
	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH
	(1)	(2)	(3)
England			
Single motherhood	1.55***	1.69***	1.62***
	[1.31,1.83]	[1.37,2.08]	[1.44,1.83]
Poor health at age 10	1.51***	1.66***	1.50***
	[1.32,1.73]	[1.39,1.99]	[1.35,1.66]
Number of ppl per bedroom at age 10	0.99	1.01	1.04
	[0.92,1.08]	[0.92,1.10]	[0.99,1.10]
Number of books at home at age 10	0.96	0.91*	0.92**
	[0.90,1.03]	[0.84,1.00]	[0.88,0.97]
Living with both natural parents at age 10	1.07	1.06	1.03
	[0.88,1.29]	[0.82,1.36]	[0.88,1.19]
candinavia			
Single motherhood	1.34	0.87	1.22*
	[0.96,1.87]	[0.53,1.41]	[1.02,1.46]
Poor health at age 10	1.55**	1.14	1.52***
	[1.12,2.13]	[0.76,1.69]	[1.29,1.80]
Number of ppl per bedroom at age 10	1.08	1.03	1.11*
	[0.93,1.25]	[0.85,1.26]	[1.02,1.20]
Number of books at home at age 10	1.09	0.96	0.95
	[0.95,1.26]	[0.79,1.18]	[0.88,1.03]
Living with both natural parents at age 10	0.71	1.07	0.90
	[0.41,1.23]	[0.37,3.14]	[0.64,1.27]
Vestern Europe			
Single motherhood	1.13	0.98	1.25***
	[0.82, 1.54]	[0.67,1.43]	[1.10,1.41]
Poor health at age 10	0.96	0.87*	1.13***
	[0.85,1.07]	[0.76, 1.00]	[1.05,1.22]
Number of ppl per bedroom at age 10	1.00	1.00**	1.00**
	[1.00,1.00]	[1.00,1.00]	[1.00,1.00]
Number of books at home at age 10	1.20	1.16	1.18
	[0.80, 1.79]	[0.67,2.03]	[0.98,1.43]
Living with both natural parents at age 10	1.17	1.72*	1.48***
	[0.77,1.76]	[1.01,2.94]	[1.22,1.80]

^{***} P<0.001, ** P<0.01, * P<0.05

Adjusted relative risks (point estimates and 95% confidence intervals) were obtained from modified Poisson regressions, with robust variance clustered at individual level. Other control variables in "Model specification I" include the interactions of six country/region dummies with age, age squared, secondary education, primary education or less, and current marital status, as well as country and time fixed effects. Four variables on childhood conditions were included as control variables in "Model specification IV". Countries in each region are: Scandinavia (Denmark and Sweden), Western Europe (Austria, France, Germany, Switzerland, Belgium, Netherlands)

eTable 4. Adjusted relative risks of single motherhood on health behaviors and selected chronic conditions, by region

	Ever-smoked	Current smoker	Obese	Hypertension	Diabetes/Heart disease/stroke
Single motherhood in					
US	1.29***	1.36***	1.04	1.02	1.11**
	[1.22,1.36]	[1.19,1.55]	[0.96,1.12]	[0.97, 1.07]	[1.03,1.19]
England	1.20***	1.59***	1.06	1.19**	1.47***
	[1.11,1.30]	[1.30,1.94]	[0.91,1.23]	[1.07,1.32]	[1.28,1.69]
Scandinavia	1.26***	1.47***	1.24	0.98	1.03
	[1.13,1.40]	[1.19,1.82]	[0.98,1.57]	[0.83,1.14]	[0.82,1.30]
Western Europe	1.21*	1.42**	1.10	1.03	1.16
	[1.04,1.41]	[1.09,1.85]	[0.89,1.37]	[0.91, 1.17]	[0.95,1.42]
Southern Europe	1.21	1.45	1.22	0.93	0.93
	[0.85,1.72]	[0.95,2.21]	[0.91, 1.64]	[0.76,1.15]	[0.68,1.27]
Eastern Europe	1.46***	1.40*	0.99	1.02	1.01
	[1.22,1.75]	[1.06,1.84]	[0.74,1.31]	[0.86,1.22]	[0.77,1.32]
P-value of Wald test of	of equivalence of re	elative risks of single	motherhood		
All six regions	0.395	0.883	0.674	0.123	0.006

^{***} P<0.001, ** P<0.01, * P<0.05

"Obese" is defined as having body mass index (BMI) of 30 kg/m² and over. In HRS and SHARE, BMI was calculated based on self-reported weight and height. In ELSA, BMI was calculated based on weight and height measured during the nurse visit component of the survey and was only available in 2004. Adjusted relative risks (point estimates and 95% confidence intervals) were obtained from modified Poisson regressions, with robust variance clustered at individual level, for each of the six regions. Data were weighted by sampling weights. Other control variables include age, age squared, secondary education, primary education or less, number of children, current marital status, as well as country and time fixed effects.

Countries in each region are: Scandinavia (Denmark and Sweden) ,Western Europe (Austria, France, Germany, Switzerland, Belgium, Netherlands), Southern Europe (Italy, Spain and Greece), and Eastern Europe (Poland and Czech Republic).

eTable 5. Adjusted relative risks of single motherhood and health behaviors on disability and SRH, by region

	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH
Single motherhood in			
US	1.21***	1.22***	1.28***
	[1.09,1.34]	[1.10,1.37]	[1.19,1.38]
England	1.43***	1.60***	1.58***
	[1.18,1.74]	[1.24,2.07]	[1.36,1.84]
Scandinavia	1.42*	0.92	1.17
	[1.01,1.98]	[0.57,1.48]	[0.97,1.40]
Western Europe	1.11	1.01	1.21**
_	[0.82,1.52]	[0.68,1.48]	[1.07,1.36]
Southern Europe	1.11	1.13	1.05
	[0.79,1.55]	[0.75,1.71]	[0.90,1.21]
Eastern Europe	0.89	0.81	1.00
_	[0.61,1.28]	[0.53,1.24]	[0.87,1.15]
Ever-smoked in			
US	1.15**	1.16**	1.13***
	[1.04,1.27]	[1.04,1.29]	[1.05,1.22]
England	1.21*	1.09	1.08
	[1.01,1.44]	[0.85,1.41]	[0.93,1.26]
Scandinavia	0.81	0.77	1.02
	[0.56,1.15]	[0.50,1.19]	[0.84,1.24]
Western Europe	1.31	1.05	0.97
	[0.95,1.81]	[0.67,1.62]	[0.84,1.12]
Southern Europe	0.77	0.94	0.96
	[0.47,1.27]	[0.56,1.58]	[0.81,1.13]
Eastern Europe	1.06	0.72	1.05
	[0.75,1.52]	[0.41,1.28]	[0.92,1.20]

^{***} P<0.001, ** P<0.01, * P<0.05

(Table continues on next page)

eTable 5. Adjusted relative risks of single motherhood and health behaviors on disability and SRH, by region (continued)

	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH
Current smoker in			
US	1.27***	1.33***	1.28***
	[1.10,1.46]	[1.14,1.55]	[1.16,1.40]
England	1.13	1.37	1.40***
	[0.89,1.45]	[1.00,1.90]	[1.16,1.68]
Scandinavia	1.76*	1.43	1.61***
	[1.13,2.75]	[0.81,2.53]	[1.30,1.99]
Western Europe	1.14	1.54	1.30**
	[0.74, 1.75]	[0.87,2.75]	[1.08,1.57]
Southern Europe	1.43	0.62	1.05
	[0.74,2.75]	[0.23,1.66]	[0.84,1.31]
Eastern Europe	0.95	1.70	0.99
Currently obese in			
US	1.91***	1.60***	1.56***
	[1.74,2.10]	[1.45,1.78]	[1.46,1.66]
England	2.04***	1.71***	1.60***
	[1.73,2.39]	[1.36,2.14]	[1.40,1.83]
Scandinavia	1.50*	1.24	1.68***
	[1.02,2.21]	[0.79, 1.96]	[1.40,2.01]
Western Europe	2.02***	1.70***	1.67***
	[1.56,2.61]	[1.27,2.28]	[1.51,1.85]
Southern Europe	1.87***	1.62***	1.24***
	[1.52,2.31]	[1.24,2.11]	[1.14,1.34]
Eastern Europe	1.17	0.88	1.18**
	[0.91,1.51]	[0.63,1.23]	[1.07,1.31]
P-value of Wald test of e	quivalence of relative	e risks of single mo	otherhood
all six regions	0.224	0.066	0.000

^{***} P<0.001, ** P<0.01, * P<0.05

Adjusted relative risks (point estimates and 95% confidence intervals) were obtained from modified Poisson regressions, with robust variance clustered at individual level. Data were weighted by sampling weights. Other control variables include the interactions of six country/region dummies with age, age squared, secondary education, primary education or less, current marital status, as well as country and time fixed effects.

Countries in each region are: Scandinavia (Denmark and Sweden) ,Western Europe (Austria, France, Germany, Switzerland, Belgium, Netherlands), Southern Europe (Italy, Spain and Greece), and Eastern Europe (Poland and Czech Republic).

eTable 6. Adjusted relative risks of single motherhood and cardio-vascular related conditions on disability and SRH, by region

	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH
Single motherhood in			
US	1.22***	1.22***	1.28***
	[1.10,1.35]	[1.09,1.36]	[1.19,1.37]
England	1.39***	1.51***	1.47***
	[1.19,1.61]	[1.24,1.83]	[1.31,1.65]
Scandinavia	1.50**	0.98	1.24*
	[1.11,2.03]	[0.65, 1.50]	[1.04,1.47]
Western Europe	1.08	0.98	1.20**
	[0.79,1.46]	[0.68,1.42]	[1.06,1.35]
Southern Europe	1.20	1.14	1.09
	[0.83,1.73]	[0.78,1.67]	[0.95,1.25]
Eastern Europe	0.93	0.84	1.01
	[0.66,1.30]	[0.56,1.25]	[0.89,1.14]
Ever diagnosed with hea	rt disease/diabete	s/stroke	
US	1.98***	2.12***	2.06***
	[1.80,2.19]	[1.91,2.35]	[1.92,2.21]
England	1.83***	2.15***	1.83***
	[1.59,2.10]	[1.79,2.59]	[1.66,2.03]
Scandinavia	2.21***	2.32***	1.78***
	[1.65,2.95]	[1.68,3.21]	[1.49,2.12]
Western Europe	1.66***	1.70***	1.69***
	[1.27,2.18]	[1.27,2.29]	[1.53,1.88]
Southern Europe	1.76***	1.89***	1.42***
	[1.40,2.21]	[1.49,2.40]	[1.32,1.53]
Eastern Europe	1.62***	1.51**	1.45***
	[1.27,2.07]	[1.15,1.99]	[1.33,1.57]
Ever diagnosed with hyp	pertension		
US	1.41***	1.37***	1.36***
	[1.27,1.57]	[1.23,1.54]	[1.26,1.47]
England	1.26***	1.19	1.40***
-	[1.10,1.45]	[1.00,1.42]	[1.27,1.55]
Scandinavia	0.96	1.21	1.28**
	[0.72,1.28]	[0.85,1.71]	[1.09,1.51]
Western Europe	1.28*	0.98	1.42***
	[1.01,1.62]	[0.75,1.27]	[1.28,1.57]
Southern Europe	1.23	1.18	1.16***
1	[0.98,1.54]	[0.89,1.55]	[1.08,1.26]
Eastern Europe	1.25	1.00	1.23***

[0.98,1.60] [0.76,1.31] [1.12,1.35]

P-value of Wald test of equivalence of relative risks of single motherhood

all six regions 0.201 0.065 0.000

*** P<0.001, ** P<0.01, * P<0.05

Notes:

Outcomes on chronic conditions are based on questions of "Have a doctor ever told you that you had".

Adjusted relative risks (point estimates and 95% confidence intervals) were obtained from Poisson regressions with robust variance clustered at individual level. Other control variables include the interactions of six country/region dummies with age, age squared, secondary education, primary education or less, number of children, and current marital status, as well as country and time fixed effects.

Countries in each regions are: Scandinavia (Denmark and Sweden) ,Western Europe (Austria, France, Germany, Switzerland, Belgium, Netherlands), Southern Europe (Italy, Spain and Greece), and Eastern Europe (Poland and Czech Republic).

eTable 7. Adjusted relative risks of single motherhood on disability and SRH, for aged 65 and over only, by region

	M	odel specification	on I	Mo	del specification	n II
	Any ADLs limitations RR (95% CI)	Any IADLs limitations RR (95% CI)	Fair/Poor SRH RR (95% CI)	Any ADLs limitations RR (95% CI)	Any IADLs limitations RR (95% CI)	Fair/Poor SRH RR (95% CI)
	(1)	(2)	(3)	(4)	(5)	(6)
Single motherhood	in					
US	1.27***	1.30***	1.36***	1.11	1.13*	1.21***
	[1.13,1.41]	[1.16,1.46]	[1.25,1.47]	[0.99,1.24]	[1.01,1.26]	[1.12,1.31]
England	1.40***	1.72***	1.60***	1.31*	1.42*	1.45***
	[1.15,1.72]	[1.33,2.23]	[1.36,1.88]	[1.06,1.61]	[1.08,1.86]	[1.23,1.71]
Scandinavia	1.35	1.08	0.99	1.24	0.92	0.91
	[0.89,2.05]	[0.65,1.77]	[0.76,1.29]	[0.82,1.87]	[0.57,1.48]	[0.70, 1.18]
Western						
Europe	0.77	0.72	1.18*	0.72	0.66	1.12
C 41	[0.52, 1.16]	[0.45, 1.14]	[1.00,1.38]	[0.48, 1.09]	[0.42, 1.06]	[0.96, 1.32]
Southern Europe	0.93	0.97	0.99	0.80	0.88	0.97
Lurope	[0.63,1.38]	[0.65,1.46]	[0.84,1.16]	[0.54,1.17]	[0.60,1.29]	[0.83,1.14]
Eastern Europe	0.92	0.88	1.00	0.88	0.85	1.02
Eustern Europe	[0.59,1.41]	[0.56,1.38]	[0.85,1.17]	[0.57,1.35]	[0.56,1.31]	[0.88,1.19]
P-value of Wald tes	-				[0.00,1.01]	[0.00,1.15]
All six regions	0.059	0.007	0.000	0.057	0.048	0.002
England vs US	0.378	0.050	0.075	0.161	0.126	0.048
England vs Scandinavia England vs	0.862	0.100	0.002	0.800	0.122	0.003
Western Europe England vs Southern	0.011	0.001	0.009	0.012	0.006	0.027
Europe	0.070	0.020	0.000	0.025	0.048	0.001
England vs Eastern Europe	0.080	0.011	0.000	0.101	0.050	0.002

^{***} P<0.001, ** P<0.01, * P<0.05

Adjusted relative risks (point estimates and 95% confidence intervals) of single motherhood by region, obtained from modified Poisson regressions, with robust variance clustered at individual level. Data are weighted by sampling weights. Other control variables in "Model specification I" include the interactions of six country/region dummies with age, age squared, secondary education, primary education or less, and current marital status, as well as country and time fixed effects. Extra control variables are in "Model

specification II": interactions of regional dummies with per-capita household income quintiles and per-capita household wealth quintiles.

Countries in each regions are: Scandinavia (Denmark and Sweden) ,Western Europe (Austria, France, Germany, Switzerland, Belgium, Netherlands), Southern Europe (Italy, Spain and Greece), and Eastern Europe (Poland and Czech Republic).

Data sources: HRS in year 2004 and 2006; ELSA in year 2004 and 2006; SHARE in year 2004 and 2006 and SHARELIFE in year 2008, aged 65 and over only.

eTable 8. Adjusted relative risks of single motherhood on disability and SRH, by race/ethnicity in US

	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH
Single motherhood among			
Non-Hispanic black	1.17	1.26*	1.21**
	(0.95 to 1.44)	(1.02 to 1.55)	(1.05 to 1.40)
Hispanic	1.24	1.19	0.96
	(0.96 to 1.60)	(0.89 to 1.58)	(0.84 to 1.09)
Non-Hispanic white	1.20**	1.22**	1.35***
	(1.06 to 1.37)	(1.07 to 1.40)	(1.23 to 1.49)
Non-Hispanic black	1.42***	1.29**	1.41***
	(1.19 to 1.70)	(1.08 to 1.54)	(1.24 to 1.60)
Hispanic	1.22*	1.04	1.80***
	(1.01 to 1.47)	(0.85 to 1.27)	(1.62 to 2.00)
P-value of Wald test of equivalence of RRs of			
single motherhood by race/ethnicity	0.942	0.947	0.000

^{***} P<0.001, ** P<0.01, * P<0.05

Adjusted Relative risks (point estimates and 95% confidence intervals) were obtained from modified Poisson regressions with robust variance clustered at individual level. Data were weighted by sampling weights. Other control variables include age, age squared, secondary education, primary education or less, current marital status, and time fixed effects.

Data sources: Health and retirement study wave 7 and 8.

eTable 9. Adjusted relative risks of single motherhood duration and maximum number of children while being a single mother on disability and SRH, all regions combined

	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH
single motherhood for 1-3 years	0.97	0.90	1.14**
	[0.83, 1.14]	[0.74, 1.08]	[1.04,1.26]
single motherhood for 4-7 years	0.94	1.13	1.23***
	[0.77, 1.14]	[0.93,1.37]	[1.11,1.37]
single motherhood for 8-13 years	1.32**	1.13	1.26***
	[1.08,1.60]	[0.91,1.39]	[1.13,1.41]
single motherhood for 14+ years	1.55***	1.31*	1.41***
	[1.28,1.86]	[1.06,1.61]	[1.26,1.58]
2+ children while being a single			
mother	1.14	1.23*	1.02
	[0.98,1.33]	[1.05,1.46]	[0.93,1.12]

^{***} P<0.001, ** P<0.01, * P<0.05

Notes: Adjusted relative risks (point estimates and 95% confidence intervals) were obtained from modified Poisson regressions with robust variance clustered at individual level. We also control for age, age squared, education, number of children, current marital status, time of interview, and country-fixed effects.

Data sources: HRS in 2004 and 2006, ELSA in year 2004 and 2006; SHARE in year 2004 and 2006 and SHARELIFE in year 2008.

eTable 10. Adjusted relative risks of single motherhood duration and fertility history on disability and SRH, using SHARE and ELSA.

	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH
single motherhood for 1-3 yrs	0.83 [0.60,1.15]	0.82 [0.55,1.21]	1.14 [0.99,1.31]	0.80 [0.58,1.10]	0.79 [0.53,1.16]	1.11 [0.96,1.27]
single motherhood for 4-7 yrs	0.67* [0.45,0.99	0.80 [0.54,1.18	1.11 [0.97,1.26	0.62* [0.43,0.92	0.73 [0.50,1.07	1.07 [0.94,1.22
single motherhood for 8-13	J	J	J	J	J	J
yrs	1.61* [1.11,2.33]	1.26 [0.81,1.94]	1.23** [1.06,1.42]	1.52* [1.05,2.21]	1.18 [0.76,1.82]	1.19* [1.03,1.38]
single motherhood for 14+						
yrs	1.46* [1.08,1.96	1.19 [0.80,1.79]	1.18* [1.01,1.37]	1.44* [1.07,1.93]	1.18 [0.79,1.75]	1.16 [0.99,1.34]
First pregnancy before age 20	,	,	•	1.56*** [1.25,1.95	1.69*** [1.34,2.14	1.29*** [1.17,1.41
First pregnancy after age 30				0.95 [0.76,1.20]	1.00 [0.78,1.28]	0.94 [0.86,1.03
Number of children				1.03 [0.99,1.08]	1.05* [1.00,1.09]	1.00 [0.98,1.02]
Any still born children				1.07 [0.83,1.38]	0.89 [0.68,1.17]	1.09* [1.00,1.19]

^{***} P<0.001, ** P<0.01, * P<0.05

Adjusted relative risks (point estimates and 95% confidence intervals) were obtained from modified Poisson regressions, with robust variance clustered at individual level. Other control variables include age, age squared, secondary education, primary education or less, and current marital status, as well as country (if multiple countries) and time fixed effects.

Data sources: English Longitudinal Study of Aging (ELSA) wave 2 and 3, SHARE wave 1 and 2 and SHARELIFE.

eTable 11. Adjusted Relative risks of single motherhood on disability and SRH among women aged 50+, by region, outcomes in year 2004 only

	-	Model specification	ı I		Model specification II		
	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH	Any ADLs limitations	Any IADLs limitations	Fair/Poor SRH	
	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	RR (95% CI)	
	(1)	(2)	(3)	(4)	(5)	(6)	
ngle motherhood in							
US	1.36***	1.31***	1.34***	1.17*	1.13	1.18***	
	[1.20,1.54]	[1.15,1.49]	[1.23,1.45]	[1.04,1.32]	[0.99,1.29]	[1.09,1.28]	
England	1.51***	1.75***	1.70***	1.43***	1.48***	1.52***	
	[1.27,1.80]	[1.41,2.17]	[1.49,1.95]	[1.20,1.71]	[1.19,1.84]	[1.32,1.74]	
Scandinavia	1.35	1.36	1.35*	1.27	1.26	1.24	
	[0.88,2.06]	[0.81,2.26]	[1.00,1.82]	[0.83, 1.94]	[0.75,2.11]	[0.92,1.68]	
Western Europe	1.00	1.01	1.23**	0.91	0.94	1.17	
	[0.67,1.48]	[0.66,1.57]	[1.05,1.44]	[0.61, 1.36]	[0.61,1.44]	[1.00,1.38]	
Southern Europe	1.04	0.86	1.03	0.90	0.80	1.02	
	[0.65,1.65]	[0.49,1.51]	[0.85,1.26]	[0.56, 1.46]	[0.46,1.39]	[0.84,1.25]	
Eastern Europe	NA	NA	NA	NA	NA	NA	
-value of Wald test of ea	quivalence of relative ri	isks of single motherh	nood				
All six regions	0.000	0.000	0.000	0.000	0.004	0.000	
England vs US	0.320	0.024	0.003	0.068	0.038	0.002	
England vs Scandinavia	0.625	0.372	0.165	0.611	0.585	0.241	
England vs Western Europe	0.058	0.028	0.002	0.046	0.065	0.017	
England vs Southern Europe	0.134	0.021	0.000	0.077	0.042	0.001	
England vs Eastern Europe	NA	NA	NA	NA	NA	NA	

^{***} P<0.001, ** P<0.01, * P<0.05

Notes: Each column of Column (1) to (6) presents relative risks (point estimates and 95% confidence intervals) of single motherhood by region, obtained from modified Poisson regressions with robust variance clustered at individual level. Data are weighted by sampling weights. Other control variables in "Model specification I" include the interactions of six country/region dummies with age, age squared, secondary education, primary education or less, number of children, and current marital status, as well as country and time fixed effects. Extra control variables are in "Model specification II": interactions of regional dummies with per-capita household income quintiles and per-capita household wealth quintiles. Countries in each regions are: Scandinavia (Denmark and Sweden) ,Western Europe (Austria, France, Germany, Switzerland, Belgium, Netherlands), and Southern Europe (Italy, Spain and Greece). Eastern European countries (Poland and Czech Republic) were not included in SHARE in year 2004.

Data sources: HRS in year 2004; ELSA in year 2004 and life survey in 2006; SHARE in year 2004 and SHARELIFE in year 2008.

eTable 12. Adjusted Relative risks of single motherhood on disability and SRH among women aged 50+, by region, outcomes in year 2006 only

	Model specification I			Model specification II		
	Any ADLs limitations RR (95% CI)	Any IADLs limitations RR (95% CI) (2)	Fair/Poor SRH RR (95% CI) (3)	Any ADLs limitations RR (95% CI) (4)	Any IADLs limitations RR (95% CI) (5)	Fair/Poor SRH RR (95% CI) (6)
ingle motherhood in	(1)	(2)	(3)	(4)	(3)	(0)
US	1.21**	1.27***	1.32***	1.04	1.09	1.16***
	[1.07,1.36]	[1.12,1.43]	[1.21,1.43]	[0.93,1.17]	[0.96,1.23]	[1.07,1.26]
England	1.43**	1.48**	1.49***	1.31*	1.25	1.38***
	[1.13,1.81]	[1.11,1.97]	[1.27,1.75]	[1.03,1.66]	[0.95,1.66]	[1.18,1.61]
Scandinavia	1.58**	0.76	1.10	1.51*	0.66	1.04
	[1.14,2.18]	[0.47,1.21]	[0.91,1.33]	[1.08,2.10]	[0.41,1.04]	[0.87,1.26]
Western Europe	1.11	0.93	1.25**	1.02	0.86	1.19*
	[0.78,1.58]	[0.59,1.48]	[1.09,1.44]	[0.72,1.45]	[0.54,1.37]	[1.04,1.37]
Southern Europe	1.17	1.18	1.08	0.95	0.99	1.05
	[0.75,1.84]	[0.73,1.88]	[0.92,1.27]	[0.62,1.47]	[0.62,1.56]	[0.90,1.23]
Eastern Europe	0.87	0.81	1.00	0.85	0.82	1.00
	[0.61,1.23]	[0.53,1.25]	[0.87,1.14]	[0.59,1.20]	[0.54,1.23]	[0.87,1.13]
-value of Wald test of eq	quivalence of relative ri	isks of single motherl	nood			
All six regions	0.154	0.054	0.001	0.109	0.154	0.031
England vs US	0.210	0.335	0.181	0.092	0.363	0.059
England vs Scandinavia	0.629	0.017	0.016	0.497	0.019	0.024
England vs Western Europe	0.248	0.096	0.108	0.255	0.174	0.174
England vs Southern Europe	0.448	0.417	0.005	0.211	0.379	0.017
England vs Eastern Europe	0.021	0.023	0.000	0.045	0.093	0.002

^{***} P<0.001, ** P<0.01, * P<0.05

Notes: Each column of Column (1) to (6) presents relative risks (point estimates and 95% confidence intervals) of single motherhood by region, obtained from modified Poisson regressions with robust variance clustered at individual level. Data are weighted by sampling weights. Other control variables in "Model specification I" include the interactions of six country/region dummies with age, age squared, secondary education, primary education or less, number of children, and current marital status, as well as country and time fixed effects. Extra control variables are in "Model specification II": interactions of regional dummies with per-capita household income quintiles and per-capita household wealth quintiles. Countries in each regions are: Scandinavia (Denmark and Sweden) ,Western Europe (Austria, France, Germany, Switzerland, Belgium, Netherlands), Southern Europe (Italy, Spain and Greece), and Eastern Europe (Poland and Czech Republic).

Data sources: HRS in year 2006; ELSA in year 2006; SHARE in year 2006 and SHARELIFE in year 2008.