## Supplementary file 3

Table 4: Influencing factors in decision to use ED (range of number ofcontributory reasons given=1-9; ordered by main influence proportions)

Reason for attendance		Influencing factor	Main influence
		frequency (%)	frequency (%)
		[n=325;	[n=300;
		missing=12]	missing=37]
1.	I was advised to come here by	96 (28.5)	63 (18.7)
	someone other than a GP		
	Minor Injury Unit	27	24
	NHS Direct	21	13
	School	18	11
	Paramedic	5	5
	GP receptionist	5	2
	First aider	3	2
	Family/friend	5	1
	Sports club	2	-
	Other	8	3
	Missing	2	2
2.	The child needed to be seen	104 (30.9)	50 (14.8)
	quickly		
3.	The child's problem is more	118 (35.0)	38 (11.3)
	appropriate for here		
	appropriate for here		

4. The child was not getting any	50 (14.8)	25 (7.4)
better		
5. Other influences (grouped	41 (12.2)	24 (7.1)
together) (data available from		
authors)		
6. For reassurance	93 (27.8)	21 (6.2)
7. I was advised to come here by a	31 (9.2)	16 (4.7)
GP (within normal hours 8.00am-		
6.00pm)		
8. I did not contact the GP as I knew	45 (13.4)	15 (4.5)
he/she would advise me to come		
to ED		
9. I wanted a second opinion on the	45 (13.4)	13 (3.9)
child's problem		
10. You get all the tests and	61 (18.1)	12 (3.6)
treatments in one place		
11.I was advised to come here by an	10	5
out-of-hours GP service (outside		
8.00am-6.00pm)		
12. Emergency department doctors	21 (6.2)	5
are more experienced		
13.I was unable to contact a GP / get	13 (3.9)	4
a GP appointment		
14.I prefer to use the Emergency	20 (5.9)	4
Department than elsewhere		

15. You get better treatment here	26 (7.7)	4
16. The child has already been seen	5	1
here with the same problem		
17. It is easier to come here because	3	-
of my working hours		
18. It is easier because of childcare	1	-
arrangements		