Appendix Table 1A

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review		Language limitation	Nb sudies included	Designs examined	Procedure rating £
Annals	of internal Med	icine									
		Comparative Effectiveness of Treatments for				Perceived,					
		Open-Angle Glaucoma: A Systematic Review for				role					
A1§	Boland MV	the U.S. Preventive Services Task Force	USA	10	No	described	Detailed	No	379	Various	0/0/2/0/0/0
		Blood Tests to Diagnose Fibrosis or Cirrhosis in									
		Patients With Chronic Hepatitis C Virus Infection				Perceived,				Diagnostic	
A2°	Chou R	A Systematic Review	USA	2	No	no role	Detailed**	English	172	only	0/0/1/0/0/0
		Comparative Effectiveness of Antiviral				Perceived,					
		Treatment for Hepatitis C Virus				role					
A3°	Chou R	Infection in Adults: A Systematic Review	USA	6	No	described	Detailed**	English	90	Various	1/0/0/1/0/0
		Screening for Hepatitis C Virus Infection in				Perceived,					
		Adults: A Systematic Review for the U.S.				role					
A4°	Chou R	Preventive Services Task Force	USA	5	No	described	Detailed	English	16 (166)	Various	1/0/0/0/0/0
		Reducing Risk for Mother-to-Infant Transmission				Perceived,					
		of Hepatitis C Virus: A Systematic Review for the				role not					
A5°	Cottrell EB	U.S. Preventive Services Task Force	USA	5	No	reported	Detailed**	English	18	Various	1/0/1/0/0/0
		Screening Tests for Gestational Diabetes: A									
		Systematic Review for the U.S. Preventive				Perceived.					
A6	Donovan L	Services Task Force	Canada	6	No	no role	Detailed	English	51	Various	1/0/1/0/0/0
		Medical Management to Prevent Recurrent									
		Nephrolithiasis in Adults: A Systematic Review				Perceived,					
		for an American College of Physicians Clinical				role					
A7§	Fink HA	Guideline	USA	10	No	described	Detailed	English	28	RCTs only	1/0/0/0/0/0
		Effectiveness and Harms of Recombinant Human				Perceived,					
		Bone Morphogenetic Protein-2 in Spine Fusion				role					
A8§	Fu R	A Systematic Review and Meta-analysis	USA	7	Yes	described	Detailed**	English	44	Various	1/2/1/1/1/0
		Advanced Wound Care Therapies for Nonhealing				Perceived,					
		Diabetic, Venous, and Arterial Ulcers A				role					
A9°	Greer N	Systematic Review	USA	7	No	described	Detailed**	English	59	RCTs only	0/0/1/1/0/0

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review		Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Benefits and Harms of Treating Gestational									
		Diabetes Mellitus:									
		A Systematic Review and Meta-analysis for the									
		U.S. Preventive Services Task Force and the				Perceived,					
		National Institutes of Health Office of Medical				role					
A10	Hartling L	Applications of Research	Canada	6	No	described	Detailed	English	11	Various	0/0/2/0/0/0
		Determining the Noninfectious Complications of									
		Indwelling Urethral Catheters. A Systematic				Perceived,					
A11°	Hollingsworth JM	Review and Meta-analysis	USA	8	No	no role	Detailed	No	37	Various	1/1/1/0/0/0
		Screening for Lung Cancer With Low-Dose									
		Computed Tomography:									
		A Systematic Review to Update the U.S.				Perceived,					
		Preventive Services Task				role					
A12°	Humphrey LL	Force Recommendation	USA	9	No	described	Detailed	English	67	Various	0/0/1/1/0/0
		The Association Between Health Care Quality				Perceived,					
A13	Hussoy DC	· ·	USA	3	No	role described	Detailed**	English	61	quality/cost	0/0/0/0/0/-
AIS	Hussey PS	and Cost. A Systematic Review	USA	3	INO	Perceived,	Detailed	Liigiisii	01	13	0/0/0/0/0/-
		The Patient-Centered Medical Home A				role					
A14	Jackson GL	Systematic Review	USA	12	No	described	Detailed**	English	60	Various	1/0/1/0/1/0
		Treatment of Anemia in Patients With Heart				Perceived.					
A15	Kansagara D	Disease. A Systematic Review	USA	6	No	no role	Detailed**	English	55	Various	1/2/1/0/0/0
		Are Metabolically Healthy Overweight and									
		Obesity Benign Conditions?. A Systematic				Perceived,					
A16°	Kramer CK	Review and Meta-analysis	Canada	3	Yes	no role	Detailed**	No	12	Various	1/2/1/0/0/0
		Medication Reconciliation During Transitions of									
		Care as a Patient Safety Strategy. A Systematic				Perceived,					
A17°	Kwan JL	Review	Canada	4	No	no role	Detailed	English	18	Various	0/2/1/0/0/0
		Risk–Benefit Profile of Long-Term Dual- Versus									
		Single-Antiplatelet Therapy Among Patients									
		With Ischemic Stroke A Systematic Review and				Perceived.					
A18§	Lee M	Meta-analysis	Taiwan	6	No	no role	Detailed**	No	7	RCTs only	1/0/2/0/0/0

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review		Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Screening for Cognitive Impairment in Older				Perceived,					
		Adults: A Systematic Review for the U.S.				role					
A19§	Lin JS	Preventive Services Task Force	USA	5	No	described	Detailed	English	311	Various	2/0/1/1/0/0
		Electronic Patient Portals: Evidence on Health				Perceived,					
		Outcomes, Satisfaction, Efficiency, and Attitudes				role					
A20	Lubick Goldzweig	A Systematic Review	USA	8	No	described	Detailed**	English	46	Various	0/0/0/0/0/0
		Patient Safety Strategies Targeted at Diagnostic				Perceived,		Not			
A21°	McDonald KM	Errors A Systematic Review	USA	7	No	no role	Detailed	specified	109	Various	1/0/1/0/0/0
		Inpatient Fall Prevention Programs as a Patient				Perceived,		Not			
A22°	Miake-Lye IM	Safety Strategy. A Systematic Review	USA	4	No	no role	Detailed	specified	21	Various	0/0/0/0/0/0
		Optimal Timing of Coronary Invasive Strategy in									
		Non–ST-SegmentElevation Acute Coronary									
		Syndromes A Systematic Review and Meta-				None		Not			
A23	Navarese EP	analysis	Poland	12	No	perceived	Detailed	specified	11	Various	1/0/0/0/0/0
		Use of Medications to Reduce Risk for Primary				Perceived,					
		Breast Cancer: A Systematic Review for the U.S.				role					
A24°	Nelson HD	Preventive Services Task Force	USA	4	No	described	Detailed	English	89	Various	1/2/1/0/0/0
		Screening for and Treatment of Suicide Risk				Perceived,					
		Relevant to Primary Care: A Systematic Review				role					
A25°	O'Connor E	for the U.S. Preventive Services Task Force	USA	5	No	described	Detailed	English	159	Various	1/1/0/0/0/0
		Management Strategies for Asymptomatic				Perceived,					
		Carotid Stenosis. A Systematic Review and Meta-				role					
A26°	Raman G	analysis	USA	9	No	described	Detailed**	English	56	Various	1/2/0/1/0/0
		Hospital-Initiated Transitional Care									
		Interventions as a Patient Safety Strategy. A				Perceived.					
A27°	Rennke S	Systematic Review	USA	6	No	no role	Detailed	English	47	RCTs only	0/0/1/0/0/0
		In-Facility Delirium Prevention Programs as a				Perceived,		Not			
A28°	Reston JT	Patient Safety Strategy A Systematic Review	USA	2	No	no role	Detailed	specified	19	Various	0/0/0/0/0/0
		Statins and Cognitive Function A Systematic				None		Not			
A29	Richardson K	Review	USA	9	No	perceived	Detailed	specified	57	Various	0/0/1/0/0/0
						Perceived,					
		Simulation Exercises as a Patient Safety Strategy	l <u>.</u> .			role					
A30°	Schmidt E	A Systematic Review	USA	4	No	described	Detailed	English	38	Various	1/0/1/0/0/0

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review		Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Behavioral Interventions and Counseling to									
		Prevent Child Abuse and Neglect: A Systematic				Perceived,					
		Review to Update the U.S. Preventive Services				role					
A31°	Selph SS	Task Force Recommendation	USA	4	No	described	Detailed	English	11	Various	1/2/1/0/0/0
		Nurse–Patient Ratios as a Patient Safety				Perceived,					
A32°	Shekelle PG	Strategy. A Systematic Review	USA	1	No	no role	Detailed	English	17	Various	0/0/0/0/0/0
		Preventing In-Facility Pressure Ulcers as a				Perceived,					
A33°	Sullivan N	Patient Safety Strategy A Systematic Review	USA	2	No	no role	Detailed	Other	51	Various	0/0/1/1/0/0
		Lifestyle Interventions for Patients With and at				Perceived,					
		Risk for Type 2 Diabetes A Systematic Review				role					
A34°	Sumamo Schelle	er and Meta-analysis	Canada	5	No	described	Detailed	English	20	RCTs only	1/2/1/1/0/0
		Risk Prediction Models for Patients With Chronic				None					
A35	Tangri N	Kidney Disease A Systematic Review	Canada	10	No	perceived	Detailed	English	13	Cohort only	0/0/1/0/0/0
		Self-Measured Blood Pressure Monitoring in the									
		Management of				Perceived,					
		Hypertension. A Systematic Review and Meta-				role					
A36§	Uhlig K	analysis	USA	5	No	described	Detailed**	No	55	Various	0/0/1/0/0/0
		Sodium–Glucose Cotransporter 2 Inhibitors for									
		Type 2 Diabetes. A Systematic Review and Meta-				None					
A37°	Vasilakou D	analysis	Greece	9	No	perceived	Detailed	No	58	RCTs only	2/2/1/1/0/0
		Promoting a Culture of Safety as a Patient Safety				Perceived,					
A38°	Weaver SJ	Strategy. A Systematic Review	USA	6	No	no role	Detailed	English	33	Various	0/0/2/0/0/0
		Rapid-Response Systems as a Patient Safety				Danasiyad					
		Strategy				Perceived, role					
A39	Winters BD	A Systematic Review	USA	6	No	described	Detailed	No	43	Various	0/0/0/0/0/0
BMJ	Williters BD	A Systematic Neview	IUSA	0	INO	accombca	Detailed	1.10	43	Tunous	0/0/0/0/0/0
DIVIJ			1			Perceived.				1	1
		Effect of lower sodium intake on health:				role not					
B1	Aburto NJ	systematic review and meta-analyses	Switzerland	6	No	reported	Detailed	No	77	Various	2/2/1/0/0/0
		Effect of increased potassium intake on				Perceived,					
		cardiovascular risk factors and disease:				role not					
B2°	Aburto NJ	systematic review and meta-analyses	Switzerland	6	No	reported	Detailed	No	33	Various	2/2/1/0/0/0

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review		Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Association between maternal serum 25-									
		hydroxyvitamin D level and pregnancy and									
		neonatal outcomes: systematic review and meta-				Perceived,					
B3°	Aghajafari F	analysis of observational studies	Canada	6	No	no role	None	No	31	9	1/1/1/0/0/0
		Probiotic supplementation during pregnancy or									
		infancy for the prevention of asthma and				None		Not			
B4°	Azad MB	wheeze: systematic review and meta-analysis	Canada	9	Yes	perceived	None	specified	20	RCTs only	1/2/1/2/0/0
		Intermittent self catheterisation with									
		hydrophilic, gel									
		reservoir, and non-coated catheters: a				Perceived.					
		systematic review and cost effectiveness				role not					
B5°	Bermingham SL	analysis	uĸ	6	No	reported	None	English	8	RCTs only	0/2/0/0/0/0
		Efficacy and safety outcomes of oral									
		anticoagulants and antiplatelet drugs in the									
		secondary prevention of venous									
		thromboembolism: systematic review and				None					
B6°	Castellucci LA	network meta-analysis	Canada	10	Yes	perceived	Detailed	No	12	RCTs only	0/2/0/0/0/0
		Lithium in the prevention of suicide in mood									
		disorders: updated systematic review and meta-				None					
B7°	Cipriani A	analysis	Italy	4	Yes	perceived	Detailed	No	48	RCTs only	1/2/1/0/0/0
		Red flags to screen for malignancy and fracture				None					
В8	Downie A	in patients with low back pain: systematic review	Australia	11	No	perceived	None	No	14	Various	0/0/0/0/0/0
	201111071	The effect of fall prevention exercise	7 1001.0	<u> </u>							0.0.0.0.0.0
		programmes on fall induced injuries in									
		community dwelling older adults: systematic									
		review and meta-analysis of randomised				None					
B9°	El-Khoury F	controlled trials	France	4	No	perceived	None	Other	17	RCTs only	1/2/1/0/0/0
	<u> </u>	Effect of smoking on comparative efficacy of				Perceived,					
		antiplatelet agents: systematic review, meta-				role not					
B10°	Gagne JJ	analysis, and indirect comparison	USA	6	No	reported	None	No	9	RCTs only	1/0/1/0/0/0
		Global eradication rates for Helicobacter pylori									
		infection: systematic review and meta-analysis				None					
B11	Gatta L	of sequential therapy	Italy	4	No	perceived	Detailed	No	46	RCTs only	1/2/0/0/0/0

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review		Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Bariatric surgery versus non-surgical treatment									
		for obesity: a systematic review and meta-				None					
B12°	Gloy VL	analysis of randomised controlled trials	Switzerland	8	Yes	perceived	Detailed	No	11	RCTs only	2/2/0/0/0/0
		Severe hypoglycaemia and cardiovascular									
		disease: systematic review and meta-analysis				Perceived,					
B13°	Goto A	with bias analysis	Japan	5	No	no role	None	No	6	Various	1/2/0/0/0/0
		The effect of rising food prices on food									
		consumption: systematic review with meta-				Perceived,					
B14°	Green R	regression	UK	7	Yes	no role	None	English	136	Various	1/0/2/0/0/0
		Hydroxyethyl starch 130/0.38-0.45 versus									
		crystalloid or albumin in patients with sepsis:									
		systematic review with meta-analysis and trial				Not					
B15°	Haase N	sequential analysis	Denmark	7	Yes	reported	Detailed	No	9	Various	1/2/0/2/0/0
		Anaemia, prenatal iron use, and risk of adverse									
		pregnancy outcomes: systematic review and				Perceived,					
B16	Haider BA	meta-analysis	USA	6	No	no role	None	No	92	Various	1/2/1/0/0/0
		Effect of longer term modest salt reduction on									
		blood pressure: Cochrane systematic review and				None					
B17°	He FJ	meta-analysis of randomised trials	UK	3	No	perceived	Detailed	No	34	RCTs only	2/2/1/0/0/0
		Coronary artery calcium score prediction of all									
		cause mortality and cardiovascular events in									
		people with type 2 diabetes: systematic review				Perceived,					
B18°	Kramer CK	and meta-analysis	Canada	7	Yes	no role	Detailed	No	8	Various	1/2/1/0/0/0
						Perceived,					
		Primary hip replacement prostheses and their				role		Not		ļ., .	
B19§	Kynaston-Pearsor	evidence base: systematic review of literature	UK	12	No	described	Detailed	specified	157	Various	1/2/0/0/0/0
		Preventing sexual abusers of children from									
		reoffending: systematic review of medical and				Perceived,				l	
B20°	Langstrom N	psychological interventions	Sweden	6	No	no role	None	Other	22	Various	0/1/1/0/1/0
		Interventions for non-metastatic squamous cell				Perceived,					
		carcinoma of the skin: systematic review and				role not				ļ., .	
B21°	Lansbury L	pooled analysis of observational studies	UK	5	Yes	reported	None	English	118	Various	0/0/1/1/0/0

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review		Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Breast cancer detection and survival among									
		women with cosmetic breast implants:				Perceived,					
		systematic review and meta-analysis of				role not					
B22	Lavigne E	observational studies	Canada	8	No	reported	None	Other	22	Various	2/1/1/0/0/0
		Safety and efficacy of intravenous iron therapy									
		in reducing requirement for allogeneic blood									
		transfusion: systematic review and meta-				None					
B23°	Litton E	analysis of randomised clinical trials	Australia	3	No	perceived	Detailed**	No	75	RCTs only	2/2/1/0/0/0
		Predictive value of S-100β protein for prognosis									
		in patients with moderate and severe traumatic									
		brain injury: systematic review and meta-				Perceived,					
B24	Mercier E	analysis	Canada	15	No	no role	None	No	41	Various	2/2/1/0/0/0
		Populations at risk for severe or complicated				Perceived,					
		influenza illness: systematic review and meta-				role not					
B25°	Mertz D	analysis	Canada	11	No	reported	Detailed	Other	234	Various	1/1/1/0/0/0
		Efficacy of vitamin and antioxidant supplements									
		in prevention of cardiovascular disease:									
		systematic review and meta-analysis of				None					
B26	Myung SK	randomised controlled trials	Korea	7	No	perceived	None	No	50	RCTs only	2/0/1/2/0/0
		Non-invasive versus invasive respiratory support									
		in preterm infants at birth: systematic review				None		Not			
B27°	Schmölzer GM	and meta-analysis	Canada	6	No	perceived	Detailed	specified	4	RCTs only	2/0/1/0/0/1
		Diagnostic accuracy of conventional or age									
		adjusted D-dimer cut-off values in older patients									
		with suspected venous thromboembolism:				Perceived,				Diagnostic	
B28°	Schouten HJ	systematic review and meta-analysis	Netherlands	9	No	no role	Detailed	No	13	only	1/2/1/0/0/0
		Effectiveness of a bundled intervention of									
		decolonization and prophylaxis to decrease									
		Gram positive surgical site infections after									
		cardiac or orthopedic surgery: systematic review				Perceived.					
B29°	Schweizer M	and meta-analysis	USA	8	No	no role	None	English	39	Various	2/2/1/0/0/0

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review		Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Ultrasound imaging for lumbar punctures and									
		epidural catheterisations: systematic review and				Perceived,					
B30	Shaikh F	meta-analysis	Canada	7	No	no role	Detailed	No	14	RCTs only	1/2/1/0/0/0
		Early interventions to prevent psychosis:				Perceived, role not				DOT 1	
B31	Stafford MR	systematic review and meta-analysis	UK	5	No	reported	Detailed	English	11	RCTs only	1/2/0/0/0/0
		Different combined oral contraceptives and the risk of venous thrombosis: systematic review		_		None		NI-		Mariana	0/0/4/0/0/0
B32	Stegeman BH	and network meta-analysis	UK	7	No	perceived	Detailed	No	25	Various	0/2/1/0/0/0
B33°	Ten Broek RPG	Burden of adhesions in abdominal and pelvic surgery: systematic review and met-analysis	Netherlands	9	Yes	None perceived	None	No	196	Various	1/0/1/0/0/0
		Duration of symptoms of respiratory tract				Perceived,					
B34°	Thompson M	infections in children: systematic review	USA	6	No	no role	None	English	48	Various	0/2/1/0/0/0
		Dietary fibre intake and risk of cardiovascular				Perceived,					
B35°	Threapleton	disease: systematic review and meta-analysis	UK	9	No	no role	Detailed	English	22	Cohort only	1/0/1/0/0/0
		Exercise for lower limb osteoarthritis: systematic									
		review incorporating trial sequential analysis				Perceived,					
B36°	Uthman OA	and network meta-analysis	UK	7	Yes	no role	Detailed**	No	60	RCTs only	0/2/1/0/0/0
		Perceived job insecurity as a risk factor for incident coronary heart disease: systematic				Perceived,					
B37°	Virtanen M	review and meta-analysis	Finland	47	No	no role	Detailed	English	17	Cohort only	1/2/0/0/0/1
		Comparative effectiveness of renin-angiotensin									
		system blockers and other antihypertensive									
		drugs in patients with diabetes: systematic				None					
B38°	Wu HY	review and bayesian network meta-analysis	Taiwan	9	Yes	perceived	None	No	63	RCTs only	1/1/1/0/0/0
Cochran	ne Database of S	ystematic Reviews									
		Blood pressure targets for hypertension in				Perceived, role					
C1	Arguedas JA	people with diabetes mellitus	Costa Rica	3	Yes	described	None	No	5	RCTs only	0/2/2/1/0/0
C2	Brown R	Aripiprazole alone or in combination for acute mania	UK	3	Yes	Perceived, role not reported	Detailed	No	10	RCTs only	1/2/0/1/0/0
- 52	3.5WII IX				1.00	Not	Dotalloa	1	10		1,2,0,1,0,0
C3°	Chen N	Cerebrolysin for vascular dementia	China	6	Yes	reported	None	No	6	RCTs only	1/2/0/0/0/0

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review	COI of reviewers	Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Pedicle screw fixation for traumatic fractures of				Perceived,					
C4°	Cheng LM	the thoracic and lumbar spine	China	7	Yes	role not reported	None	No	8	RCTs only	1/2/2/0/0/0
<b>├</b> ──	Cherig Livi	the thoracic and lumbar spine	Offina	+ '-	103	Perceived,	None			T to 10 omy	1/2/2/0/0/0
		Remote and web 2.0 interventions for				role not					
C5	Foster C	promoting physical activity	UK	4	Yes*	reported	Detailed	No	11	RCTs only	2/2/1/0/0/0
		Dharmacatharany for hyporyricamia in				Perceived,					
C6°	Gois PHF	Pharmacotherapy for hyperuricemia in hypertensive patients	Brasil	2	Yes	role not reported	None	No	1	RCTs only	1/2/2/0/0/0
	GOIS PHF	hypertensive patients	Diasii		165	Perceived,	None	1110	<u>'</u>	IXC 13 Offiny	1/2/2/0/0/0
		Perioperative antibiotics for prevention of acute				role not					
C7	Gower EW	endophthalmitis after cataract surgery	USA	5	Yes	reported	None	No	4	RCTs only	1/2/0/1/0/0
		'Third wave' cognitive and behavioural therapies				Perceived,					
		versus other psychological therapies for				role not					
C8°	Hunot V	depression	UK	10	Yes	reported	Detailed	No	3	RCTs only	2/2/1/0/1/0
		Pegylated liposomal doxorubicin for relapsed				None					
C9	Lawrie TA	epithelial ovarian cancer	UK	5	Yes	perceived	None	No	14	RCTs only	1/2/0/1/0/0
		Drossings and tonical agents for proventing				Perceived,					
C10°	Moore ZEH	Dressings and topical agents for preventing pressure ulcers	Ireland	2	Yes	role not reported	Detailed	No	9	RCTs only	1/2/1/1/0/2
C 10	WIOOTE ZETT	pressure dicers	litelatiu	+ -	163	Perceived,	Detailed	110	9	TKO 13 Offiny	1/2/1/1/0/2
		Training to recognise the early signs of				role not		Not			
C11°	Morris R	recurrence in schizophrenia	UK	5	Yes	reported	None	specified	34	RCTs only	2/2/1/1/0/0
						Perceived,					
040	Na	Comparison of different regimens of proton	Ob it -			role not	D-4-111	No		DCTo only	0/0/0/0/0/0
C12	Neumann I	pump inhibitors for acute peptic ulcer bleeding	Chile	8	Yes	reported Perceived,	Detailed	No	22	RCTs only	2/2/2/0/0/0
						role not					
C13	O'Meara S	Foam dressings for venous leg ulcers	uĸ	2	Yes	reported	None	No	12	RCTs only	2/2/1/1/0/0
		Manual small incision cataract surgery (MSICS)									
		with posterior chamber intraocular lens versus				Perceived,					
		phacoemulsification with posterior chamber				role not					
C14°	Riaz Y	intraocular lens for age-related cataract	UK	3	Yes	reported	None	No	8	RCTs only	1/2/1/1/1/0
						Perceived,					
045	C. 44-314 C	Quetiapine versus typical antipsychotic	Th = 11 = 1		V	role not	D-4-11-4	No	40	DCTo only	4/4/0/4/0/2
C15	Suttajit S	medications for schizophrenia	Thailand	6	Yes	reported	Detailed	No	43	RCTs only	1/1/0/1/0/0

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review	COI of reviewers	Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Decider (ICCI) consequently bish magnification				Perceived,					
C16°	Teixeira DM	Regular (ICSI) versus ultra-high magnification (IMSI) sperm selection for assisted reproduction	Brasil	7	Yes	role not reported	None	No	9	RCTs only	2/2/1/1/0/0
C 10	Teixeira Divi	Wound drainage after axillary dissection for	Diasii	<del>  '</del>	165	None	INOTIE	110	1 9	TKO 13 Offiny	2/2/1/1/0/0
C17°	Thompson DR	carcinoma of the breast	UK	3	Yes	perceived	None	No	7	RCTs only	1/2/0/1/0/0
- 017	Thompson Dix	caremonia of the breast	OIC	<del>                                     </del>	103	Perceived,	None	1.10	,	Tto io omy	1/2/0/1/0/0
		Combined and alternating paracetamol and				role					
C18°	Wong T	ibuprofen therapy for febrile children	Canada	7	Yes*	described	None	No	6	RCTs only	1/2/1/1/0/0
		Calculate for home white to the condu				Perceived,					
0.400		Schedules for home visits in the early	1.			role not		No	4.0	RCTs only	4 10 14 10 10 10
C19°	Yonemoto N	postpartum period	Japan	4	Yes	reported	None	No	12	RC IS ONLY	1/0/1/0/0/0
JAMA	1	In Tivu II 5 - 1 2	_	1	1		_	1	1	1	
		Does This Woman Have an Ectopic Pregnancy?									
140		The Rational Clinical Examination Systematic				Not		F	1	0 - 1 1 1 -	0 10 10 10 10 10
J1°	Crochet JR	Review	USA	3	No	reported	None	English	14	Cohort only	0/0/0/0/0/0
		Coronary Artery Bypass Graft Surgery vs									
100		Percutaneous Interventions in Coronary				Perceived,		Not	4.0	\ /i	0 10 10 10 10 10
J2°	Deb S	Revascularization A Systematic Review	Canada	6	No	no role	None	specified	18	Various	0/0/2/0/0/0
		Association of All-Cause Mortality With									
		Overweight and Obesity Using Standard Body									
100		Mass Index Categories A Systematic Review and				None		   NI -		0 - 1 1 1	01410101010
J3°	Flegal KM	Meta-analysis	USA	4	No	perceived	None	No	97	Cohort only	0/1/0/0/0/0
		Does This PatientWith Shoulder Pain Have								L	
1.40	1	Rotator Cuff Disease? The Rational Clinical	<b>.</b>			Not		041		Diagnostic	0 10 10 10 10 10
J4°	Hermans J	Examination Systematic Review	Netherlands	6	No	reported	Detailed	Other	28	only	0/2/0/0/0/0
		Do Findings on Routine ExaminationIdentify									
		Patients at Risk for Primary Open-Angle									
	l	Glaucoma? The Rational Clinical Examination				Not		F		Diagnostic	0 10 14 10 10 10
J5°	Hollands H	Systematic Review	Canada	6	No	reported	Detailed	English	57	only	0/0/1/0/0/0
		Intermittent Preventive Therapy for Malaria									
		During Pregnancy Using 2 vs 3 or More Doses of		1							
		Sulfadoxine-Pyrimethamine and Risk of Low									
100		Birth Weight in Africa Systematic Review and		4		Perceived,		N <sub>a</sub>		DOT- and	0/0/4/0/6/3
J6°	Kayentao K	Meta-analysis	UK	11	No	no role	Detailed	No	7	RCTs only	2/2/1/0/0/0

	1rst Author	Title	Country of affiliation	Nb co- authors	Protocol accessibility	Funding of the review	COI of reviewers	Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Sublingual Immunotherapy for the Treatment of				Perceived,					
		Allergic Rhinoconjunctivitis and Asthma A				role					
J7°	Lin SY	Systematic Review	USA	7	Yes*	described	Detailed	English	63	RCTs only	1/0/1/1/0/0
		Bariatric Surgery for Weight Loss and Glycemic				Perceived,					
		Control in Nonmorbidly Obese Adults With				role		Not			
J8	Maggard_Gibbon	Diabetes. A Systematic Review	USA	8	No	described	Detailed	specified	60	Various	0/2/0/0/0/0
		Does This Patient Have Obstructive Sleep									
		Apnea? The Rational Clinical Examination				Not				Diagnostic	
J9°	Myers KA	Systematic Review	Canada	3	No	reported	None	English	42	only	0/1/2/0/0/0
		Mantal Haalth Bassana ta Canana iti Disastana				Perceived,					
14.00	North CC	Mental Health Response to Community Disasters			N	role not	Datailad	English	000	Various	0/0/0/0/0/
J10°	North CS	A Systematic Review	USA	2	No	reported	Detailed	English	222	Various	0/0/0/0/0/-
144	D D	Axillary Node Interventions in Breast Cancer. A	1104	,	N	Not reported	Datailad	English	47	Various	0/0/0/0/0/0
J11	Rao R	Systematic Review Association of Hydroxyethyl Starch	USA	4	No	reported	Detailed	English	17	various	0/0/0/0/0/0
		Administration With Mortality and Acute Kidney									
		Injury in Critically III Patients Requiring Volume									
		1									
14.00	Zamada mali	Resuscitation A Systematic Review and Meta-	0	_	V	Not reported	Datailad	No	00	RCTs only	0/4/4/0/0/0
J12°	Zarychanski	analysis	Canada	7	Yes	reported	Detailed	INO	38	RC IS OILLY	2/1/1/0/2/0
The Lai	icet 	Established Albertan de disconsiderations	1	1	ı		1	1	1	1	T
		Epidemiology of Alzheimer's disease and other									
		forms of dementia in China, 1990–2010: a	<b>.</b>	10	ļ	Perceived,	<b>.</b>	Other		\	01414101010
L1°	Chan KY	systematic review and analysis	Australia	12	No	no role	None	Other	89	Various	0/1/1/0/0/0
		Risk of venous thromboembolism associated									
		with peripherally inserted central catheters: a		_	l	None	l	<b>.</b> .		ļ., .	
L2°	Chopra V	systematic review and meta-analysis	USA	7	No	perceived	None	No	64	Various	2/2/1/0/0/0
		Comparison of global estimates of prevalence									
		and risk factors for peripheral artery disease in				Perceived,		Not		ļ., .	
L3°	Fowkes FGR	2000 and 2010: a systematic review and analysis	UK	11	No	no role	Detailed	specified	34	Various	0/2/0/0/0/0
		Effect of calcium-based versus non-calcium-									
		based phosphate binders on mortality in									
		patients with chronic kidney disease: an updated				None				l	
L4	Jamal SA	systematic review and meta-analysis	Canada	9	No	perceived	Detailed	No	8	Various	1/1/0/0/0/0

	1rst Author	Title		Nb co- authors	Protocol accessibility	Funding of the review		Language limitation	Nb sudies included	Designs examined	Procedure rating £
		Women's groups practising participatory									
		learning and action to improve maternal and									
		newborn health in low-resource settings: a				Perceived,					
L5°	Prost A	systematic review and meta-analysis	UK	28	No	no role	Detailed	No	7	RCTs only	2/1/1/0/0/0
		Global association of air pollution and heart				Perceived,					
L6°	Shah ASV	failure: a systematic review and meta-analysis	UK	8	No	no role	None	No	35	Various	1/2/1/0/0/0
		The global prevalence of intimate partner				Perceived,		Not			
L7°	Stöckl H	homicide: a systematic review	UK	7	No	no role	None	specified	163	Various	0/0/0/0/0/-
		Benefits and harms of adhesion barriers for									
		abdominal surgery: a systematic review and				None					
L8°	Ten Broek RPG	meta-analysis	Netherlands	6	Yes	perceived	None	No	28	RCTs only	2/0/1/2/0/0
		Socioeconomic development as an intervention				Perceived,					
		against malaria: a systematic review and meta-				role not					
L9°	Tustung LS	analysis	UK	7	No	reported	None	English	20	Various	1/0/1/0/0/0
		Diabetes and risk of physical disability in adults:				Perceived,					
L10°	Wong E	a systematic review and meta-analysis	Australia	7	Yes	no role	None	English	26	Various	1/2/1/0/0/0

COI: Conflict of Intererst; RCT: Randomised Controlled Trials; £: Scoring of the 6 procedures applied (search for unpublished trials/contact with study authors/ search for duplicates/study sponsor/study author's COI/ethical approval) 0 = procedure not applied, 1 = partially applied, 2 = fully applied; \*: Protocol not freely accessible; \*\*: Detailed in supplementary files or online only; °: author answered our query; §: author not contacted

Appendix Table 2A. Characteristics of included systematic reviews according to journal of publication

••		2 ,	Journal			P-v	P-value	
	Ann Int Med	BMJ	JAMA	Lancet	Cochrane	p1	p2	
	n %	n %	n %	n %	n %			
Number of systematic reviews	39 33%	38 32%	12 10%	10 8%	19 16%			
Answered inquiry	23 59%	27 71%	10 83%	9 90%	11 58%	0.198	0.313	
Number of co-authors						0.001	0.012	
Median (IQR)	6 (4 to 8)	7 (6 to 9)	6 (3.5 to 7)	7.5 (7 to 11)	5 (3 to 7)			
Country of affiliation of 1st author						< 0.001	< 0.00	
USA	30 77%	4 11%	6 50%	1 10%	1 5%			
UK	0 0%	9 24%	1 8%	5 50%	8 42%			
Canada	6 15%	9 24%	4 33%	1 10%	1 5%			
Australia	0 0%	2 5%	0 0%	2 20%	0 0%			
Others	3 8%	14 37%	1 8%	1 10%	9 47%			
Protocol registration/accessibility						< 0.001	0.014	
No mention of protocol	37 95%	27 71%	10 83%	8 80%	0 0%			
Protocol exists/ not freely accessible	0 0%	0 0%	1 8%	0 0%	2 11%			
Protocol exists/ freely accessible	2 5%	11 29%	1 8%	2 20%	17 89%			
Source of funding of systematic review						< 0.001	< 0.00	
Not reported	0 0%	1 3%	6 50%	0 0%	1 5%			
Reported that no funding was received	4 10%	14 37%	1 8%	3 30%	2 11%			
Reported that funding was recieved with details	35 90%	23 61%	5 42%	7 70%	16 84%			
Conflicts of interests of systematic reviewers						< 0.001	< 0.00	
Not reported	0 0%	0 0%	0 0%	0 0%	0 0%			
Reported that there were none	0 0%	18 47%	4 33%	7 70%	13 68%			
Reported and detailed in the published report	26 67%	18 47%	8 67%	3 30%	6 32%			
Reported elsewhere (e.g., online)	13 33%	2 5%	0 0%	0 0%	0 0%			
Number of databases searched						0.002	0.167	
Median (IQR)	4 (3 to 5)	4 (3 to 7)	3 (2 to 5.5)	5 (4 to 7)	7 (6 to 9)			
Language limitations applied	, , , ,	, ,			, , ,	< 0.001	0.004	
None	7 18%	23 61%	3 25%	5 50%	18 95%			
English only	26 67%	8 21%	6 50%	2 20%	0 0%			
Limitations to other languages	1 3%	4 11%	1 8%	1 10%	0 0%			
Not specified	5 13%	3 8%	2 17%	2 20%	1 5%			
Number of studies included						0.001	0.571	
Median (IQR)	46 (18 to 60)	28 (13 to 60)	40 (17 to 61)	31 (20 to 64)	9 (6 to 12)			
Study designs examined						< 0.001	0.003	
RCT only	6 15%	16 42%	3 25%	2 20%	19 100%			
Cohort prospective only	1 3%	2 5%	2 17%	0 0%	0 0%			
Diagnostic studies only	1 3%	1 3%	3 25%	0 0%	0 0%			
Various designs	31 79%	19 50%	4 33%	8 80%	0 0%			

IQR: Inter-quartile range; RCT: Randomised controlled trials; P1: tests the null hypothesis of equal distribution across the five journals. P2: tests the null hypothesis of equal distribution across the four journals, excluding the Cochrane Database of Systematic Reviews. Statistical tests: Chi2 test or Kruskal-Wallis equality of population rank tests, as appropriate.

Study sponsors' biases			
Not present	Use of probiotic supplementation during pregnancy or infancy for the prevention of asthma. Nineteen of 20 trials were to some degree sponsored by industry. However, subgroup analyses did not identify significant sponsor bias. <sup>B4</sup>		
	Use of hydroxyethyl starch solutions in patients with sepsis. Sensitivity analyses excluding industry-sponsored trials did not identify sponsor bias. B15		
	Use of hydroxyethyl starch solutions in critically ill patients. Sensitivity analyses excluding industry-sponsored trials did not identify sponsor bias. <sup>112</sup>		
Unlikely	Adhesion barriers for abdominal surgery. Authors reported that most trials were sponsored by industry, but sponsor-bias seemed unlikely since investigator-driven trials compared favourably with industry-sponsored trials.		
Present	Effects of vitamins E and B6 on myocardial infarction and cardiovascular death. Beneficial effects were found only in trials in which the vitamines were supplied by the pharmaceutical industry. B26		
	Association between combined oral contraceptives and the risk of venous thrombosis. «The risk estimate for third generation users (compared with non-users) was lower in industry sponsored studies than in non-industry sponsored studies (relative risk 1.9 v 5.2)». «All risk estimates were higher in studies with objectively confirmed venous thrombosis, of which none were industry sponsored». B32		
Ethical approval of inclu			
Identified studies for which ethics and consent were not available	Prevention of pressure ulcer. «No information about ethics approval or participant consent was provided by Green 1974, Han 2011, Kalowes 2012, Qiuli 2010 or Van Der Cammen 1987. Although Smith 1985 had ethics approval, it was not reported whether participants consented. Information on ethics and consent for the remaining studies was not available (Houwing 2008; Nakagami 2007; Torra i Bou 2005)».		
Acknowledged that all studies had received ethical approval	Perceived job insecurity as a risk factor for incident coronary heart disease. «Each constituent study in the consortium was approved by the relevant local or national ethics committee and all participants gave informed consent to participate». B37		
	Non-invasive versus invasive respiratory support in preterm infants at birth. <i>«All the studies required antenatal consent, preselecting more stable pregnancies and lowering the observed incidence of acute or serious antenatal and neonatal complications»</i> . B27		

 $\textbf{Appendix Table 3A: Details on study sponsors' and ethical approval of included studies. Texts in italic are cited from the original references. \\$ 

Appendix Table 4A. Application of procedures protecting from research malpractice, according to journal of publication

			Journal			P-value	
	Ann Int Med	BMJ	JAMA	Lancet	Cochrane	p1	p2
	n %	n %	n %	n %	n %		
Number of systematic reviews	39 33%	38 32%	12 10%	10 8%	19 16%		
Search of unpublished trials and/or test for publication bias						0.001	0.005
Publication bias discussed only or not mentionned	18 46%	8 21%	9 75%	3 30%	1 5%		
Unpublished trials searched OR publication bias tested	19 49%	20 53%	1 8%	4 40%	12 63%		
Unpublished trials searched AND publication bias tested	2 5%	10 26%	2 17%	3 30%	6 32%		
Contact with authors of the studies						< 0.001	0.001
Study authors not contacted	27 69%	8 21%	6 50%	3 30%	1 5%		
Study authors contacted for method or unspecified reason	3 8%	5 13%	3 25%	3 30%	1 5%		
Study authors contacted to identify unreported outcomes	9 23%	25 66%	3 25%	4 40%	17 89%		
<b>Duplicate publications</b>						0.092	0.106
Not searched or not mentioned	12 31%	10 26%	6 50%	3 30%	6 32%		
Searched and found, not referenced OR no mention of results	23 59%	28 74%	4 33%	7 70%	9 47%		
Searched, found and referenced	4 10%	0 0%	2 17%	0 0%	4 21%		
Sponsors of the studies	1 10/0	0 070	2 1770	0 0 / 0	1 21/0	< 0.001	0.121
Not mentioned	32 82%	33 87%	10 83%	9 90%	7 37%	0.001	0.121
Yes, extracted	7 18%	1 3%	1 8%	0 0%	12 63%		
Yes, extracted and subgroup analyses performed	0 0%	4 11%	1 8%	1 10%	0 0%		
Conflicts of interests of study authors	0 0 / 0	. 11,0	1 0,0	1 10,0	0 0 / 0	0.500	0.731
Not mentioned	37 95%	37 97%	12 100%	10 100%	17 89%		
Yes, extracted	2 5%	1 3%	0 0%	0 0%	2 11%		
Yes, extracted and subgroup analyses performed	0 0%	0 0%	0 0%	0 0%	0 0%		
Ethical approval of included studies						0.510	0.351
Not mentioned	39 100%	36 95%	12 100%	10 100%	18 95%		
Yes, extracted	0 0%	2 5%	0 0%	0 0%	1 5%		
Yes, extracted and analysed	0 0%	0 0%	0 0%	0 0%	0 0%		
Number of procedures applied						< 0.001	0.021
None	e 6 15%	1 3%	3 25%	1 10%	0 0%		
1 or 2 procedures	s 22 56%	14 37%	6 50%	4 40%	2 11%		
3 or 4 procedures	s 10 26%	23 61%	3 25%	5 50%	15 79%		
5 procedures	s 1 3%	0 0%	0 0%	0 0%	2 11%		
Median (IQR)	2 (1 to 3)	3 (2 to 3)	1 (0.5 to 2.5)	2.5 (2 to 3)	3 (3 to 4)		
Explicit mention of misconduct by review authors						0.461	0.318
No, or not mentioned	38 97%	36 95%	10 83%	9 90%	18 95%		
Yes	1 3%	2 5%	2 17%	1 10%	1 5%		

IQR: Inter-quartile range. P1: tests the null hypothesis of equal distribution across the five journals. P2: tests the null hypothesis of equal distribution across the four journals, excluding the Cochrane Database of Systematic Reviews. (Chi2 test)