

Appendix 2 Amount of missing data by randomised group [posted as supplied by author]

	eSET N=683 n (%)	DET N=684 n (%)	Total N=1367 n (%)
Female age	3 (0.4)	2 (0.3)	5 (0.4)
Female BMI	115 (16.8)	110 (16.1)	225 (16.5)
Type of infertility for female (primary or secondary)	15 (2.2)	13 (1.9)	28 (2.1)
Duration of infertility	17 (2.5)	16 (2.3)	33 (2.4)
Primary cause of infertility	2 (0.3)	2 (0.3)	4 (0.3)
Type of treatment (first cycle)	0 (0.0)	1 (0.1)	1 (0.1)
Number of fresh embryos available for transfer (first cycle)	0 (0.0)	2 (0.3)	2 (0.1)
Day of fresh embryo transfer (first cycle)	1 (0.1)	4 (0.6)	5 (0.4)
Developmental stage of each fresh embryo transferred (first cycle) ¹ , n/N (%)	31/685 (4.5)	64/1359 (4.7)	95/2044 (4.6)
Grade of each fresh embryo transferred (first cycle) ¹ , n/N (%)	32/685 (4.7)	67/1359 (4.9)	99/2044 (4.8)
Live birth (first cycle)	0 (0.0)	1 (0.1)	1 (0.1)
Multiple live birth (first cycle)	0 (0.0)	1 (0.1)	1 (0.1)
Gestation period for live birth (first cycle) ² , n/N (%)	0/181 (0.0)	2/285 (0.7)	2/466 (0.4)
Birth weight for live birth (first cycle) ² , n/N (%)	0/181 (0.0)	2/285 (0.7)	2/466 (0.4)

Denominator is the number of women unless otherwise stated.

¹ Denominator is the number of embryos transferred. ² Denominator is the number of live births.

BMI Body Mass Index