

## Appendix 1.

### List of included randomised trials with related review and classification according to the type of intention-to-treat reporting

Review	Randomised trial	Journal	Year	Title	Type of ITT
Azim 2009	<b>Paccagnella</b>	J Clin Oncol	2006	Adding gemcitabine to paclitaxel/carboplatin combination increases survival in advanced non-small-cell lung cancer: results of a phase II-III study.	<i>mITT trial</i>
Azim 2009	<b>Comella</b>	J Clin Oncol	2000	Randomized trial comparing cisplatin, gemcitabine, and vinorelbine with either cisplatin and gemcitabine or cisplatin and vinorelbine in advanced non-smallcell lung cancer: interim analysis of a phase III trial of the Southern Italy Cooperative Oncology Group	<i>ITT trial</i>
Azim 2009	<b>Laack</b>	J Clin Oncol	2004	Randomized phase III study of gemcitabine and vinorelbine versus gemcitabine, vinorelbine, and cisplatin in the treatment of advanced non-small-cell lung cancer: from the German and Swiss Lung Cancer Study Group	<i>ITT trial</i>
Azim 2009	<b>Comella</b>	Ann Oncol	2007	Efficacy of the combination of cisplatin with either gemcitabine and vinorelbine or gemcitabine and paclitaxel in the treatment of locally advanced or metastatic non-small-cell lung cancer: a phase III randomised trial of the Southern Italy Cooperative Oncology Group (SICOG 0101).	<i>ITT trial</i>
Azim 2009	<b>Comella</b>	Semin Oncol	2001	Phase III trial of cisplatin/gemcitabine with or without vinorelbine or paclitaxel in advanced non-small cell lung cancer	<i>"no ITT trial"</i>
Azim 2009	<b>Alberola</b>	J Clin Oncol	2003	Cisplatin plus gemcitabine versus a cisplatin-based triplet versus nonplatinum sequential doublets in advanced non-small-cell lung cancer: a Spanish Lung Cancer Group phase III randomized trial.	<i>"no ITT trial"</i>

Bai 2008	<b>Rokke</b>	Scand J gastroenterol	2007	Early treatment of severe pancreatitis with imipenem: A prospective randomized clinical trial	<i>"no ITT trial"</i>
Bai 2008	<b>Isenmann</b>	Gastroenterology	2004	Prophylactic antibiotic treatment in patients with predicted severe acute pancreatitis: A placebo-controlled, double-blind trial	<i>mITT trial</i>
Bai 2008	<b>Dellinger</b>	Ann Surg	2007	Early antibiotic treatment for severe acute necrotizing pancreatitis: A randomized, double-blind, placebo-controlled study	<i>ITT trial</i>
Bai 2008	<b>Pederzoli</b>	Surg Gynecol Obstet	1993	A randomized multicenter clinical trial of antibiotic prophylaxis of septic complications in acute necrotizing pancreatitis with imipenem.	<i>"no ITT trial"</i>
Bai 2008	<b>Nordback</b>	J gastrointest surg	2001	Early treatment with antibiotics reduces the need for surgery in acute necrotizing pancreatitis - a single-center randomized study	<i>"no ITT trial"</i>
Bai 2008	<b>Sainio</b>	Lancet	1995	Early antibiotic treatment in acute necrotising pancreatitis	<i>"no ITT trial"</i>
Baker 2009	<b>Rascol</b>	N Engl J Med	2000	A five-year study of the incidence of dyskinesia in patients with early Parkinson's disease who were treated with ropinirole or levodopa.	<i>mITT trial</i>
Baker 2009	<b>Parkinson Study Group</b>	Arch Neurol	2004	Pramipexole vs levodopa as initial treatment for Parkinson disease. A 4-year randomized controlled trial.	<i>ITT trial</i>
Baker 2009	<b>Parkinson Study Group.</b>	J Am Med Assoc	2000	Pramipexole vs levodopa as initial treatment for Parkinson disease: a randomized controlled trial.	<i>ITT trial</i>
Baker 2009	<b>Nakanishi</b>	Eur Neurol	1992	Nation wide collaborative study on the long-term effects of bromocriptine in the treatment of parkinsonian patients.	<i>"no ITT trial"</i>
Baker 2009	<b>Hely</b>	J Neurol Neurosurg Psychiatry	1994	The Sydney multicenter study of Parkinson's disease: a randomized, prospective five year study comparing low dose bromocriptine with low dose levodopa-carbidopa.	<i>"no ITT trial"</i>
Baker 2009	<b>Bracco</b>	CNS Drugs	2004	The long-acting dopamine receptor agonist cabergoline in	<i>"no ITT trial"</i>

				early Parkinson's disease. Final results of a 5-year, double-blind, levodopa-controlled study.	
Birks 2006	<b>Doody - DON 302</b>	Archives of Neurology	2001	Open-label, multicenter, phase 3 extension study of the safety and efficacy of donepezil in patients with Alzheimer disease.	<i>mITT trial</i>
Birks 2006	<b>Raskind - GAL-USA-1</b>	Neurology	2000	Galantamine in AD: A 6-month randomized placebo-controlled trial with a 6-month extension.	<i>mITT trial</i>
Birks 2006	<b>Rösler - RIV-B303</b>	BMJ	1999	Efficacy and safety of rivastigmine inpatients with Alzheimer's disease: international randomised controlled trial.	<i>ITT trial</i>
Birks 2006	<b>Burns - DON 304</b>	Dement Geriatr Cogn Disord	1999	The effects of donepezil in Alzheimer's disease - results from a multinational trial.	<i>ITT trial</i>
Birks 2006	<b>Wilcock - GAL-INT-1</b>	British Medical Journal	2000	Efficacy and safety of galantamine in patients with mild to moderate Alzheimer's disease: a multicentre randomised controlled trial.	<i>mITT trial</i>
Birks 2006	<b>Kumar - RIV-B352</b>	European Journal of Neurology	2000	An efficacy and safety analysis of Exelon in Alzheimer's disease patients with concurrent vascular risk factors.	<i>mITT trial</i>
Brock 2006	<b>Veldt</b>	BMC Gastroenterol	2003	Retreatment of hepatitis C non-responsive to interferon. A placebo controlled randomized trial of ribavirin monotherapy versus combination therapy with ribavirin and interferon in 121 patients in the Benelux.	<i>mITT trial</i>
Brock 2006	<b>Dusheiko</b>	J Hepatol	1996	Ribavirin treatment for patients with chronic hepatitis C: Results of a placebo controlled study.	<i>mITT trial</i>
Brock 2006	<b>Bodenheimer</b>	J Hepatology	1997	Tolerance and Efficacy of Oral Ribavirin Treatment of Chronic Hepatitis C: A Multicenter Trial	<i>ITT</i>
Brock 2006	<b>Felipe</b>	Braz J Infect Dis	2000	A prospective and randomised study using ribavirin as monotherapy for the treatment of naive patients with chronic hepatitis C.	<i>"no ITT trial"</i>

Brock 2006	<b>Gonzalez-Peralta</b>	J Viral Hepat	1997	Modulation of hepatitis C virus quasispecies heterogeneity by interferon-alpha and ribavirin therapy.	<i>"no ITT trial"</i>
Brock 2006	<b>Hoofnagle</b>	Hepatology	2003	Maintenance therapy with ribavirin in patients with chronic hepatitis C who fail to respond to combination therapy with interferon alfa and ribavirin.	<i>"no ITT trial"</i>
Brock 2006	<b>Kakumu</b>	Gastroenterology	1993	A pilot study of ribavirin and interferon beta for the treatment of chronic hepatitis C.	<i>"no ITT trial"</i>
Brock 2006	<b>Stanimirovic</b>	Vojnosanit Pregl	2002	Evaluation of ribavirin efficacy and tolerance in subjects with chronic hepatitis C virus infection.	<i>"no ITT trial"</i>
Brock 2006	<b>Di Bisceglie</b>	Ann Intern Med	1995	Ribavirin as therapy for chronic hepatitis C. A randomized, double-blind, placebo-controlled trial.	<i>"no ITT trial"</i>
Coomarasamy 2008	<b>Diedrich</b>	Fertil Steril	2002	European Israeli Study Group on Highly Purified Menotropin versus Recombinant Follicle-Stimulating Hormone. Efficacy and safety of highly purified menotropin versus recombinant follicle-stimulating hormone in in vitro fertilization/intracytoplasmic sperm injection cycles: a randomized, comparative trial.	<i>mITT trial</i>
Coomarasamy 2008	<b>Gordon</b>	Fertil Steril	2001	A randomized prospective assessor-blind evaluation of luteinizing hormone dosage and in vitro fertilization outcome.	<i>mITT trial</i>
Coomarasamy 2008	<b>Andersen (MERIT)</b>	Hum Reprod	2006	Clinical outcome following stimulation with highly purified hMG or recombinant FSH in patients undergoing IVF: a randomized assessor-blind controlled trial	<i>ITT trial</i>
Coomarasamy 2008	<b>Balash</b>	Reprod Biomed Online	2003	Ovarian responses to recombinant FSH or HMG in normogonadotrophic women following pituitary desensitization by a depot GnRH agonist for assisted reproduction	<i>"no ITT trial"</i>
Coomarasamy 2008	<b>Kilani</b>	Hum Reprod	2003	A prospective, randomized, controlled trial comparing highly purified hMG with recombinant FSH in women undergoing ICSI: ovarian response and clinical outcomes	<i>"no ITT trial"</i>

Coomarasamy 2008	<b>Westergaard</b>	Fertil Steril	2001	Human menopausal gonadotropin versus recombinant follicle-stimulating hormone in normogonadotropic women down-regulated with a gonadotropin-releasing hormone agonist who were undergoing in vitro fertilization and intracytoplasmic sperm injection: a prospective randomized study.	<i>"no ITT trial"</i>
Coomarasamy 2008	<b>Ng</b>	Hum Reprod	2001	HMG is as good as recombinant human FSH in terms of oocyte and embryo quality: a prospective randomized trial.	<i>"no ITT trial"</i>
Cranney 2009	<b>Recker</b>	Bone	2004	Insufficiently dosed intravenous ibandronate injections are associated with suboptimal antifracture efficacy in postmenopausal osteoporosis.	<i>mITT trial</i>
Cranney 2009	<b>Delmas</b>	Arthritis Rheum	2006	Intravenous ibandronate injections in postmenopausal women with osteoporosis: one-year results from the dosing intravenous administration study.	<i>mITT trial</i>
Cranney 2009	<b>Riis</b>	J Bone Miner Res	2001	Ibandronate: a comparison of oral daily dosing versus intermittent dosing in postmenopausal osteoporosis	<i>ITT trial</i>
Cranney 2009	<b>Thiebaud</b>	Am J Psychiatry.	1997	Three monthly intravenous injections of ibandronate in the treatment of postmenopausal osteoporosis.	<i>ITT trial</i>
Cranney 2009	<b>Adami</b>	Bone	2004	Efficacy and safety of ibandronate given by intravenous injection once every 3 months	<i>ITT trial</i>
Cranney 2009	<b>Chesnut</b>	J Bone Miner Res	2004	Effects of oral ibandronate administered daily or intermittently on fracture risk in postmenopausal osteoporosis.	<i>ITT trial</i>
Cranney 2009	<b>Miller</b>	J Bone Miner Res	2005	Monthly oral ibandronate therapy in postmenopausal osteoporosis: 1-year results from the MOBILE study.	<i>ITT trial</i>
Cranney 2009	<b>Ravn</b>	Bone	2002	Association between pharmacokinetics of oral ibandronate and clinical response in bone mass and bone turnover in women with postmenopausal osteoporosis.	<i>"no ITT trial"</i>
Dodd 2006	<b>O'Brien</b>	Ultrasound in Obstetrics and Gynecology	2007	Progesterone vaginal gel for the reduction of recurrent preterm birth: primary results from a randomized double blind placebo	<i>mITT trial</i>

				controlled trial.	
Dodd 2006	<b>Meis</b>	New England Journal of Medicine	2003	Prevention of recurrent preterm delivery by 17 alpha-hydroxyprogesterone caproate.	<i>ITT trial</i>
Dodd 2006	<b>Johnson</b>	New England Journal of Medicine	1975	Efficacy of 17 alpha-hydroxyprogesterone caproate in the prevention of premature labor.	<i>"no ITT trial"</i>
Guaiana 2010	<b>Llorca</b>	Journal of Clinical Psychiatry	2002	Efficacy and safety of hydroxyzine in the treatment of generalized anxiety disorder: a 3-month double blind study.	<i>mITT trial</i>
Guaiana 2010	<b>Lader</b>	Psychopharmacology	1998	Amulticentre double-blind comparison of hydroxyzine, buspirone and placebo in patients with generalized anxiety disorder.	<i>ITT trial</i>
Guaiana 2010	<b>Rickels</b>	Comprehensive Psychiatry	1970	Hydroxyzine and chlordiazepoxide in anxious neurotic outpatients: a collaborative controlled study.	<i>"no ITT trial"</i>
Guaiana 2010	<b>Darcis</b>	Human Psychopharmacology	1995	A multicentre double-blind placebo-controlled study investigating the anxiolytic efficacy of hydroxyzine in patients with generalized anxiety.	<i>"no ITT trial"</i>
Harris 2010	<b>Di Leo</b>	J Clin Oncol	2008	Phase III, double-blind, randomized study comparing lapatinib plus paclitaxel with placebo plus paclitaxel as first-line treatment for metastatic breast cancer.	<i>mITT trial</i>
Harris 2010	<b>von Minckwitz</b>	J Clin Oncol	2009	Trastuzumab beyond progression in human epidermal growth factor receptor 2-positive advanced breast cancer: a German breast group 26/breast international group 03-05 study.	<i>ITT trial</i>
Harris 2010	<b>Slamon</b>	N Engl J Med	2001	Use of chemotherapy plus a monoclonal antibody against HER2 for metastatic breast cancer that overexpresses HER2.	<i>ITT trial</i>
Harris 2010	<b>Cameron</b>	Breast Cancer Res Treat	2008	A phase III randomized comparison of lapatinib plus capecitabine versus capecitabine alone in women with advanced breast cancer that has progressed on trastuzumab: updated efficacy and biomarker analyses.	<i>ITT trial</i>
Humber 2007	<b>Fleming 2004</b>	J Clin Oncol	2004	Phase III trial of doxorubicin plus cisplatin with or without	<i>mITT trial</i>

				paclitaxel plus filgrastim in advanced endometrial carcinoma: a Gynecologic Oncology Group Study.	
Humber 2007	<b>Aapro</b>	Ann Oncol	2003	Doxorubicin versus doxorubicin and cisplatin in endometrial carcinoma: definitive results of a randomised study (55872) by the EORTC Gynaecological Cancer Group.	<i>ITT trial</i>
Humber 2007	<b>Thigpen 2004</b>	J Clin Oncol	2004	Phase III trial of doxorubicin with or without cisplatin in advanced endometrial carcinoma: a Gynecologic Oncology Group study.	<i>ITT trial</i>
Humber 2007	<b>Thigpen 1994</b>	J Clin Oncol	1994	A randomized comparison of doxorubicin alone versus doxorubicin plus cyclophosphamide in the management of advanced or recurrent endometrial carcinoma: a Gynecologic Oncology Group study.	<i>"no ITT trial"</i>
Humber 2007	<b>Edmonson</b>	Gynecol Oncol	1987	Randomized phase II studies of cisplatin and a combination of cyclophosphamide-doxorubicin-cisplatin (CAP) in patients with progestin-refractory advanced endometrial carcinoma.	<i>"no ITT trial"</i>
Imran 2008	<b>Bucaneve</b>	N Engl J Med	2005	Levofloxacin to prevent bacterial infection in patients with cancer and neutropenia	<i>mITT trial</i>
Imran 2008	<b>Cullen</b>	N Engl J Med	2005	Antibacterial prophylaxis after chemotherapy for solid tumors and lymphomas	<i>ITT trial</i>
Imran 2008	<b>Lew</b>	Transplantation	1991	Prophylaxis of bacterial infections with ciprofloxacin in patients undergoing bone marrow transplantation	<i>ITT trial</i>
Imran 2008	<b>Schroeder</b>	Onkologie	1992	Antibiotic prophylaxis with gyrase inhibitors during cytostatically induced granulocytopenias in patients with solid tumors: a double-blind prospective randomized study	<i>"no ITT trial"</i>
Imran 2008	<b>Talbot</b>	Antimicrob Agents Chemother	1993	Oral enoxacin for infection prevention in adults with acute nonlymphocytic leukemia. The Enoxacin Prophylaxis Study Group	<i>"no ITT trial"</i>
Imran 2008	<b>Karp</b>	Ann Intern Med	1987	Oral norfloxacin for prevention of gram-negative bacterial infections in patients with acute leukemia and	<i>"no ITT trial"</i>

				granulocytopenia. A randomized, double-blind, placebo-controlled trial	
Jang 2009	<b>Kassell</b>	J Neurosurg	1996	Randomized, double-blind, vehicle-controlled trial of tirilazad mesylate in patients with aneurysmal subarachnoid hemorrhage: a cooperative study in Europe, Australia, and New Zealand.	<i>mITT trial</i>
Jang 2009	<b>Lanzino part I</b>	J Neurosurg	1999	Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part I. A cooperative study in Europe, Australia, New Zealand, and South Africa.	<i>ITT trial</i>
Jang 2009	<b>Haley 1997</b>	J Neurosurg	1997	A randomized, double-blind, vehicle-controlled trial of tirilazad mesylate in patients with aneurysmal subarachnoid hemorrhage: a cooperative study in North America.	<i>"no ITT trial"</i>
Jang 2009	<b>Lanzino part II</b>	J Neurosurg	1999	Double-blind, randomized, vehicle-controlled study of high-dose tirilazad mesylate in women with aneurysmal subarachnoid hemorrhage. Part II. A cooperative study in North America.	<i>"no ITT trial"</i>
Jang 2009	<b>Haley 1995</b>	J Neurosurg	1995	Phase II trial of tirilazad in aneurysmal subarachnoid hemorrhage. A report of the Cooperative Aneurysm Study.	<i>"no ITT trial"</i>
Jefferson 2007	<b>Hayden</b>	N Engl J Med	1999	Use of the selective oral neuraminidase inhibitor oseltamivir to prevent influenza.	<i>mITT trial</i>
Jefferson 2007	<b>Kaiser</b>	Clin Infect Dis	2000	Short-term treatment with zanamivir to prevent influenza: results of a placebocontrolled study.	<i>ITT</i>
Katchamart 2009	<b>Lehman AJ</b>	Arthritis Rheum	2005	A 48-week, randomized, double-blind, double-observer, placebo-controlled multicenter trial of combination methotrexate and intramuscular gold therapy in rheumatoid arthritis: results of the METGO study.	<i>mITT trial</i>
Katchamart 2009	<b>Kremer</b>	Ann Intern Med	2002	Concomitant leflunomide therapy in patients with active rheumatoid arthritis despite stable doses of methotrexate. A	<i>ITT trial</i>



				randomized, double-blind, placebo-controlled trial.	
Katchamart 2009	<b>Tugwell</b>	N Engl J Med	1995	Combination therapy with cyclosporine and methotrexate in severe rheumatoid arthritis. The Methotrexate-Cyclosporine Combination Study Group.	<i>"no ITT trial"</i>
Katchamart 2009	<b>Ogrendik</b>	South Med J	2007	Levofloxacin treatment in patients with rheumatoid arthritis receiving methotrexate.	<i>"no ITT trial"</i>
Komossa 2010	<b>Kordon</b>	Journal of Clinical Psychopharmacology	2008	Quetiapin addition to serotonin reuptake inhibitors in patients with severe obsessive-compulsive disorder.	<i>mITT trial</i>
Komossa 2010	<b>Denys</b>	Journal of Clinical Psychiatry	2004	A double-blind, randomized, placebo-controlled trial of quetiapine addition in patients with obsessive-compulsive disorder refractory to serotonin reuptake inhibitors.	<i>mITT trial</i>
Komossa 2010	<b>Vulink</b>	Journal of Clinical Psychiatry online publication	2009	Quetiapine augments the effect of citalopram in non-refractory obsessive-compulsive disorder: A randomized, double-blind, placebo-controlled study of 76 patients.	<i>ITT trial</i>
Komossa 2010	<b>Fineberg</b>	International Clinical Psychopharmacology	2005	Adding Quetiapine to SRI in treatment-resistant obsessive-compulsive disorder: a randomized controlled treatment study.	<i>ITT trial</i>
Komossa 2010	<b>Carey</b>	BMC Psychiatry	2005	Quetiapine augmentation of SRIs in treatment refractory obsessive-compulsive disorder: a double-blind, randomised, placebo-controlled study.	<i>"no ITT trial"</i>
Kosmas 2008	<b>Lambalk</b>	Human Reprod	2006	Treatment with the GnRH antagonist ganirelix prevents premature LH rises and luteinization in stimulated intrauterine insemination: results of a double-blind, placebo-controlled, multicentre trial	<i>mITT trial</i>
Kosmas 2008	<b>Crosignani</b>	Human Reprod	2007	Effect of GnRH antagonists in FSHmildly stimulated intrauterine insemination cycles: a multicentre randomized trial	<i>ITT trial</i>
Kosmas 2008	<b>Checa</b>	Fertil Steril	2006	Use of gonadotropin-releasing hormone antagonists to overcome the drawbacks of intrauterine insemination on weekends	<i>"no ITT trial"</i>

Kosmas 2008	<b>Allegra</b>	Human Reprod	2007	GnRH antagonist-induced inhibition of the premature LH surge increases pregnancy rates in IUI-stimulated cycles. A prospective randomized trial	<i>"no ITT trial"</i>
Kosmas 2008	<b>Gomez-Palomero</b>	Human Reprod	2005	Timing ovulation for intrauterine insemination with a GnRH antagonist.	<i>"no ITT trial"</i>
Kosmas 2008	<b>Williams</b>	Am J Obstet Gynecol	2004	A randomized, multicenter study comparing the efficacy of recombinant FSH vs recombinant FSH with Ganirelix during superovulation/IUI therapy	<i>"no ITT trial"</i>
Lee 2008	<b>Keystone</b>	Arthritis Rheum	2004	Radiographic, clinical, and functional outcomes of treatment with adalimumab (a human anti-tumor necrosis factor monoclonal antibody) in patients with active rheumatoid arthritis receiving concomitant methotrexate therapy: a randomized, placebo-controlled, 52-week trial	<i>mITT trial</i>
Lee 2008	<b>Klareskog</b>	Lancet	2004	Therapeutic effect of the combination of etanercept and methotrexate compared with each treatment alone in patients with rheumatoid arthritis: double-blind randomised controlled trial	<i>ITT trial</i>
Lee 2008	<b>Lipsky</b>	N Engl J Med	2000	Infliximab and methotrexate in the treatment of rheumatoid arthritis. Anti-tumor necrosis factor trial in rheumatoid arthritis with concomitant therapy study group	<i>"no ITT trial"</i>
Leucht ARI	<b>Kane</b>	J Clin Psychiatry	2002	Efficacy and safety of aripiprazole and haloperidol versus placebo in patients with schizophrenia and schizoaffective disorder.	<i>mITT trial</i>
Leucht ARI	<b>Study 138001.</b>	Medical review(s).	2002	Center for Drug Evaluation and Research	<i>mITT trial</i>
Leucht ARI	<b>Study 93202.</b>	Medical review(s).	2002	Center for Drug Evaluation and Research.	<i>mITT trial</i>
Leucht ARI	<b>Potkin 2003</b>	Arch Gen Psychiatry	2003	Aripiprazole, an antipsychotic with a novel mechanism of action, and risperidone vs placebo in patients with schizophrenia and schizoaffective disorder.	<i>ITT trial</i>

Leucht HAL	<b>Arvanitis</b>	Biol Psychiatry	1997	Seroquel Trial 13 Study Group. Multiple fixed doses of 'seroquel' (quetiapine) in patients with acute exacerbation of schizophrenia: a comparison with haloperidol and placebo.	<i>mITT trial</i>
Leucht HAL	<b>Borison</b>	J Clin Psychopharmacol	1996	ICI 204,636 an atypical antipsychotic efficacy and safety in a multicenter placebo-controlled trial in patients with schizophrenia.	<i>mITT trial</i>
Leucht HAL	<b>Kane</b>	J Clin Psychiatry	2002	Efficacy and safety of aripiprazole and haloperidol versus placebo in patients with schizophrenia and schizoaffective disorder.	<i>mITT trial</i>
Leucht HAL	<b>Study 93202.</b>	Medical review(s).	2002	Center for Drug Evaluation and Research.	<i>mITT trial</i>
Leucht HAL	<b>Beasley 1996a</b>	Neuropsychopharmacology	1996	Olanzapine versus haloperidol and placebo. Acute phase results of the American double-blind olanzapine trial.	<i>ITT trial</i>
Leucht HAL	<b>Chouinard</b>	J Clin Psychopharmacol	1993	Canadian placebo-controlled study of fixed doses of risperidone and haloperidol in the treatment of chronic schizophrenic patients.	<i>ITT trial</i>
Leucht HAL	<b>Marder</b>	Am J Psychiatry	1994	Risperidone in the treatment of schizophrenia.	<i>ITT trial</i>
Leucht OLA	<b>Beasley 1996b</b>	Psychopharmacology	1996	Olanzapine versus placebo: results of a double-blind fixed dose olanzapine trial.	<i>ITT trial</i>
Leucht OLA	<b>Beasley 1996a</b>	Neuropsychopharmacology	1996	Olanzapine versus haloperidol and placebo. Acute phase results of the American double-blind olanzapine trial.	<i>ITT trial</i>
Leucht QUE	<b>Arvanitis</b>	Biol Psychiatry	1997	Seroquel Trial 13 Study Group. Multiple fixed doses of 'seroquel' (quetiapine) in patients with acute exacerbation of schizophrenia: a comparison with haloperidol and placebo.	<i>mITT trial</i>
Leucht QUE	<b>Borison</b>	J Clin Psychopharmacol	1996	ICI 204,636 an atypical antipsychotic efficacy and safety in a multicenter placebo-controlled trial in patients with schizophrenia.	<i>mITT trial</i>
Leucht QUE	<b>Potkin 2006</b>	Schizophr Res	2006	A double-blind comparison of risperidone, quetiapine and placebo in patients with schizophrenia experiencing an acute	<i>mITT trial</i>

				exacerbation requiring hospitalization.	
Leucht QUE	<b>Small</b>	Arch Gen Psychiatry	1997	Quetiapine in patients with schizophrenia. A high- and low-dose comparison with placebo.	<i>mITT trial</i>
Leucht QUE	<b>Fabre</b>	Clin Ther	1995	Seroquel™ (ICI 204,636), a novel, atypical antipsychotic: early indication of safety and efficacy in patients with chronic and subchronic schizophrenia.	<i>“no ITT trial”</i>
Leucht RIS	<b>Potkin 2006</b>	Schizophr Res	2006	A double-blind comparison of risperidone, quetiapine and placebo in patients with schizophrenia experiencing an acute exacerbation requiring hospitalization.	<i>mITT trial</i>
Leucht RIS	<b>Bai</b>	J Clin Psychiatry	2003	Risperidone for severe tardive dyskinesia: a 12-week randomized, double-blind, placebo-controlled study.	<i>ITT trial</i>
Leucht RIS	<b>Chouinard</b>	J Clin Psychopharmacol	1993	Canadian placebo-controlled study of fixed doses of risperidone and haloperidol in the treatment of chronic schizophrenic patients.	<i>ITT trial</i>
Leucht RIS	<b>Marder</b>	Am J Psychiatry	1994	Risperidone in the treatment of schizophrenia.	<i>ITT trial</i>
Leucht RIS	<b>Potkin 2003</b>	Arch Gen Psychiatry	2003	Aripiprazole, an antipsychotic with a novel mechanism of action, and risperidone vs placebo in patients with schizophrenia and schizoaffective disorder.	<i>ITT trial</i>
Leucht RIS	<b>Borison</b>	Psychopharmacol Bull	1992	Risperidone— clinical safety and efficacy in schizophrenia.	<i>“no ITT trial”</i>
Mariappan 2006	<b>Cardozo</b>	Obstet Gynecol	2004	Pharmacological treatment of women awaiting surgery for stress urinary incontinence.	<i>mITT trial</i>
Mariappan 2006	<b>Dmochowski</b>	J Urol	2003	Duloxetine versus placebo for the treatment of North American women with stress urinary incontinence.	<i>mITT trial</i>
Mariappan 2006	<b>van Kerrebroeck</b>	BJOG	2004	Duloxetine versus placebo in the treatment of European and Canadian women with stress urinary incontinence.	<i>mITT trial</i>
Mariappan 2006	<b>Millard</b>	BJU Int	2004	Duloxetine vs placebo in the treatment of stress urinary incontinence: a four-continent randomized clinical trial.	<i>ITT</i>

Michael 2010	<b>Kärkkäinen</b>	Maturitas	2010	Does daily vitamin D 800 IU and calcium 1000 mg supplementation decrease the risk of falling in ambulatory women aged 65-71 years? A 3-year randomized population-based trial (OSTPRE-FPS).	<i>mITT trial</i>
Michael 2010	<b>Pfeifer1</b>	J Bone Miner Res	2000	Effects of a short-term vitamin D and calcium supplementation on body sway and secondary hyperparathyroidism in elderly women.	<i>mITT trial</i>
Michael 2010	<b>Pfeifer2</b>	Osteoporos Int	2009	Effects of a long-term vitamin D and calcium supplementation on falls and parameters of muscle function in community-dwelling older individuals.	<i>mITT trial</i>
Michael 2010	<b>Porthouse</b>	BMJ	2005	Randomised controlled trial of calcium and supplementation with cholecalciferol (vitamin D3) for prevention of fractures in primary care. BMJ. 2005;330:1003. [PMID: 15860827]	<i>ITT trial</i>
Michael 2010	<b>Prince</b>	Arch Intern Med	2008	Effects of ergocalciferol added to calcium on the risk of falls in elderly high-risk women.	<i>ITT trial</i>
Michael 2010	<b>Bischoff-Ferrari</b>	Ann Inter Med	2006	Effect of cholecalciferol plus calcium on falling in ambulatory older men and women: a 3-year randomized controlled trial	<i>ITT trial</i>
Michael 2010	<b>Dhesi</b>	Age Ageing	2004	Vitamin D supplementation improves neuromuscular function in older people who fall	<i>ITT trial</i>
Michael 2010	<b>Dukas</b>	J Am Geriatr Soc	2004	Alfacalcidol reduces the number of fallers in a community-dwelling elderly population with a minimum calcium intake of more than 500 mg daily	<i>ITT trial</i>
Michael 2010	<b>Gallagher</b>	J Clin Endocrinol Metab	2001	Combination treatment with estrogen and calcitriol in the prevention of age-related bone loss	<i>ITT trial</i>
Naber 2009	<b>Bauer</b>	Eur Urol	2005	Multicenter UTI Study Group. A long-term, multicenter, double-blind study of an Escherichia coli extract (OM-89) in female patients with recurrent urinary tract infections.	<i>mITT trial</i>

Naber 2009	<b>Magasi</b>	Eur Urol	1994	Uro-Vaxom and the management of recurrent urinary tract infection in adults: a randomized multicenter double-blind trial.	<i>"no ITT trial"</i>
Naber 2009	<b>Schulman</b>	J Urol	1993	Oral immunotherapy of recurrent urinary tract infections: a double-blind placebo-controlled multicenter study.	<i>"no ITT trial"</i>
Naber 2009	<b>Tammen</b>	Br J Urol	1990	The German Urinary Tract Infection Study Group. Immunobiotherapy with Uro-Vaxom in recurrent urinary tract infection.	<i>"no ITT trial"</i>
Nikfar 2009	<b>Kruis</b>	Eur J Gastroenterol Hepatol.	1995	Double-blind dose-finding study of olsalazine versus sulphasalazine as maintenance therapy for ulcerative colitis.	<i>mITT trial</i>
Nikfar 2009	<b>Nilsson</b>	Am J Gastroenterol.	1995	Olsalazine versus sulphasalazine for relapse prevention in ulcerative colitis: a multicenter study.	<i>mITT trial</i>
Nikfar 2009	<b>Kiilerich</b>	The Danish Olsalazine Study Group. Gut.	1992	Kiilerich S, Ladefoged K, Rannem T, Ranløv PJ. Prophylactic effects of olsalazine vs. sulfasalazine during 12 months maintenance treatment of ulcerative colitis.	<i>mITT trial</i>
Nikfar 2009	<b>Ireland</b>	Gut	1988	Controlled trial comparing olsalazine and sulphasalazine for the maintenance treatment of ulcerative colitis.	<i>"no ITT trial"</i>
Nikfar 2009	<b>Rijk</b>	Am J Gastroenterol.	1992	Relapse-preventing effect and safety of sulfasalazine and olsalazine in patients with ulcerative colitis in remission: a prospective, double-blind, randomized multicenter study. The Ulcerative Colitis Multicenter Study Group.	<i>"no ITT trial"</i>
Nikfar 2010	<b>Fukuda</b>	Am J Gastroenterol	2008	Oral spherical adsorptive carbon for the treatment of intractable anal fistulas in Crohn's disease: a multicenter, randomized, double-blind, placebo-controlled trial.	<i>mITT trial</i>
Nikfar 2010	<b>Sandborn</b>	Gastroenterology	2003	Tacrolimus for the treatment of fistulas in patients with Crohn's disease: a randomized, placebo-controlled trial.	<i>mITT trial</i>
Nikfar 2010	<b>Hart</b>	Inflamm Bowel Dis	2007	Topical tacrolimus in the treatment of perianal Crohn's disease: exploratory randomized controlled trial	<i>mITT trial</i>
Nikfar 2010	<b>Present</b>	nejm	1999	Infliximab for the treatment of fistulas in patients with Crohn's	<i>ITT</i>

				disease	
Obonyo 2006	<b>Santosham</b>	N Engl J Med	1991	The efficacy in Navajo infants of a conjugate vaccine consisting of Haemophilus influenzae type b polysaccharide and Neisseria meningitidis outer-membrane protein complex.	<i>mITT trial</i>
Obonyo 2006	<b>Lagos</b>	Pediatr Infect Dis J	1996	Large-scale, postlicensure, selective vaccination of Chilean infants with PRP-T conjugate vaccine: practicality and effectiveness in preventing invasive Haemophilus influenzae type b infections.	<i>ITT trial</i>
Obonyo 2006	<b>Ward</b>	N Engl J Med	1990	Limited efficacy of a Haemophilus influenzae type b conjugate vaccine in Alaskan native infants.	<i>“no ITT trial”</i>
Obonyo 2006	<b>Black</b>	Pediatr Infect Dis J	1991	The Northern California Kaiser Permanente Vaccine Study Center Pediatrics Group (1991) Efficacy in infancy of oligosaccharide conjugate Haemophilus influenzae b (HBOC) vaccine in a United States population of 61 080 children.	<i>ITT trial</i>
Obonyo 2006	<b>Vadheim</b>	Pediatrics	1993	Effectiveness and safety of an Haemophilus influenzae type B conjugate vaccine (PRP-T) in young infants.	<i>“no ITT trial”</i>
Obonyo 2006	<b>Eskola</b>	N Engl J Med	1990	A randomized, prospective field trial of a conjugate vaccine in the protection of infants and young children against invasive Haemophilus influenzae type b disease.	<i>“no ITT trial”</i>
Obonyo 2006	<b>Booy</b>	Lancet	1994	Efficacy of Haemophilus influenzae type b conjugate vaccine PRP-T.	<i>ITT trial</i>
Obonyo 2006	<b>Mulholland</b>	Lancet	1997	Randomised trial of Haemophilus influenzae type b tetanus protein conjugate for prevention of pneumonia and meningitis in Gambian infants.	<i>“no ITT trial”</i>
Papakostas 2008	<b>Clayton</b>	Int Clin Psychopharmacol	2003	Lack of sexual dysfunction with the selective noradrenaline reuptake inhibitor reboxetine during treatment for major depressive disorder	<i>mITT trial</i>
Papakostas 2008	<b>Andreoli</b>	J Clin Psychopharmacol	2002	Reboxetine, a new noradrenaline selective antidepressant, is at least as effective as fluoxetine in the treatment of	<i>ITT trial</i>

				depression	
Papakostas 2008	<b>Massana</b>	Int. Clin. Psychopharmacol	1999	Reboxetine: a double-blind comparison with fluoxetine in major depressive disorder	<i>"no ITT trial"</i>
Papakostas 2008	<b>Langworth</b>	J Clin Psychopharmacol	2006	Efficacy and tolerability of reboxetine compared with citalopram: a double-blind study in patients with major depressive disorder	<i>"no ITT trial"</i>
Papakostas 2008	<b>Berlanga</b>	J Affect Disord.	2006	Different gender response to serotonergic and noradrenergic antidepressants. A comparative study of the efficacy of citalopram and reboxetine	<i>"no ITT trial"</i>
Paul 2006a	<b>Sandberg (no outcome)</b>	Scandinavian Journal of Infectious Diseases	1997	Aminoglycosides do not improve the efficacy of cephalosporins for treatment of acute pyelonephritis in women	<i>mITT trial</i>
Paul 2006a	<b>Dupont</b>	Antimicrobial Agents and Chemotherapy	2000	Monotherapy with a broad-spectrum beta-lactam is as effective as its combination with an aminoglycoside in treatment of severe generalized peritonitis: a multicenter randomized controlled trial.	<i>mITT trial</i>
Paul 2006a	<b>Ribera</b>	Annals of Internal Medicine	1996	Effectiveness of cloxacillin with and without gentamicin in short-term therapy for right-sided Staphylococcus aureus endocarditis. A randomized, controlled trial.	<i>ITT trial</i>
Paul 2006a	<b>Klastersky</b>	Cancer	1973	Therapy with carbenicillin and gentamicin for patients with cancer and severe infections caused by gram-negative rods	<i>"no ITT trial"</i>
Paul 2006a	<b>Koehler</b>	International Journal of Experimental and Clinical Chemotherapy	1990	Controlled clinical study of ceftazidime (3 x 1 g daily) versus piperacillin + tobramycin in patients with nosocomial pneumonia.	<i>"no ITT trial"</i>
Paul 2006a	<b>Korzeniowski</b>	Annals of Internal Medicine	1982	Combination antimicrobial therapy for Staphylococcus aureus endocarditis in patients addicted to parenteral drugs and in nonaddicts: A prospective study.	<i>"no ITT trial"</i>
Paul 2006a	<b>Sculier</b>	Journal of Antimicrobial Chemotherapy	1982	Effectiveness of mezlocillin and endotracheally administered sisomicin with or without parenteral sisomicin in the treatment	<i>"no ITT trial"</i>



				of Gram-negative bronchopneumonia.	
Paul 2006a	<b>Abrams</b>	Annals of Internal Medicine	1979	Single or combination therapy of staphylococcal endocarditis in intravenous drug abusers.	<i>"no ITT trial"</i>
Paul 2006a	<b>Cometta</b>	Antimicrobial Agents and Chemotherapy	1994	Prospective randomized comparison of imipenem monotherapy with imipenem plus netilmicin for treatment of severe infections in non-neutropenic patients.	<i>"no ITT trial"</i>
Paul 2006a	<b>D'Antonio</b>	Chemotherapy	1992	Randomized comparison of ceftriaxone versus ceftriaxone plus amikacin for the empirical treatment of infections in patients with altered host defense: microbiological and clinical evaluation.	<i>"no ITT trial"</i>
Paul 2006a	<b>Duff</b>	American Journal of Obstetrics and Gynecology	1982	A comparative study of two antibiotic regimens for the treatment of operative site infections.	<i>"no ITT trial"</i>
Paul 2006b	<b>Alvarez Lerma</b>	Journal of Chemotherapy	2001	Efficacy of meropenem as monotherapy in the treatment of ventilator- associated pneumonia.	<i>mITT trial</i>
Paul 2006b	<b>Hoepelman*</b>	Lancet	1988	Comparison of once daily ceftriaxone with gentamicin plus cefuroxime for treatment of serious bacterial infections.	<i>mITT trial</i>
Paul 2006b	<b>Smith</b>	Annals of Internal Medicine	1984	Cefotaxime compared with nafcillin plus tobramycin for serious bacterial infections. A randomized, double-blind trial.	<i>mITT trial</i>
Paul 2006b	<b>Finer</b>	Journal of the Royal Society of Medicine	1992	Ceftazidime versus aminoglycoside and (ureido)penicillin combination in the empirical treatment of serious infection.	<i>ITT trial</i>
Paul 2006b	<b>Jaspers</b>	Antimicrobial Agents and Chemotherapy	1998	Meropenem versus cefuroxime plus gentamicin for treatment of serious infections in elderly patients.	<i>ITT trial</i>
Paul 2006b	<b>McCormick</b>	Hepatology	1997	A prospective randomized trial of ceftazidime versus netilmicin plus mezlocillin in the empirical therapy of presumed sepsis in cirrhotic patients.	<i>ITT trial</i>
Paul 2006b	<b>Rubinstein</b>	Clinical Infectious Diseases	1995	Ceftazidime monotherapy vs. Ceftriaxone/tobramycin for serious hospital- acquired gram-negative infections.	<i>ITT trial</i>

Paul 2006b	<b>Sieger</b>	Critical Care Medicine	1997	Empiric treatment of hospital-acquired lower respiratory tract infections with meropenem or ceftazidime with tobramycin: a randomized study.	<i>ITT trial</i>
Paul 2006b	<b>Speich</b>	European Journal of Clinical Microbiology and Infectious Diseases	1998	Efficacy, safety, and tolerance of piperacillin/tazobactam compared to co-amoxiclav plus an aminoglycoside in the treatment of severe pneumonia.	<i>ITT trial</i>
Paul 2006b	<b>Stille</b>	European Journal of Clinical Microbiology and Infectious Diseases	1992	Randomized multicenter clinical trial with imipenem/cilastatin versus cefotaxime/gentamicin in the treatment of patients with non-life-threatening infections.	<i>ITT trial</i>
Paul 2006b	<b>Thompson</b>	Surgery, gynecology & obstetrics	1990	Broad spectrum penicillin as an adequate therapy for acute cholangitis.	<i>"no ITT trial"</i>
Paul 2006b	<b>Thompson2</b>	Surgery, gynecology & obstetrics	1993	Cefepime for infections of the biliary tract.	<i>"no ITT trial"</i>
Paul 2006b	<b>Arich</b>	Pathologie Biologie (Paris	1987	[Comparison of the efficacy of cefotaxime alone and the combination cefazolin-tobramycin in the treatment of enterobacterial septicemia] In French.	<i>"no ITT trial"</i>
Paul 2006b	<b>Bergeron</b>	Antimicrobials Agents and Chemotherapy	1988	Cefoperazone compared with ampicillin plus tobramycin for severe biliary tract infections.	<i>"no ITT trial"</i>
Paul 2006b	<b>Cone</b>	Antimicrobial Agents and Chemotherapy	1985	Ceftazidime versus tobramycin-ticarcillin in the treatment of pneumonia and bacteremia.	<i>"no ITT trial"</i>
Paul 2006b	<b>Duff</b>	American Journal of Obstetrics and Gynecology	1982	A comparative study of two antibiotic regimens for the treatment of operative site infections.	<i>"no ITT trial"</i>
Paul 2006b	<b>Felisart</b>	Hepatology	1985	Cefotaxime is more effective than is ampicillin-tobramycin in cirrhotics with severe infections.	<i>"no ITT trial"</i>
Paul 2006b	<b>Havig</b>	Scandinavian Journal of Gastroenterology	1973	Effect of ampicillin, chloramphenicol, and penicillin-streptomycin in acute cholecystitis.	<i>"no ITT trial"</i>
Paul 2006b	<b>Koehler</b>	International Journal of Experimental and Clinical	1990	Controlled clinical study of ceftazidime (3 x 1 g daily) versus piperacillin + tobramycin in patients with nosocomial	<i>"no ITT trial"</i>

		Chemotherapy		pneumonia.	
Paul 2006b	<b>Mouton</b>	Presse Medicale	1990	[Prospective, randomized, controlled study of imipenem-cilastatin versus cefotaxime-amikacin in the treatment of lower respiratory tract infection and septicemia at intensive care units], in French.	<i>“no ITT trial”</i>
Rahimi 2007	<b>Targan</b>	Nejm	1997	A short-term study of chimeric monoclonal antibody cA2 to tumor necrosis factor alpha for Crohn's disease.	<i>mITT trial</i>
Rahimi 2007	<b>Winter</b>	Aliment Pharmacol Ther	2004	Intravenous CDP870, a PEGylated Fab' fragment of a humanized antitumour necrosis factor antibody, in patients with moderate-to-severe Crohn's disease: an exploratory study	<i>mITT trial</i>
Rahimi 2007	<b>Schreiber</b>	Gastroenterology	2005	CDP870 Crohn's Disease Study Group. A randomized, placebo-controlled trial of certolizumab pegol (CDP870) for treatment of Crohn's disease	<i>mITT trial</i>
Rahimi 2007	<b>Sandborn2001a</b>	Gastroenterology	2001	Etanercept for active Crohn's disease: a randomized, double-blind, placebo-controlled trial	<i>mITT trial</i>
Rahimi 2007	<b>Sandborn2001b</b>	Gastroenterology	2001	An engineered human antibody to TNF (CDP571) for active Crohn's disease: a randomized double-blind placebo-controlled trial	<i>mITT trial</i>
Rahimi 2007	<b>Sandborn2004</b>	Gut	2004	CDP571, a humanised monoclonal antibody to tumour necrosis factor alpha, for moderate to severe Crohn's disease: a randomised, double blind, placebo controlled trial	<i>mITT trial</i>
Rahimi 2007	<b>Rutgeerts*</b>	Gastroenterology	1999	Efficacy and Safety of Retreatment With Anti-Tumor Necrosis Factor Antibody (Infliximab) to Maintain Remission in Crohn's Disease	<i>ITT trial</i>
Ravindran 2008	<b>Fraser</b>	Ann Rheum dis	2005	A randomized, double blind, placebo controlled multicentre trial of combination therapy with methotrexate plus cyclosporin in patients with active psoriatic arthritis	<i>mITT trial</i>

Ravindran 2008	<b>Combe</b>	Br J Rheumatol	1996	Sulfasalazine in psoriatic arthritis: a randomized, multicentre, placebo-controlled study	<i>mITT trial</i>
Ravindran 2008	<b>Kaltwasser</b>	Arthritis Rheum	2004	Efficacy and safety of leflunomide in the treatment of psoriatic arthritis and psoriasis.	<i>mITT trial</i>
Ravindran 2008	<b>Mease 2004</b>	Arthritis Rheum	2004	Etanercept treatment of psoriatic arthritis: safety, efficacy, and effect on disease progression	<i>mITT trial</i>
Ravindran 2008	<b>Mease 2005</b>	Arthritis Rheum	2005	Adalimumab for the treatment of patients with moderately to severely active psoriatic arthritis: results of a double blind, randomized, placebo-controlled trial	<i>mITT trial</i>
Ravindran 2008	<b>Mease 2006</b>	arthritis Rheum	2006	Alefacept in combination with methotrexate for the treatment of psoriatic arthritis: result of a randomized, double blind, placebo-controlled study	<i>mITT trial</i>
Ravindran 2008	<b>Clegg</b>	Arthritis Rheum	1996	Comparison of sulfasalazine and placebo in the treatment of psoriatic arthritis: a Department of Veterans Affairs Cooperative Study	<i>ITT trial</i>
Ravindran 2008	<b>Antoni 2005a</b>	Ann Rheum dis	2005	Sustained benefits of infliximab therapy for dermatologic and articular manifestations of psoriatic arthritis: results from the Infliximab Multinational Psoriatic Arthritis Controlled Trial (IMPACT).	<i>ITT trial</i>
Ravindran 2008	<b>Antoni 2005b</b>	Ann Rheum Dis	2005	Infliximab improves signs and symptoms of psoriatic arthritis: results of the IMPACT 2 trial	<i>ITT trial</i>
Ravindran 2008	<b>Willkens</b>	Arthritis Rheum	1984	Randomized, double-blind, placebo controlled trial of low-dose pulse methotrexate in psoriatic arthritis	<i>"no ITT trial"</i>
Ravindran 2008	<b>Fraser</b>	Br J Rheumatol	1993	Sulfasalazine in the management of psoriatic arthritis	<i>"no ITT trial"</i>
Ravindran 2008	<b>Gupta</b>	J Rheumatol	2005	Sulfasalazine therapy for psoriatic arthritis: a double blind, placebo controlled trial	<i>"no ITT trial"</i>
Ravindran 2008	<b>Farr</b>	Br J Rheumatol	1990	Sulfasalazine in psoriatic arthritis: a double-blind placebo-controlled study.	<i>"no ITT trial"</i>

Ravindran 2008	<b>Carrette</b>	Arthritis Rheum	1989	Evaluation of auranofin in psoriatic arthritis: a double blind placebo controlled trial	<i>"no ITT trial"</i>
Ravindran 2008	<b>Palit</b>	Br J Rheumatol	1990	A multicentre double-blind comparison of auranofin, intramuscular gold thiomalate and placebo in patients with psoriatic arthritis.	<i>"no ITT trial"</i>
Ravindran 2008	<b>Palit</b>	Br J Rheumatol	1990	A multicentre double-blind comparison of auranofin, intramuscular gold thiomalate and placebo in patients with psoriatic arthritis.	<i>"no ITT trial"</i>
Ravindran 2008	<b>Price</b>	Br J Rheumatol	1986	d-Penicillamine and psoriatic arthropathy	<i>"no ITT trial"</i>
Ravindran 2008	<b>Mease</b>	Lancet	2000	Etanercept in the treatment of psoriatic arthritis and psoriasis: a randomised trial.	<i>"no ITT trial"</i>
Rendell 2006	<b>Vieta</b>	American College of Neuropsychopharmacology 41st Annual Meeting, San Juan, Puerto Rico	2002	Risperidone in the treatment of manic or mixed episodes of bipolar disorders.	<i>mITT trial</i>
Rendell 2006	<b>Smulevich</b>	Neuropsychopharmacology	2005	Acute and continuation risperidone monotherapy in bipolar mania: a 3-week placebo-controlled trial followed by a 9-week double-blind trial of risperidone and haloperidol. European.	<i>mITT trial</i>
Rendell 2006	<b>Yatham</b>	British Journal of Psychiatry	2002	Mood stabilisers plus risperidone or placebo in the treatment of acute mania.	<i>"no ITT trial"</i>
Rendell 2006	<b>Hirschfeld RIS-INT-69 2004</b>	American Journal of Psychiatry	2004	Rapid antimanic effect of risperidone monotherapy: 3-week multicenter, double-blind, placebo-controlled trial.	<i>"no ITT trial"</i>
Rhorer 2009	<b>Tam</b>	Pediatr Infect Dis J	2007	Efficacy and safety of a live attenuated, cold-adapted influenza vaccine, trivalent against culture-confirmed influenza in young children in Asia	<i>mITT trial</i>
Rhorer 2009	<b>Vesikari</b>	Pediatrics	2006	Safety, efficacy, and effectiveness of cold-adapted influenza vaccine-trivalent against community-acquired, culture-confirmed influenza in young children attending day care	<i>mITT trial</i>

Rhorer 2009	<b>Bracco</b>	Pediatr Infect Dis J	2009	Efficacy and safety of one and two doses of live attenuated influenza vaccine in vaccine-naive children.	<i>mITT trial</i>
Rhorer 2009	<b>Lum</b>	26th Annual Meeting of the European Society for Paediatric Infectious Diseases; 2008 May 13–16; Graz, Austria.	2008	Safety, efficacy, and immunogenicity of live attenuated influenza vaccine concurrently administered with a combination of mumps, measles, and rubella vaccine.	<i>mITT trial</i>
Rhorer 2009	<b>Ashkenazi</b>	Pediatr Inf Dis J	2006	Superior relative efficacy of live attenuated influenza vaccine compared with inactivated influenza vaccine in young children with recurrent respiratory tract infections.	<i>mITT trial</i>
Rhorer 2009	<b>Fleming</b>	Pediatr Infect Dis J	2006	Comparison of the efficacy and safety of live attenuated cold-adapted influenza vaccine, trivalent with trivalent inactivated influenza virus vaccine in children and adolescents with asthma	<i>mITT trial</i>
Rhorer 2009	<b>Belshe 2007</b>	N Engl J Med	2007	Live attenuated versus inactivated influenza vaccine in infants and young children	<i>mITT trial</i>
Rhorer 2009	<b>Belshe 1998</b>	N Engl J Med	1998	The efficacy of live attenuated, cold-adapted, trivalent, intranasal influenza virus vaccine in children	<i>“no ITT trial”</i>
Rhorer 2009	<b>Belshe 2000</b>	J Pediatr	2000	Efficacy of vaccination with live attenuated, cold-adapted, trivalent, intranasal influenza virus vaccine against a variant (A/Sydney) not contained in the vaccine	<i>“no ITT trial”</i>
Rhorer 2009	<b>Forrest</b>	Clin Vaccine Immunol	2008	Correlation of cellular immune responses with protection against culture-confirmed influenza in young children	<i>“no ITT trial”</i>
Rodrigo 2007	<b>Maltais</b>	Chest	2005	Improvements in symptom-limited exercise performance over 8 h with once-daily tiotropium in patients with COPD	<i>mITT trial</i>
Rodrigo 2007	<b>Niewoehner</b>	Ann Intern Med	2005	Prevention of exacerbations of chronic obstructive pulmonary disease with tiotropium, a once-daily inhaled anticholinergic bronchodilator—a randomized trial	<i>mITT trial</i>

Rodrigo 2007	<b>O'Donnell</b>	Eur Respir J	2004	Effects of tiotropium on lung hyperinflation, dyspnea and exercise tolerance in COPD	<i>mITT trial</i>
Rodrigo 2007	<b>Casaburi 2002</b>	Eur Respir J	2002	A long-term evaluation of once-daily inhaled tiotropium in chronic obstructive pulmonary disease	<i>ITT trial</i>
Rodrigo 2007	<b>Littner</b>	Am J Respir Crit Care Med	2000	long-acting bronchodilation with once-daily dosing of tiotropium (Spiriva) in stable chronic obstructive pulmonary disease	<i>"no ITT trial"</i>
Rodrigo 2007	<b>Calverley</b>	Thorax	2003	Effect of tiotropium bromide on circadian variation in airflow limitation in chronic obstructive pulmonary disease	<i>"no ITT trial"</i>
Rodrigo 2007	<b>Brusasco</b>	Thorax	2003	Health outcomes following treatment for six months with once daily tiotropium compared with twice daily salmeterol in patients with COPD	<i>"no ITT trial"</i>
Rodrigo 2007	<b>Celli</b>	Chest	2004	Improvement in resting inspiratory capacity and hyperinflation with tiotropium in COPD patients with increased static lung volumes	<i>"no ITT trial"</i>
Roskell 2010	<b>Mease</b>	J Rheumatol	2009	The efficacy and safety of milnacipran for treatment of fibromyalgia. A randomized, double-blind, placebo-controlled trial	<i>mITT trial</i>
Roskell 2010	<b>Gendreau</b>	J Rheumatol	2005	Efficacy of milnacipran in patients with fibromyalgia	<i>ITT trial</i>
Schneider 2007	<b>DeDeyn 1999</b>	Neurology	1999	A randomized trial of risperidone, placebo, and haloperidol for behavioral symptoms of dementia.	<i>mITT trial</i>
Schneider 2007	<b>Katz</b>	J Clin Psychiatry	1999	Comparison of risperidone and placebo for psychosis and behavioral disturbances associated with dementia: a randomized, double-blind trial.	<i>mITT trial</i>
Schneider 2007	<b>Brodaty</b>	J Clin Psychiatry	2003	A randomized placebocontrolled trial of risperidone for the treatment of aggression, agitation, and psychosis of dementia.	<i>ITT trial</i>
Seo 2009	<b>Smith (IMPACT)</b>	J Clin Oncol	2005	Neoadjuvant treatment of postmenopausal breast cancer with anastrozole, tamoxifen, or both in combination: the immediate	<i>ITT trial</i>

				preoperative anastrozole, tamoxifen, or combined with tamoxifen (IMPACT) multicenter double-blind randomized trial.	
Seo 2009	<b>Eiermann (P024)</b>	Ann Oncol	2001	Preoperative treatment of postmenopausal breast cancer patients with letrozole: a randomized double-blind multicenter study.	<i>mITT trial</i>
Seo 2009	<b>Cataliotti (PROACT)</b>	Cancer	2006	Comparison of anastrozole versus tamoxifen as preoperative therapy in postmenopausal women with hormone receptor-positive breast cancer: the pre-operative "Arimidex" compared to tamoxifen (PROACT) trial.	<i>ITT trial</i>
Siler 2010	<b>Arnold 2008</b>	J Pain	2008	A 14-week, randomized, double-blinded, placebo-controlled monotherapy trial of pregabalin in patients with fibromyalgia	<i>mITT trial</i>
Siler 2010	<b>Crofford 2005</b>	Arthritis Rheum	2005	Pregabalin for the treatment of fibromyalgia syndrome: Results of a randomized, double-blind, placebo-controlled trial	<i>mITT trial</i>
Siler 2010	<b>Pfizer Protocol # A0081100</b>		2007	A 14 Week, Randomized, Double-Blind, Placebo-Controlled Trial Of Pregabalin Twice Daily In Patients With Fibromyalgia.	<i>mITT trial</i>
Siler 2010	<b>Mease</b>	Journal Rheumatol	2008	A randomized, double-blind, placebo-controlled, phase III trial of pregabalin in the treatment of patients with fibromyalgia	<i>ITT trial</i>
Sjalander 2008	<b>Leizorovics</b>	Circulation	2004	Randomized, placebo-controlled trial of Dalteparin for the prevention of venous thromboembolism in acutely ill medical patients	<i>mITT trial</i>
Sjalander 2008	<b>Fraisse</b>	Am J Respir Crit Care Med	2000	Nadroparin in the prevention of deep vein thrombosis in acute decompensated COPD	<i>mITT trial</i>
Sjalander 2008	<b>Samama</b>	N Engl J Med	1999	A comparison of enoxaparin with placebo for the prevention of venous thromboembolism in acutely ill medical patients	<i>ITT trial</i>
Sjalander 2008	<b>Lederle</b>	Am J Med	2006	The prophylaxis of medical patients for thromboembolism pilot study	<i>ITT trial</i>
Sjalander 2008	<b>Cohen</b>	BMJ	2006	Efficacy and safety of fondaparinux for the prevention of venous thromboembolism in older acute medical patients:	<i>"no ITT trial"</i>



				randomised placebo controlled trial	
Sjalander 2008	<b>Dahan</b>	Haemostasis	1986	Prevention of deep vein thrombosis in elderly medical in-patients by a low molecular weight heparin: a randomized double-blind trial	<i>"no ITT trial"</i>
Van de Broek 2009	<b>Benkert</b>	J Psychiatr Res	1996	A randomized, double-blind comparison of a rapidly escalating dose of venlafaxine and imipramine in inpatients with major depression and melancholia.	<i>mITT trial</i>
Van de Broek 2009	<b>Lecrubier</b>	Acta Psychiatr Scand	1997	Efficacy of venlafaxine in depressive illness in general practice.	<i>mITT trial</i>
Van de Broek 2009	<b>Samuelian</b>	J Psychopharmacol	1998	A randomized, double-blind, parallel-group comparison of venlafaxine and clomipramine in outpatients with major depression.	<i>mITT trial</i>
Van de Broek 2009	<b>Gentil</b>	J Psychopharmacol	2000	Double-blind comparison of venlafaxine and amitriptyline in outpatients with major depression with or without melancholia.	<i>mITT trial</i>
Van de Broek 2009	<b>Schweizer</b>	J Clin Psychiatry	1994	Comparison of venlafaxine and imipramine in the acute treatment of major depression in outpatients	<i>mITT trial</i>
Van de Broek 2009	<b>Sauer</b>	Pharmacopsychiatry	2003	Efficacy and safety of venlafaxine ER vs. amitriptyline ER in patients with major depression of moderate severity.	<i>ITT trial</i>
Van de Broek 2009	<b>Smeraldi</b>	Primary Care Psychiatry	1998	Double-blind, randomized study of venlafaxine, clomipramine and trazodone in geriatric patients with major depression.	<i>ITT trial</i>
Wang 2010 (a)	<b>Neuhaus</b>	Liver Transp	2002	Improved treatment response with basiliximab immunoprophylaxis after liver transplantation: results from a double-blind randomized placebo-controlled trial	<i>mITT trial</i>
Wang 2010 (a)	<b>Lupo</b>	Transplantation	2008	Basiliximab Versus Steroids in Double Therapy Immunosuppression in Liver Transplantation: A Prospective Randomized Clinical Trial	<i>ITT trial</i>
Wang 2010 (a)	<b>Schmeding</b>	Ann Transplant	2007	Influence of basiliximab induction therapy on long term outcome after liver transplantation, a prospectively	<i>"no ITT trial"</i>

				randomised trial	
Wang 2010 (b)	<b>Otero</b>	Liver Transpl	2009	A prospective randomized open study in liver transplant recipients: daclizumab, mycophenolate mofetil, and tacrolimus versus tacrolimus and steroids	<i>mITT trial</i>
Wang 2010 (b)	<b>Boillot</b>	Liver Transp	2005	Corticosteroid-free immunosuppression with tacrolimus following induction with daclizumab: a large randomized clinical study	<i>mITT trial</i>
Wang 2010 (b)	<b>Neuberger</b>	Am J Transplant	2009	Delayed introduction of reduced-dose tacrolimus, and renal function in liver transplantation: the "RESPECT" study	<i>mITT trial</i>
Wang 2010 (b)	<b>Kato</b>	Transplantation	2007	Randomized trial of steroid-free induction versus corticosteroid maintenance among orthotopic liver transplant recipients with hepatitis C virus: impact on hepatic fibrosis progression at one year	<i>ITT trial</i>
Wang 2010 (b)	<b>Klintmalm</b>	Liver Transpl	2007	Corticosteroid-free immunosuppression with daclizumab in HCV(+) liver transplant recipients: 1-year interim results of the HCV-3 study	<i>ITT trial</i>
Wang 2010 (b)	<b>Washburn</b>	Transplantation	2001	Steroid elimination 24 hours after liver transplantation using daclizumab, tacrolimus, and mycophenolate mofetil	<i>"no ITT trial"</i>
Wang 2010 (b)	<b>Yoshida</b>	Liver Transp	2005	Evaluation of renal function in liver transplant recipients receiving daclizumab (Zenapax), mycophenolate mofetil, and a delayed, low-dose tacrolimus regimen vs a standard-dose tacrolimus and mycophenolate mofetil regimen: a multicenter randomized clinical trial	<i>"no ITT trial"</i>
Wang 2010 (b)	<b>Becker</b>	Transplantation	2008	Patient outcomes in two steroid-free regimens using tacrolimus monotherapy after daclizumab induction and tacrolimus with mycophenolate mofetil in liver transplantation	<i>mITT trial</i>
Weinmann 2008	<b>Allard</b>	Int J Geriatr Psychiatry	2004	Efficacy and tolerability of venlafaxine in geriatric outpatients with major depression: a double-blind, randomised 6-month comparative trial with citalopram	<i>mITT trial</i>

Weinmann 2008	<b>Bielski</b>	Psychopharmacology	2004	A double-blind comparison of escitalopram and venlafaxine extended release in the treatment of major depressive disorder	<i>mITT trial</i>
Weinmann 2008	<b>Montgomery</b>	Neuropsychobiology	2004	A randomised study comparing escitalopram with venlafaxine XR in primary care patients with major depressive disorder	<i>mITT trial</i>
Weinmann 2008	<b>Meh-tonen</b>	J Clin Psychiatry	2000	Randomized, double-blind comparison of venlafaxine and sertraline in outpatients with major depressive disorder	<i>mITT trial</i>
Weinmann 2008	<b>Nemeroff</b>	J Psychiatr res	2007	double-blind, placebo-controlled comparison of venlafaxine and fluoxetine treatment in depressed outpatients	<i>mITT trial</i>
Weinmann 2008	<b>Rudolph</b>	Journal of Affective Disorders	1999	A randomized, placebo-controlled, dose–response trial of venlafaxine hydrochloride in the treatment of major depression	<i>mITT trial</i>
Weinmann 2008	<b>Shatzberg</b>	Am J Geriatr Psychiatry	2006	A double-blind, placebo-controlled study of venlafaxine and fluoxetine in geriatric outpatients with major depression	<i>mITT trial</i>
Weinmann 2008	<b>Silverston</b>	The Journal of clinical psychiatry	1999	Once-daily venlafaxine extended release (XR) compared with fluoxetine in outpatients with depression and anxiety	<i>mITT trial</i>
Weinmann 2008	<b>Sir</b>	The Journal of clinical psychiatry	2005	Randomized trial of sertraline versus venlafaxine XR in major depression: efficacy and discontinuation symptoms	<i>mITT trial</i>
Weinmann 2008	<b>Tylee</b>	Prim Care Companion J Clin Psychiatry	1997	A double-blind, randomized, 12-week comparison study of the safety and efficacy of venlafaxine and fluoxetine in moderate to severe major depression in general practice	<i>mITT trial</i>
Weinmann 2008	<b>Shelton</b>	J Clin Psychiatry	2006	Randomized, double-blind, active-control study of sertraline versus venlafaxine XR in major depressive disorder	<i>mITT trial</i>
Weinmann 2008	<b>Tzanakaki et al. 2000</b>	Int Clin Psychopharmacol	2000	Increased remission rates with venlafaxine compared with fluoxetine in hospitalized patients with major depression and melancholia	<i>ITT trial</i>
Weinmann 2008	<b>Costa e Silva 1998</b>	J Clin Psychiatry	1998	Randomized, double-blind comparison of venlafaxine and fluoxetine in outpatients with major depression	<i>ITT trial</i>

Weinmann 2008	<b>Alves</b>	Primary Care Psychiatry	1999	Efficacy and tolerability of venlafaxine and fluoxetine in outpatients with major depression	<i>ITT trial</i>
Weinmann 2008	<b>Mc Partlin</b>	Companionon J Clin Psychiatry	1998	A comparison of once-daily venlafaxine XR and paroxetine in depressed outpatients treated in general practice	<i>mITT trial</i>
Xu 2010	<b>Albain</b>	J Clin Oncol	2008	Gemcitabine plus Paclitaxel versus Paclitaxel monotherapy in patients with metastatic breast cancer and prior anthracycline treatment.	<i>ITT trial</i>
Xu 2010	<b>O'Shaughnessy</b>	J Clin Oncol	2002	Superior survival with capecitabine plus docetaxel combination therapy in anthracycline-pretreated patients with advanced breast cancer: phase III trial results.	<i>ITT trial</i>
Xu 2010	<b>Sparano</b>	J Clin Oncol	2009	Pegylated liposomal doxorubicin plus docetaxel significantly improves time to progression without additive cardiotoxicity compared with docetaxel monotherapy in patients with advanced breast cancer previously treated with neoadjuvant-adjuvant anthracycline therapy: results from a randomized phase III study.	<i>ITT trial</i>
Xu 2010	<b>Fountzilas</b>	Breast Cancer Res Treat	2009	A randomized phase III study comparing three anthracycline-free taxane-based regimens, as first line chemotherapy, in metastatic breast cancer: a Hellenic Cooperative Oncology Group study.	<i>mITT trial</i>
Ziakas 2010	<b>Penack</b>	Ann Oncol	2006	Low-dose liposomal amphotericin B in the prevention of invasive fungal infections in patients with prolonged neutropenia: Results from a randomized, single-center trial	<i>mITT trial</i>
Ziakas 2010	<b>Rotstein</b>	Clin Infect Dis	1999	Randomized placebo-controlled trial of fluconazole prophylaxis for neutropenic cancer patients: Benefit based on purpose and intensity of cytotoxic therapy	<i>mITT trial</i>
Ziakas 2010	<b>Slavin</b>	J Infect Dis	1995	Efficacy and safety of fluconazole prophylaxis for fungal infections after marrow transplantation—a prospective, randomized, double-blind study	<i>mITT trial</i>

Ziakas 2010	<b>Kelsey</b>	Bone Marrow Transplant	1999	Liposomal amphotericin (AmBisome) in the prophylaxis of fungal infections in neutropenic patients: A randomised, double-blind, placebo-controlled study	<i>mITT trial</i>
Ziakas 2010	<b>Goodman</b>	nejm	1992	A controlled trial of fluconazole to prevent fungal infections in patients undergoing bone marrow transplantation	<i>mITT trial</i>
Ziakas 2010	<b>Schaffner</b>	J Infect Dis	1995	Effect of prophylactic fluconazole on the frequency of fungal infections, amphotericin B use, and health care costs in patients undergoing intensive chemotherapy for hematologic neoplasias	<i>ITT trial</i>
Ziakas 2010	<b>Menichetti</b>	Clin Infect Dis	1999	Itraconazole oral solution as prophylaxis for fungal infections in neutropenic patients with hematologic malignancies: A randomized, placebo-controlled, double-blind, multicenter trial GIMEMA Infection Program	<i>ITT trial</i>
Ziakas 2010	<b>Winston</b>	Ann Intern Med	1993	Fluconazole prophylaxis of fungal infections in patients with acute leukemia Results of a randomized placebo-controlled, double-blind, multicenter trial	<i>mITT trial</i>
Ziakas 2010	<b>Tollemer</b>	Bone Marrow Transplant	1993	Randomized double-blind study of liposomal amphotericin B (Ambisome) prophylaxis of invasive fungal infections in bone marrow transplant recipients	<i>"no ITT trial"</i>
Ziakas 2010	<b>Chandrasekar</b>	J Antimicrob Chemother	1994	The effect of fluconazole prophylaxis on fungal colonization in neutropenic cancer patients	<i>"no ITT trial"</i>
Ziakas 2010	<b>Riley</b>	Am J Med	1994	The prophylactic use of low-dose amphotericin B in bone marrow transplant patients	<i>"no ITT trial"</i>
Ziakas 2010	<b>Kern</b>	Cancer	1998	Failure of fluconazole prophylaxis to reduce mortality or the requirement of systemic amphotericin B therapy during treatment for refractory acute myeloid leukemia: Results of a prospective randomized phase III study	<i>"no ITT trial"</i>
Ziakas 2010	<b>Nucci</b>	Clin Infect Dis	2000	A double-blind, randomized, placebo-controlled trial of itraconazole capsules as antifungal prophylaxis for	<i>"no ITT trial"</i>

				neutropenic patients Clin Infect Dis	
Ziakas 2010	<b>Laverdière</b>	J Antimicrob Chemother	2000	Impact of fluconazole prophylaxis on fungal colonization and infection rates in neutropenic patientsThe Canadian Fluconazole Study	<i>"no ITT trial"</i>
Ziakas 2010	<b>Kaptan</b>	J Infect Chemother	2003	Itraconazole is not effective for the prophylaxis of fungal infections in patients with neutropenia	<i>"no ITT trial"</i>
Ziakas 2010	<b>Brincker</b>	Mykosen	1983	Prevention of mycosis in granulocytopenic patients with prophylactic ketoconazole treatment	<i>"no ITT trial"</i>
Ziakas 2010	<b>Estey</b>	Arch Intern Med	1984	infection prophylaxis in acute leukemiaComparative effectiveness of sulfamethoxazole and trimethoprim, ketoconazole, and a combination of the two	<i>"no ITT trial"</i>
Ziakas 2010	<b>Hansen</b>	Arch Intern Med	1987	Ketoconazole in the prevention of candidiasis in patients with cancerA prospective, randomized, controlled, double-blind study	<i>"no ITT trial"</i>
Ziakas 2010	<b>Wingard</b>	Am J Med	1987	Prevention of fungal sepsis in patients with prolonged neutropenia: A randomized, double-blind, placebo-controlled trial of intravenous miconazole	<i>"no ITT trial"</i>
Ziakas 2010	<b>Benhamou</b>	Bone Marrow Transplant	1991	Does ketoconazole prevent fungal infection in children treated with high dose chemotherapy and bone marrow transplantation?Results of a randomized placebo-controlled trial	<i>"no ITT trial"</i>
Ziakas 2010	<b>Palmblad</b>	J Intern Med	1992	Oral ketoconazole prophylaxis for Candida infections during induction therapy for acute leukaemia in adults: More bacteraemias	<i>"no ITT trial"</i>
Ziakas 2010	<b>Perfect</b>	J Infect Dis	1992	Prophylactic intravenous amphotericin B in neutropenic autologous bone marrow transplant recipients	<i>"no ITT trial"</i>
Zou A 2009	<b>Chen</b>	Int J Clin Pract	2004	Comparison of the efficacy and tolerability of telmisartan 40mg vs. enalapril 10mg in the treatment of mild-to-moderate hypertension: a multicentre, double-blind study in Taiwanese	<i>mITT trial</i>

				patients.	
Zou A 2009	<b>Amerena</b>	J Int Med Res	2002	ABPM comparison of the antihypertensive profiles of telmisartan and enalapril in patients with mild-to-moderate essential hypertension.	<i>mITT trial</i>
Zou A 2009	<b>Hannedouche</b>	J Renin Angiotensin Aldosterone Syst 2001	2001	Evaluation of the safety and efficacy of telmisartan and enalapril, with the potential addition of frusemide, in moderaterenal failure patients with mild-to-moderate hypertension.	<i>mITT trial</i>
Zou A 2009	<b>Karlberg</b>	J Hypertens	1999	Efficacy and safety of telmisartan, a selective AT1 receptor antagonist, compared with enalapril in elderly patients with primary hypertension. TEES Study Group.	<i>mITT trial</i>
Zou A 2009	<b>Smith</b>	Adv ther	1998	Once-daily telmisartan compared with enalapril in the treatment of hypertension.	<i>ITT trial</i>
Zou A 2009	<b>Neutel</b>	Int J Clin Pract	1999	The efficacy and safety of telmisartan compared to enalapril in patients with severe hypertension	<i>"no ITT trial"</i>
Zou A 2009	<b>Alcocer</b>	Int J Clin Pract Suppl	2004	Clinical efficacy and safety of telmisartan 80mg once daily compared with enalapril 20mg once daily in patients with mild-to-moderate hypertension: results of a multicentre study.	<i>"no ITT trial"</i>
Zou B 2009	<b>Lacourciere</b>	Am J Hypertens	2006	A multicenter, 14-week study of telmisartan and ramipril in patients with mild-to-moderate hypertension using ambulatory blood pressure monitoring.	<i>"no ITT trial"</i>
Zou B 2009	<b>Williams</b>	J Hypertens	2006	The prospective, randomized investigation of the safety and efficacy of telmisartan versus ramipril using ambulatory blood pressure monitoring (PRISMA I).	<i>mITT trial</i>