Table 1. Summary of characteristics of informal caregivers and care recipients from 17 studies

First author, Year	Coun try	Number of Participants	Characteristics of Children with Healthcare Needs		Characteristics of Their Informal Caregivers	
		-	Age	Medical conditions		
Zuckerman, 2014 [30]	USA	458 (all complete d)	Range: Birth - 12yrs	Receiving pediatric primary or urgent healthcare	 Parents Educated at least college=42% Non-Hispanic Caucasian=62% 	
DeMartini, 2013 [26]	USA	257 (all complete d)	Median = 2.9yrs	Receiving pediatric primary healthcare	Family to childMedicaid insured=92%Urban residents	
Dudas, 2013 [27]	USA	300 (229 complete d)	Range: Birth - 21yrs	Receiving pediatric primary healthcare	Parents: Mothers=79%Caucasian=47%; AA=43%Medicaid insured=38%	
Naftel, 2013 [21]	USA	300 (all complete d)	• Range: 0 - 21yrs • Mean=8	Shunted hydrocephalus	 Parents or legal guardian Caucasian=66%; AA=32% Medicaid insured=56% Rural residents=63% 	
Nordfeldt, 2013 [24]	Swed en	27 (all complete d)	Range: 10- 17	Type 1 Diabetes	• Parents: Mothers=63%	
AlSaadi, 2012 [20]	Saudi Arabi a	505	Range: Birth - 21yrs	Asthma	• Parents	
Fagnano, 2012 [19]	USA	304 (all complete d)	Range: 3 - 10yrs	Persistent asthma	Family to childUrban residents	
Saidinejad, 2012 [32]	USA	509 (all complete	Mean=8.23 (SD=4.07	Receiving healthcare in	• Family to child	

		d))	the ED	• Caucasian=9%; AA=83%
					• Medicaid insured=78%
Walsh, 2012 [29]	Austr alia	391(baselin e) and 187 (follow- up)	Range: 0.5 - 10yrs	General health concerns	Parents: Mothers=95%Not full-time employed=76%
Knapp, 2011 [28]	USA	4072 (2371 complete d)	Range: 1 - 21yrs	Special healthcare needs	Parents: Mothers=91%English speaker=77%
Gundersen, 2011 [22]	Norw ay	10 (all complete d)	Range: 1.5 -16yrs	Rare genetic diseases	ParentsEducated at least high school=90%
Nogueira, 2009 [23]	Brazi l	132 (all complete d)	Range: 2 - 14yrs	Disease for ENT surgery	 Parents or legal guardian: Mothers=83% Educated at least diploma=73%
Bouche, 2008 [25]	Franc e	2197 (1068 complete d)	Range: 2 - 6yrs	Various conditions including allergy, asthma, preterm baby care, etc.	ParentsSingle parent family=13%Educated at least high school=73%
Porter, 2007 [17]	Austr alia	207 (166 complete d)	Range: Birth - 21yrs	Permanent hearing loss	 Parents or legal guardian: Mothers=89% Educated at least high school=85% Unemployed=36%
Goldman, 2006 [31]	Cana da	1025 (950 complete d)	Range: 1 - 21yrs	Receiving ED care in urban hospitals	Parents
Massin, 2006 [18]	Belgi um	509 (389 complete d)	Range: 3mos - 17yrs	Congenital heart disease	Parents

Blackburn,	UK	788 (all	Range: 0 -	Disability	• Parents: Mothers=93%	
2005 [33]		complete d)	17yrs		Caucasian=96%; AA=4%Unemployed=56%	

Notes for abbreviations: USA=United States of America; UK=United Kingdom; Yrs=Years; Mos=Months; SD=Standard deviation; ED=Emergency department; ENT=Ear, nose, and throat; AA=African American