

Supplementary appendix 9. Sensitivity to the choice of prior distribution.

Sensitivity to the choice of prior distribution.

Comparisons	Serious vascular events			Recurrent stroke			Any bleeding		
	Main analysis	Prior 1	Prior 2	Main analysis	Prior 1	Prior 2	Main analysis	Prior 1	Prior 2
P vs D	0.88 (0.75-1.06)	0.88 (0.75-1.06)	0.88 (0.72-1.10)	0.87 (0.66-1.21)	0.87 (0.65-1.22)	0.88 (0.63-1.28)	0.97 (0.65-1.54)	0.98 (0.65-1.54)	0.97 (0.60-1.67)
P vs A1	0.86 (0.74-1.00)	0.86 (0.73-1.00)	0.86 (0.72-1.03)	0.87 (0.64-1.18)	0.87 (0.64-1.19)	0.88 (0.61-1.26)	1.72 (1.18-2.40)	1.72 (1.18-2.41)	1.73 (1.11-2.56)
P vs A2	0.83 (0.71-0.96)	0.83 (0.71-0.96)	0.83 (0.70-0.98)	0.78 (0.63-0.99)	0.78 (0.63-0.99)	0.78 (0.61-1.02)	2.33 (1.73-3.30)	2.33 (1.72-3.33)	2.33 (1.67-3.45)
P vs A3	0.84 (0.73-0.97)	0.84 (0.73-0.97)	0.84 (0.72-0.99)	0.80 (0.61-1.04)	0.80 (0.60-1.05)	0.80 (0.59-1.08)	2.33 (1.65-3.19)	2.34 (1.64-3.19)	2.34 (1.57-3.33)
P vs A4	0.82 (0.72-0.93)	0.82 (0.73-0.93)	0.82 (0.72-0.94)	0.82 (0.68-0.99)	0.82 (0.68-0.99)	0.83 (0.67-1.01)	2.69 (1.86-3.81)	2.71 (1.84-3.81)	2.71 (1.79-3.95)
P vs AD1	0.72 (0.63-0.83)	0.72 (0.63-0.83)	0.72 (0.61-0.85)	0.69 (0.56-0.89)	0.69 (0.56-0.9)	0.70 (0.54-0.93)	1.95 (1.43-2.78)	1.96 (1.43-2.78)	1.96 (1.37-2.86)
P vs AD2	0.70 (0.59-0.83)	0.70 (0.59-0.83)	0.71 (0.59-0.85)	0.63 (0.48-0.81)	0.63 (0.48-0.81)	0.63 (0.47-0.84)	2.49 (1.31-4.41)	2.51 (1.29-4.41)	2.56 (1.26-4.73)
P vs TC	0.80 (0.68-0.93)	0.80 (0.69-0.93)	0.80 (0.67-0.95)	0.79 (0.62-0.99)	0.79 (0.62-1.00)	0.79 (0.61-1.03)	2.12 (1.35-3.09)	2.13 (1.34-3.10)	2.07 (1.25-3.12)
P vs A+TC	0.94 (0.32-2.17)	0.96 (0.36-2.20)	0.93 (0.32-2.15)	0.74 (0.20-1.99)	0.71 (0.21-1.85)	0.74 (0.21-1.87)	2.71 (0.60-7.83)	2.71 (0.61-8.05)	2.66 (0.55-7.93)
P vs C	0.74 (0.65-0.86)	0.74 (0.64-0.86)	0.75 (0.63-0.89)	0.68 (0.53-0.92)	0.68 (0.53-0.93)	0.69 (0.52-0.97)	1.79 (1.23-2.78)	1.75 (1.22-2.70)	1.79 (1.16-3.03)
P vs A+C	0.70 (0.59-0.83)	0.69 (0.59-0.83)	0.69 (0.58-0.85)	0.65 (0.50-0.86)	0.65 (0.50-0.86)	0.65 (0.48-0.89)	5.00 (3.70-7.69)	5.00 (3.70-7.69)	5.26 (3.57-8.33)
P vs TF	0.82 (0.63-1.04)	0.82 (0.63-1.04)	0.81 (0.61-1.06)	0.72 (0.48-1.05)	0.72 (0.47-1.06)	0.72 (0.45-1.10)	1.24 (0.69-1.90)	1.24 (0.69-1.88)	1.20 (0.62-1.94)
P vs CL	0.57 (0.45-0.72)	0.57 (0.45-0.72)	0.56 (0.44-0.73)	0.51 (0.38-0.70)	0.50 (0.37-0.69)	0.50 (0.36-0.71)	1.18 (0.80-1.79)	1.18 (0.80-1.79)	1.18 (0.78-1.89)
P vs A+CL	0.94 (0.47-2.22)	0.93 (0.46-2.27)	0.97 (0.47-2.38)	0.90 (0.39-2.69)	0.88 (0.38-2.56)	0.88 (0.37-2.78)	1.47 (0.39-9.09)	1.41 (0.36-9.09)	1.56 (0.41-11.1)
D vs A1	0.97 (0.80-1.16)	0.97 (0.80-1.16)	0.97 (0.78-1.20)	0.99 (0.71-1.35)	0.99 (0.70-1.36)	1.00 (0.66-1.44)	1.73 (1.09-2.60)	1.73 (1.09-2.60)	1.75 (1.02-2.80)
D vs A2	0.93 (0.76-1.15)	0.93 (0.76-1.15)	0.93 (0.73-1.19)	0.88 (0.63-1.25)	0.88 (0.63-1.25)	0.87 (0.59-1.32)	2.33 (1.52-3.85)	2.33 (1.52-3.85)	2.33 (1.41-4.17)
D vs A3	0.95 (0.78-1.15)	0.95 (0.78-1.15)	0.95 (0.75-1.19)	0.92 (0.60-1.31)	0.92 (0.60-1.33)	0.92 (0.56-1.40)	2.37 (1.43-3.68)	2.37 (1.43-3.67)	2.39 (1.31-3.95)
D vs A4	0.93 (0.75-1.15)	0.93 (0.75-1.14)	0.93 (0.72-1.17)	0.95 (0.65-1.31)	0.95 (0.65-1.32)	0.94 (0.61-1.38)	2.75 (1.56-4.51)	2.76 (1.56-4.53)	2.78 (1.44-4.87)
D vs AD1	0.81 (0.68-0.97)	0.81 (0.68-0.97)	0.81 (0.65-1.00)	0.78 (0.58-1.08)	0.78 (0.58-1.09)	0.78 (0.56-1.15)	1.92 (1.30-3.03)	1.92 (1.30-3.03)	1.92 (1.20-3.23)
D vs AD2	0.80 (0.62-1.01)	0.79 (0.62-1.01)	0.80 (0.60-1.04)	0.72 (0.47-1.04)	0.72 (0.47-1.05)	0.72 (0.44-1.11)	2.55 (1.17-4.97)	2.56 (1.15-5.00)	2.64 (1.08-5.49)
D vs TC	0.90 (0.71-1.13)	0.91 (0.72-1.13)	0.90 (0.69-1.16)	0.90 (0.61-1.28)	0.90 (0.60-1.29)	0.91 (0.57-1.36)	2.17 (1.15-3.58)	2.17 (1.13-3.61)	2.13 (1.02-3.76)
D vs A+TC	1.06 (0.35-2.44)	1.09 (0.40-2.54)	1.05 (0.36-2.47)	0.84 (0.22-2.32)	0.82 (0.23-2.18)	0.84 (0.22-2.20)	2.77 (0.57-8.34)	2.77 (0.57-8.57)	2.73 (0.50-8.52)

Supplementary appendix 9. Sensitivity to the choice of prior distribution.

D vs C	0.84 (0.69-1.02)	0.84 (0.69-1.02)	0.84 (0.67-1.07)	0.80 (0.55-1.13)	0.80 (0.55-1.14)	0.81 (0.52-1.22)	1.87 (1.12-3.06)	1.86 (1.10-3.05)	1.91 (1.02-3.38)
D vs A+C	0.79 (0.63-0.98)	0.79 (0.64-0.98)	0.79 (0.61-1.01)	0.76 (0.51-1.07)	0.76 (0.51-1.08)	0.76 (0.47-1.14)	5.34 (3.26-8.63)	5.33 (3.25-8.68)	5.50 (3.03-9.54)
D vs TF	0.93 (0.69-1.22)	0.92 (0.68-1.22)	0.92 (0.65-1.24)	0.83 (0.49-1.29)	0.83 (0.48-1.30)	0.83 (0.45-1.37)	1.26 (0.62-2.09)	1.25 (0.62-2.07)	1.22 (0.54-2.19)
D vs CL	0.65 (0.48-0.86)	0.65 (0.48-0.86)	0.65 (0.47-0.87)	0.60 (0.38-0.87)	0.59 (0.38-0.88)	0.59 (0.35-0.91)	1.24 (0.71-2.05)	1.24 (0.70-2.06)	1.26 (0.66-2.21)
D vs A+CL	1.26 (0.52-2.50)	1.24 (0.51-2.60)	1.30 (0.52-2.68)	1.31 (0.43-3.15)	1.28 (0.42-3.03)	1.31 (0.40-3.27)	2.81 (0.38-9.20)	2.89 (0.35-9.45)	3.19 (0.40-11.5)
A1 vs A2	0.96 (0.81-1.16)	0.96 (0.80-1.16)	0.96 (0.78-1.19)	0.90 (0.64-1.27)	0.90 (0.64-1.28)	0.88 (0.60-1.35)	1.37 (0.97-2.08)	1.37 (0.97-2.08)	1.37 (0.91-2.22)
A1 vs A3	0.98 (0.85-1.14)	0.99 (0.85-1.15)	0.99 (0.82-1.17)	0.94 (0.62-1.34)	0.94 (0.62-1.37)	0.94 (0.58-1.43)	1.38 (0.97-1.91)	1.38 (0.97-1.91)	1.39 (0.91-2.01)
A1 vs A4	0.96 (0.79-1.16)	0.97 (0.80-1.16)	0.96 (0.77-1.18)	0.97 (0.67-1.34)	0.97 (0.66-1.34)	0.97 (0.63-1.41)	1.61 (1.01-2.46)	1.62 (1.00-2.49)	1.62 (0.93-2.65)
A1 vs AD1	0.84 (0.72-0.98)	0.84 (0.71-0.99)	0.84 (0.69-1.01)	0.80 (0.60-1.10)	0.80 (0.59-1.11)	0.79 (0.56-1.18)	1.15 (0.83-1.69)	1.15 (0.83-1.67)	1.15 (0.78-1.79)
A1 vs AD2	0.82 (0.66-1.02)	0.82 (0.65-1.03)	0.83 (0.64-1.06)	0.74 (0.48-1.06)	0.74 (0.48-1.08)	0.74 (0.45-1.14)	1.49 (0.73-2.77)	1.50 (0.72-2.8)	1.54 (0.69-3.06)
A1 vs TC	0.93 (0.76-1.15)	0.93 (0.76-1.15)	0.92 (0.73-1.18)	0.89 (0.62-1.32)	0.89 (0.62-1.32)	0.88 (0.58-1.39)	1.19 (0.73-1.96)	1.19 (0.72-2.00)	1.15 (0.65-2.08)
A1 vs A+TC	0.86 (0.37-2.56)	0.90 (0.41-2.56)	0.86 (0.37-2.56)	0.61 (0.22-2.38)	0.61 (0.23-2.22)	0.61 (0.22-2.22)	1.03 (0.34-4.76)	1.02 (0.34-5.00)	0.97 (0.30-5.00)
A1 vs C	0.86 (0.74-1.03)	0.86 (0.74-1.03)	0.87 (0.71-1.06)	0.79 (0.56-1.15)	0.79 (0.56-1.18)	0.79 (0.53-1.25)	1.04 (0.70-1.69)	1.04 (0.70-1.69)	1.04 (0.66-1.85)
A1 vs A+C	0.81 (0.68-0.98)	0.81 (0.68-0.99)	0.81 (0.65-1.01)	0.75 (0.52-1.09)	0.75 (0.52-1.1)	0.74 (0.49-1.16)	3.03 (2.08-4.76)	3.03 (2.08-4.76)	3.03 (2.00-5.26)
A1 vs TF	0.94 (0.73-1.23)	0.94 (0.72-1.22)	0.93 (0.70-1.25)	0.80 (0.50-1.32)	0.80 (0.50-1.33)	0.78 (0.46-1.41)	0.68 (0.41-1.11)	0.68 (0.40-1.11)	0.65 (0.36-1.15)
A1 vs CL	0.66 (0.51-0.87)	0.66 (0.51-0.88)	0.65 (0.49-0.88)	0.58 (0.39-0.88)	0.58 (0.38-0.89)	0.57 (0.36-0.93)	0.69 (0.45-1.12)	0.69 (0.45-1.12)	0.69 (0.43-1.20)
A1 vs A+CL	1.10 (0.54-2.56)	1.09 (0.53-2.63)	1.14 (0.55-2.78)	1.03 (0.44-3.23)	1.01 (0.43-3.13)	1.00 (0.40-3.33)	0.87 (0.23-5.26)	0.83 (0.21-5.56)	0.93 (0.24-6.67)
A2 vs A3	1.02 (0.87-1.19)	1.02 (0.87-1.19)	1.02 (0.84-1.22)	1.02 (0.75-1.37)	1.02 (0.75-1.37)	1.02 (0.72-1.42)	0.99 (0.68-1.35)	0.99 (0.68-1.35)	0.98 (0.64-1.40)
A2 vs A4	0.99 (0.82-1.18)	1.00 (0.83-1.19)	0.99 (0.80-1.21)	1.05 (0.79-1.39)	1.05 (0.79-1.38)	1.06 (0.76-1.43)	1.15 (0.72-1.71)	1.15 (0.72-1.72)	1.15 (0.68-1.80)
A2 vs AD1	0.87 (0.76-1.00)	0.87 (0.76-1.00)	0.87 (0.74-1.03)	0.89 (0.72-1.12)	0.89 (0.72-1.12)	0.90 (0.70-1.17)	0.84 (0.64-1.08)	0.84 (0.64-1.08)	0.84 (0.61-1.13)
A2 vs AD2	0.85 (0.67-1.05)	0.85 (0.68-1.06)	0.85 (0.66-1.09)	0.81 (0.56-1.12)	0.80 (0.56-1.12)	0.81 (0.54-1.17)	1.06 (0.52-1.93)	1.07 (0.52-1.94)	1.09 (0.49-2.10)
A2 vs TC	0.97 (0.78-1.18)	0.97 (0.79-1.18)	0.97 (0.76-1.21)	1.01 (0.73-1.36)	1.01 (0.73-1.36)	1.02 (0.71-1.41)	0.90 (0.52-1.38)	0.91 (0.52-1.40)	0.88 (0.48-1.41)
A2 vs A+TC	1.13 (0.38-2.62)	1.16 (0.43-2.67)	1.13 (0.39-2.63)	0.94 (0.25-2.63)	0.91 (0.26-2.38)	0.94 (0.26-2.41)	1.15 (0.25-3.37)	1.16 (0.25-3.52)	1.13 (0.22-3.43)
A2 vs C	0.90 (0.77-1.05)	0.90 (0.77-1.05)	0.90 (0.75-1.08)	0.89 (0.68-1.17)	0.89 (0.68-1.17)	0.90 (0.66-1.23)	0.78 (0.54-1.09)	0.77 (0.54-1.09)	0.78 (0.51-1.18)
A2 vs A+C	0.84 (0.72-0.98)	0.85 (0.72-0.98)	0.85 (0.71-1.01)	0.84 (0.66-1.07)	0.84 (0.66-1.07)	0.84 (0.63-1.10)	2.21 (1.71-2.87)	2.21 (1.70-2.88)	2.24 (1.64-3.06)

Supplementary appendix 9. Sensitivity to the choice of prior distribution.

A2 vs TF	0.99 (0.74-1.28)	0.99 (0.74-1.28)	0.98 (0.72-1.30)	0.92 (0.59-1.36)	0.92 (0.59-1.37)	0.92 (0.56-1.43)	0.52 (0.29-0.80)	0.52 (0.28-0.80)	0.50 (0.25-0.82)
A2 vs CL	0.69 (0.55-0.86)	0.69 (0.55-0.86)	0.69 (0.54-0.86)	0.66 (0.49-0.86)	0.66 (0.49-0.86)	0.66 (0.47-0.88)	0.51 (0.35-0.72)	0.51 (0.35-0.72)	0.52 (0.34-0.74)
A2 vs A+CL	1.34 (0.55-2.65)	1.33 (0.56-2.73)	1.39 (0.57-2.83)	1.46 (0.50-3.38)	1.42 (0.49-3.28)	1.46 (0.47-3.52)	1.16 (0.17-3.68)	1.20 (0.15-3.80)	1.30 (0.18-4.44)
A3 vs A4	0.98 (0.83-1.15)	0.98 (0.83-1.16)	0.98 (0.81-1.17)	1.05 (0.78-1.38)	1.05 (0.77-1.39)	1.05 (0.75-1.43)	1.17 (0.78-1.71)	1.18 (0.78-1.73)	1.19 (0.75-1.81)
A3 vs AD1	0.85 (0.75-0.98)	0.85 (0.74-0.99)	0.85 (0.72-1.01)	0.87 (0.65-1.22)	0.87 (0.65-1.22)	0.87 (0.63-1.28)	0.85 (0.61-1.23)	0.85 (0.61-1.23)	0.85 (0.58-1.32)
A3 vs AD2	0.84 (0.68-1.03)	0.84 (0.67-1.03)	0.84 (0.66-1.06)	0.80 (0.55-1.13)	0.80 (0.55-1.13)	0.80 (0.52-1.19)	1.09 (0.56-1.98)	1.10 (0.55-1.98)	1.12 (0.53-2.15)
A3 vs TC	0.94 (0.78-1.15)	0.94 (0.79-1.15)	0.94 (0.76-1.16)	0.97 (0.71-1.37)	0.97 (0.71-1.39)	0.97 (0.68-1.43)	0.88 (0.56-1.39)	0.88 (0.56-1.41)	0.85 (0.51-1.45)
A3 vs A+TC	0.88 (0.37-2.56)	0.92 (0.42-2.63)	0.88 (0.38-2.56)	0.67 (0.25-2.56)	0.67 (0.26-2.33)	0.67 (0.25-2.44)	0.76 (0.26-3.45)	0.76 (0.26-3.57)	0.72 (0.23-3.57)
A3 vs C	0.88 (0.78-1.01)	0.88 (0.78-1.00)	0.88 (0.76-1.03)	0.86 (0.64-1.22)	0.86 (0.64-1.22)	0.86 (0.61-1.30)	0.77 (0.53-1.22)	0.77 (0.53-1.22)	0.78 (0.50-1.33)
A3 vs A+C	0.83 (0.71-0.96)	0.83 (0.71-0.96)	0.83 (0.70-0.98)	0.82 (0.63-1.09)	0.82 (0.63-1.10)	0.82 (0.60-1.14)	2.22 (1.64-3.23)	2.22 (1.64-3.23)	2.27 (1.59-3.57)
A3 vs TF	0.96 (0.78-1.2)	0.96 (0.78-1.19)	0.95 (0.76-1.19)	0.88 (0.67-1.19)	0.88 (0.66-1.19)	0.88 (0.64-1.22)	0.51 (0.34-0.71)	0.51 (0.34-0.72)	0.49 (0.31-0.73)
A3 vs CL	0.67 (0.53-0.87)	0.68 (0.52-0.88)	0.67 (0.51-0.88)	0.64 (0.44-0.93)	0.63 (0.44-0.93)	0.63 (0.42-0.96)	0.51 (0.35-0.78)	0.51 (0.35-0.79)	0.51 (0.34-0.82)
A3 vs A+CL	1.12 (0.56-2.56)	1.11 (0.54-2.70)	1.16 (0.56-2.78)	1.14 (0.49-3.33)	1.11 (0.49-3.33)	1.11 (0.46-3.57)	0.64 (0.17-3.85)	0.62 (0.16-4.00)	0.68 (0.18-4.76)
A4 vs AD1	0.88 (0.74-1.05)	0.88 (0.73-1.04)	0.88 (0.72-1.08)	0.84 (0.65-1.14)	0.84 (0.65-1.15)	0.85 (0.63-1.19)	0.73 (0.49-1.16)	0.72 (0.48-1.16)	0.72 (0.46-1.22)
A4 vs AD2	0.86 (0.72-1.03)	0.85 (0.70-1.03)	0.86 (0.71-1.05)	0.77 (0.58-1.01)	0.77 (0.58-1.00)	0.77 (0.56-1.03)	0.93 (0.54-1.51)	0.93 (0.54-1.51)	0.95 (0.52-1.60)
A4 vs TC	0.97 (0.85-1.11)	0.97 (0.85-1.11)	0.97 (0.84-1.12)	0.95 (0.78-1.18)	0.94 (0.78-1.19)	0.95 (0.76-1.22)	0.78 (0.54-1.06)	0.77 (0.54-1.06)	0.75 (0.51-1.09)
A4 vs A+TC	0.90 (0.38-2.63)	0.94 (0.44-2.63)	0.91 (0.40-2.56)	0.65 (0.24-2.44)	0.65 (0.26-2.22)	0.65 (0.25-2.27)	0.67 (0.23-2.86)	0.66 (0.23-2.94)	0.64 (0.21-2.94)
A4 vs C	0.90 (0.76-1.09)	0.90 (0.75-1.08)	0.91 (0.75-1.12)	0.83 (0.63-1.15)	0.83 (0.63-1.16)	0.84 (0.61-1.22)	0.66 (0.43-1.12)	0.66 (0.42-1.12)	0.66 (0.40-1.22)
A4 vs A+C	0.85 (0.70-1.04)	0.85 (0.70-1.03)	0.85 (0.69-1.06)	0.79 (0.59-1.08)	0.79 (0.59-1.09)	0.79 (0.57-1.12)	1.92 (1.27-3.13)	1.89 (1.25-3.13)	1.92 (1.20-3.33)
A4 vs TF	0.98 (0.76-1.28)	0.98 (0.75-1.28)	0.97 (0.73-1.32)	0.85 (0.57-1.30)	0.85 (0.56-1.32)	0.83 (0.54-1.35)	0.44 (0.25-0.75)	0.43 (0.25-0.74)	0.41 (0.22-0.76)
A4 vs CL	0.69 (0.53-0.91)	0.69 (0.53-0.90)	0.68 (0.52-0.92)	0.62 (0.44-0.88)	0.61 (0.43-0.88)	0.61 (0.42-0.91)	0.44 (0.28-0.74)	0.43 (0.28-0.75)	0.44 (0.26-0.79)
A4 vs A+CL	1.15 (0.56-2.70)	1.14 (0.55-2.78)	1.19 (0.57-2.94)	1.09 (0.47-3.33)	1.08 (0.47-3.23)	1.06 (0.44-3.45)	0.55 (0.15-3.45)	0.53 (0.13-3.57)	0.58 (0.15-4.17)
AD1 vs AD2	0.98 (0.79-1.20)	0.97 (0.78-1.21)	0.98 (0.77-1.24)	0.91 (0.63-1.25)	0.91 (0.63-1.25)	0.91 (0.60-1.30)	1.27 (0.63-2.33)	1.28 (0.62-2.34)	1.31 (0.59-2.54)
AD1 vs TC	1.11 (0.91-1.34)	1.11 (0.91-1.36)	1.11 (0.88-1.38)	1.14 (0.82-1.51)	1.14 (0.82-1.52)	1.14 (0.78-1.57)	1.08 (0.63-1.65)	1.08 (0.63-1.66)	1.06 (0.57-1.70)
AD1 vs A+TC	1.30 (0.43-2.98)	1.34 (0.49-3.09)	1.30 (0.44-3.02)	1.06 (0.28-2.92)	1.03 (0.29-2.68)	1.05 (0.28-2.70)	1.38 (0.30-4.04)	1.38 (0.30-4.21)	1.35 (0.27-4.14)

Supplementary appendix 9. Sensitivity to the choice of prior distribution.

AD1 vs C	1.03 (0.93-1.16)	1.03 (0.92-1.16)	1.04 (0.90-1.20)	1.00 (0.79-1.25)	1.00 (0.79-1.26)	1.00 (0.75-1.31)	0.92 (0.68-1.27)	0.92 (0.68-1.27)	0.94 (0.64-1.38)
AD1 vs A+C	0.97 (0.83-1.13)	0.97 (0.83-1.13)	0.97 (0.81-1.16)	0.95 (0.71-1.22)	0.95 (0.71-1.22)	0.95 (0.68-1.26)	2.65 (1.95-3.68)	2.65 (1.95-3.69)	2.71 (1.85-3.97)
AD1 vs TF	1.14 (0.87-1.45)	1.13 (0.87-1.45)	1.13 (0.84-1.48)	1.04 (0.65-1.54)	1.04 (0.65-1.55)	1.03 (0.60-1.60)	0.63 (0.34-0.96)	0.62 (0.34-0.96)	0.61 (0.30-1.00)
AD1 vs CL	0.80 (0.62-1.01)	0.80 (0.62-1.02)	0.80 (0.60-1.02)	0.75 (0.52-1.02)	0.74 (0.51-1.02)	0.74 (0.49-1.04)	0.62 (0.40-0.91)	0.62 (0.40-0.92)	0.62 (0.38-0.96)
AD1 vs A+CL	1.54 (0.65-3.04)	1.52 (0.63-3.10)	1.60 (0.65-3.25)	1.65 (0.56-3.84)	1.61 (0.55-3.72)	1.64 (0.53-3.98)	1.39 (0.20-4.42)	1.44 (0.18-4.60)	1.57 (0.21-5.45)
AD2 vs TC	1.14 (0.92-1.41)	1.14 (0.92-1.43)	1.12 (0.90-1.43)	1.23 (0.91-1.72)	1.23 (0.91-1.75)	1.23 (0.87-1.82)	0.83 (0.46-1.56)	0.83 (0.46-1.59)	0.79 (0.41-1.61)
AD2 vs A+TC	1.05 (0.45-3.13)	1.10 (0.51-3.23)	1.05 (0.46-3.03)	0.85 (0.31-3.23)	0.85 (0.33-3.03)	0.85 (0.32-3.03)	0.72 (0.23-3.57)	0.71 (0.23-3.57)	0.67 (0.21-3.57)
AD2 vs C	1.05 (0.85-1.32)	1.05 (0.85-1.32)	1.05 (0.83-1.37)	1.09 (0.78-1.61)	1.09 (0.78-1.61)	1.10 (0.75-1.72)	0.71 (0.38-1.52)	0.71 (0.38-1.52)	0.70 (0.35-1.64)
AD2 vs A+C	0.99 (0.79-1.27)	0.99 (0.79-1.25)	0.98 (0.76-1.28)	1.03 (0.74-1.52)	1.04 (0.73-1.52)	1.03 (0.69-1.59)	2.04 (1.12-4.35)	2.04 (1.11-4.35)	2.04 (1.04-4.55)
AD2 vs TF	1.15 (0.85-1.56)	1.15 (0.85-1.54)	1.12 (0.82-1.59)	1.11 (0.71-1.79)	1.11 (0.70-1.82)	1.09 (0.67-1.89)	0.47 (0.23-1.01)	0.47 (0.23-1.02)	0.43 (0.20-1.04)
AD2 vs CL	0.81 (0.61-1.09)	0.81 (0.60-1.09)	0.79 (0.59-1.10)	0.81 (0.55-1.22)	0.80 (0.54-1.22)	0.79 (0.52-1.27)	0.47 (0.25-1.01)	0.47 (0.25-1.02)	0.46 (0.23-1.06)
AD2 vs A+CL	1.35 (0.66-3.23)	1.33 (0.64-3.33)	1.37 (0.65-3.45)	1.43 (0.61-4.35)	1.41 (0.60-4.35)	1.39 (0.56-4.55)	0.60 (0.15-4.17)	0.57 (0.14-4.35)	0.62 (0.15-5.00)
TC vs A+TC	1.17 (0.40-2.66)	1.20 (0.46-2.72)	1.17 (0.41-2.63)	0.93 (0.26-2.46)	0.91 (0.27-2.28)	0.93 (0.27-2.29)	1.28 (0.31-3.59)	1.27 (0.31-3.65)	1.28 (0.30-3.68)
TC vs C	0.93 (0.77-1.14)	0.93 (0.76-1.14)	0.93 (0.75-1.18)	0.87 (0.65-1.22)	0.88 (0.65-1.22)	0.88 (0.63-1.28)	0.84 (0.54-1.52)	0.83 (0.53-1.52)	0.87 (0.52-1.69)
TC vs A+C	0.87 (0.7-1.09)	0.87 (0.70-1.09)	0.87 (0.69-1.11)	0.83 (0.61-1.16)	0.83 (0.6-1.16)	0.82 (0.58-1.20)	2.44 (1.56-4.35)	2.38 (1.54-4.35)	2.50 (1.54-4.76)
TC vs TF	1.03 (0.76-1.34)	1.03 (0.76-1.35)	1.02 (0.74-1.38)	0.93 (0.58-1.39)	0.93 (0.57-1.40)	0.92 (0.55-1.45)	0.60 (0.32-1.00)	0.60 (0.32-1.01)	0.60 (0.29-1.08)
TC vs CL	0.71 (0.54-0.94)	0.71 (0.54-0.94)	0.70 (0.53-0.95)	0.65 (0.45-0.95)	0.64 (0.44-0.95)	0.63 (0.43-0.97)	0.56 (0.34-1.01)	0.55 (0.34-1.02)	0.57 (0.34-1.12)
TC vs A+CL	1.18 (0.58-2.78)	1.16 (0.56-2.86)	1.22 (0.59-3.03)	1.14 (0.50-3.57)	1.12 (0.49-3.33)	1.11 (0.46-3.57)	0.70 (0.18-4.35)	0.67 (0.16-4.55)	0.76 (0.20-5.88)
A+TC vs C	0.79 (0.35-2.38)	0.77 (0.33-2.08)	0.80 (0.34-2.33)	0.93 (0.34-3.57)	0.96 (0.37-3.45)	0.94 (0.37-3.45)	0.66 (0.22-3.13)	0.66 (0.21-3.13)	0.68 (0.22-3.57)
A+TC vs A+C	0.75 (0.32-2.22)	0.72 (0.31-2.00)	0.75 (0.32-2.17)	0.88 (0.32-3.33)	0.92 (0.35-3.23)	0.88 (0.34-3.33)	1.89 (0.65-9.09)	1.89 (0.62-9.09)	1.96 (0.64-10.0)
A+TC vs TF	1.11 (0.38-2.68)	1.06 (0.36-2.36)	1.10 (0.36-2.58)	1.36 (0.33-3.77)	1.36 (0.37-3.58)	1.34 (0.35-3.66)	0.69 (0.14-2.08)	0.70 (0.14-2.09)	0.71 (0.13-2.27)
A+TC vs CL	0.61 (0.27-1.85)	0.59 (0.25-1.67)	0.61 (0.26-1.82)	0.69 (0.25-2.63)	0.70 (0.27-2.56)	0.68 (0.26-2.56)	0.43 (0.14-2.13)	0.43 (0.14-2.08)	0.44 (0.14-2.33)
A+TC vs A+CL	1.01 (0.58-4.17)	0.97 (0.34-4.00)	1.04 (0.36-4.55)	1.23 (0.39-7.14)	1.25 (0.40-6.67)	1.20 (0.36-7.14)	0.56 (0.13-6.67)	0.52 (0.11-7.14)	0.60 (0.13-8.33)
C vs A+C	0.94 (0.82-1.07)	0.94 (0.82-1.07)	0.94 (0.80-1.09)	0.96 (0.73-1.20)	0.96 (0.73-1.20)	0.95 (0.69-1.24)	2.90 (2.06-4.04)	2.91 (2.06-4.08)	2.94 (1.93-4.33)
C vs TF	1.10 (0.85-1.40)	1.10 (0.85-1.39)	1.09 (0.82-1.41)	1.05 (0.65-1.56)	1.05 (0.65-1.57)	1.04 (0.60-1.63)	0.69 (0.35-1.09)	0.69 (0.35-1.09)	0.66 (0.30-1.13)

Supplementary appendix 9. Sensitivity to the choice of prior distribution.

C vs CL	0.77 (0.60-0.98)	0.78 (0.59-0.99)	0.77 (0.58-1.00)	0.76 (0.51-1.05)	0.75 (0.50-1.06)	0.74 (0.47-1.08)	0.68 (0.41-1.05)	0.68 (0.41-1.05)	0.68 (0.38-1.11)
C vs A+CL	1.49 (0.63-2.93)	1.48 (0.61-3.01)	1.54 (0.64-3.13)	1.66 (0.57-3.86)	1.61 (0.56-3.74)	1.64 (0.53-4.00)	1.53 (0.22-4.85)	1.58 (0.20-5.03)	1.71 (0.23-5.92)
A+C vs TF	1.17 (0.90-1.52)	1.17 (0.89-1.50)	1.16 (0.86-1.52)	1.10 (0.72-1.60)	1.10 (0.72-1.61)	1.10 (0.68-1.68)	0.24 (0.13-0.36)	0.24 (0.13-0.36)	0.23 (0.11-0.37)
A+C vs CL	0.81 (0.63-1.05)	0.81 (0.63-1.06)	0.81 (0.61-1.06)	0.77 (0.55-1.10)	0.76 (0.54-1.10)	0.76 (0.52-1.14)	0.23 (0.15-0.34)	0.23 (0.15-0.35)	0.22 (0.14-0.36)
A+C vs A+CL	1.58 (0.67-3.11)	1.57 (0.66-3.19)	1.64 (0.69-3.28)	1.73 (0.62-3.93)	1.69 (0.61-3.82)	1.73 (0.58-4.10)	0.53 (0.08-1.66)	0.54 (0.07-1.69)	0.58 (0.08-1.95)
TF vs CL	0.69 (0.51-0.98)	0.69 (0.51-0.98)	0.69 (0.50-1.01)	0.70 (0.45-1.15)	0.70 (0.44-1.16)	0.70 (0.43-1.22)	0.96 (0.60-1.82)	0.96 (0.60-1.85)	1.00 (0.59-2.04)
TF vs A+CL	1.16 (0.56-2.78)	1.14 (0.54-2.86)	1.20 (0.57-3.03)	1.25 (0.53-3.85)	1.23 (0.52-3.85)	1.23 (0.50-4.17)	1.20 (0.31-7.69)	1.16 (0.29-8.33)	1.33 (0.34-10.0)
CL vs A+CL	1.96 (0.79-3.99)	1.93 (0.78-4.06)	2.04 (0.82-4.28)	2.25 (0.74-5.39)	2.21 (0.74-5.26)	2.27 (0.71-5.63)	2.32 (0.33-7.50)	2.40 (0.29-7.74)	2.61 (0.34-9.16)

Random effects model was used; A, aspirin; D, dipyridamole; P, placebo; TF, triflusal; TC, ticlopidine; CL, cilostazol; C, clopidogrel; A1, aspirin 30-50 mg daily; A2, aspirin 75-162 mg daily; A3, aspirin 283-330 mg daily; A4, aspirin 500-1500 mg daily; AD1, aspirin 50 mg plus dipyridamole 400 mg daily; AD2, aspirin 990-1300 mg plus dipyridamole 150-300 mg daily; prior 1, Uniform(0,100) on standard deviation; prior 2, Uniform(0,1000) on variance; for all of the table cells, odds ratios <1 favor the right regimens.