


669 **Supplemental Figures and Tables**
 670
 671



673
 674 **Supplemental Figure S1, Relevant to Figure 2.** 40x magnification of pan-HPyV staining
 675 of HPyV9 T antigen expression in HEK293 cells showing nuclear as well as cytoplasmic
 676 T antigen localization.

677
 678 **TABLE S1: Primers for human polyomaviruses**

HPyV	Primer Name	Sequence	Ref.
JCV, BKV (Outer)	P-3	GTATACACAGCAAAGGAAGC	(1)
	P-4	GCTCATCAGCCTGATTTTGG	
JCV, BKV (Inner)	P-1	AGTCTTTAGGGTCTTCTACC	(1)
	P-2	GGTGCCAACCTATGGAACAG	
KIV, WUV	KIV/WUV.F	TTGGATGAAAATGGCATTGG	(1)
	KIV/WUV.R	TAACCCTTCTTTGTCTAAAATGTAGCC	
MCV	MCV.F	GGAATTGAACACCCTTTGGA	(2)
	MCV.R	CTACAATGCTGGCGAGACAA	
HPyV6	HPyV6.F	GGCATTTCAGGAACTGATT	(2)
	HPyV6.R	AAGTTGAATGCCACCCTGAG	
HPyV7	HPyV7.F	AAACTCTGGCCCCAAAACT	(2)
	HPyV7.R	GAGATCCCCAGAAAATGCAA	
TSV	TSV.F	TGAAGGCCTATTTTGCAGGT	(2)
	TSV.R	AGCCAGGTAGGCTCATGGTA	
HPyV9	HPyV9.F	AGAGGCGCAGCAAACCTAAA	(2)
	HPyV9.R	TGGTGGATATCCTGATTGCAT	

HPyV10, HPyV11	MW/STLPyV.F	GRATGAAAYRCWWTTACAGGTTGCCACC	(3)
	MW/STLPyV.R	GTGGWAAAACAACCTGTAGCWGCTGC	
HPyV12	HPyV12.F	GTGGGAAGCTGTCAGTGTGA	(4)
	HPyV12.R	CCACCTACTGCAAACATGTG	
NJPyV	NJPyV.F	AGAATGGAGTAGGCCCTCTGT	(5)
	NJPyV.R	GCTCTGTTAGCACTTCTGTCC	

679

680 **TABLE S2: Primers for sequencing complete WUV genome**

681

	Primer Name	Sequence
Contig 1	WU 1F	TGCCTTCTTTAGCCTCAAGG
	WU 2R	TAAGCCCACCAAGAGCAG
Contig 2	WU 3F	AGAGGCACTATCAATTGCTGG
	WU 4R	TCCCTTGAAGGGTAGAAGC
Contig 3	WU5F	AGCTGTAAGACATGCAACTC
	WU 6R	ATTAGTGACCCTTGCCCTG
Contig 4	WU 7F	AATACAAGGGGCTGCTCAG
	WU 8R	TCCCTGCTACTTTGGCTCC
Contig 5	WU 9F	TCAGCAAATTCAGTAAGGCC
	WU 10R	TCAACAGGCTATTGATGTGG
Contig 6	WU 11F	TCTAGCTAATAAACCTTCTCTGG
	WU 12R	TGAGGAACCACAATGTTTAC
Contig 7	WU 13F	ATGCATCTGTAGCATTGTCC
	WU 14R	TAAAAGCAGAGGGCCTTGC

682

683 **References**

- 684 1. Giraud G, Ramqvist T, Ragnarsson-Olding B, Dalianis T. DNA from BK virus
685 and JC virus and from KI, WU, and MC polyomaviruses as well as from simian

- 686 virus 40 is not detected in non-UV-light-associated primary malignant melanomas
687 of mucous membranes. *J Clin Microbiol.* 2008;46(11):3595–8.
- 688 2. Ho J, et al. Human Polyomavirus 7-Associated Pruritic Rash and Viremia in
689 Transplant Recipients. *J Infect Dis.* 2015;(211): 1560-6.
- 690 3. Lim ES, et al. Discovery of STL polyomavirus, a polyomavirus of ancestral
691 recombinant origin that encodes a unique T antigen by alternative splicing.
692 *Virology.* 2013;436(2):295–303.
- 693 4. Korup S, et al. Identification of a Novel Human Polyomavirus in Organs of the
694 Gastrointestinal Tract. *PLoS One.* 2013;8(3).
- 695 5. Mishra N, et al. Identification of a novel polyomavirus in a pancreatic transplant
696 recipient with retinal blindness and vasculitic myopathy. *J Infect Dis.*
697 2014;210(10):1595-9.
- 698
699