

SUPPLEMENTARY TABLE S5. HYPOGLYCEMIC EVENTS AT ANY TIME (24 H) AND DURING THE NIGHT (00:00–05:59 H) IN THE EDITION 2 SUBSTUDY (SAFETY POPULATION)

	<i>At any time (24 h)</i>		<i>Nocturnal (00:00–05:59 h)</i>	
	<i>Flexible dosing (n=44)</i>	<i>Fixed dosing (n=43)</i>	<i>Flexible dosing (n=44)</i>	<i>Fixed dosing (n=43)</i>
Total participant-years	11.00	10.42	11.00	10.42
Confirmed ( $\leq 70$ mg/dL [ $\leq 3.9$ mmol/L]) or severe hypoglycemia				
Participants with $\geq 1$ event [ <i>n</i> (%)]	16 (36.4)	18 (41.9)	7 (15.9)	10 (23.3)
Events [ <i>n</i> (events per participant-year)]	72 (6.55)	87 (8.35)	24 (2.18)	24 (2.30)
Confirmed ( $< 54$ mg/dL [ $< 3.0$ mmol/L]) or severe hypoglycemia				
Participants with $\geq 1$ event [ <i>n</i> (%)]	4 (9.1)	5 (11.6)	4 (9.1)	2 (4.7)
Events [ <i>n</i> (events per participant-year)]	12 (1.09)	10 (0.96)	5 (0.45)	3 (0.29)
Documented symptomatic hypoglycemia ( $\leq 70$ mg/dL [ $\leq 3.9$ mmol/L])				
Participants with $\geq 1$ event [ <i>n</i> (%)]	10 (22.7)	14 (32.6)	5 (11.4)	7 (16.3)
Events [ <i>n</i> (events per participant-year)]	35 (3.18)	53 (5.09)	11 (1.00)	18 (1.73)
Documented symptomatic hypoglycemia ( $< 54$ mg/dL [ $< 3.0$ mmol/L])				
Participants with $\geq 1$ event [ <i>n</i> (%)]	4 (9.1)	5 (11.6)	4 (9.1)	2 (4.7)
Events [ <i>n</i> (events per participant-year)]	11 (1.00)	10 (0.96)	5 (0.45)	3 (0.29)
Severe hypoglycemia				
Participants with $\geq 1$ event [ <i>n</i> (%)]	0 (0)	0 (0)	0 (0)	0 (0)
Events [ <i>n</i> (events per participant-year)]	0 (0)	0 (0)	0 (0)	0 (0)
Any hypoglycemia				
Participants with $\geq 1$ event [ <i>n</i> (%)]	16 (36.4)	18 (41.9)	7 (15.9)	10 (23.3)
Events [ <i>n</i> (events per participant-year)]	73 (6.64)	96 (9.21)	24 (2.18)	24 (2.30)