

Supplemental Table S1. Primers used in qRT-PCR analysis.

AGI	Gene	Forward (5' to 3')	Reverse (5' to 3')	Reference
AT3G54320	<i>WR11</i>	GACCCGACACCATCTTGAAT	GGCGGAGAGAAGCCAAATA	This paper
AT5G52920	<i>PI-PKβ1</i>	AGTCACTATCGTCCTTCCG	CTGTACGATTGCTATTTCCTC	Baud,2012
AT5G16390	<i>BCCP1</i>	CTTCGTCGTTCTCAGTCACATC	GCAGAGAGACGGAAAGAAACTC	This paper
AT5G15530	<i>BCCP2</i>	GCAGCTCGACTGTGAGATCG	GTCTGCCATTACAGGAGGCAT	Maeo et al, 2009
AT5G35360	<i>CAC2</i>	GTCCTAGTAACCAGTCGTATTT	TCCCATGGTCTCTACACATTTT	This paper
AT2G38040	<i>CAC3</i>	CGGCTCAAGAAAGGGAAGAA	TTTGAACTCGGCCAGGTAAG	This paper
AT5G46290	<i>KASI</i>	GGGTCTGCTTTGTTGGCGA	GCCTCAGTCCCACCAGCAAT	Baud,2012
AT1G62640	<i>KASIII</i>	TCTGTGGCTACAAGGCTGCAT	TGCTGATCCCCACGTTAAACCG	Baud,2012
AT3G44830	<i>PDAT</i>	GATGTTGCAGTTGCCAGAGCGATT	TGAGTCCCATGTGCGTGCATTCT	This paper
AT2G19450	<i>DGAT1</i>	GCAGTTCCTTGTCTCTCTT	AGCCAAACCTTTCCTGTAGATAG	This paper
AT3G15820	<i>ROD1</i>	GGTGTCCGAGGAGGAGGAT	CGTGTACTCCACGCCCATGA	Baud,2012
	<i>RcFAH12</i>	AAGGGTTGGCTTGGGTAATG	GATGAGCCATAGCGTGGAATAG	This paper
AT1G13320	<i>PP2A</i>	TAACGTGGCCAAAATGATGC	GTTCTCCACAACCGCTTGGT	Czechowski et al, 2005