

1                   **Supplementary Materials**

2

3       **Characterization of an IncA/C Multidrug Resistance Plasmid in *Vibrio alginolyticus***

4       Lianwei Ye<sup>1,2¶</sup>, Ruichao Li<sup>2,3¶</sup>, Dachuan Lin<sup>2,3</sup>, Yuanjie Zhou<sup>2,3</sup>, Aisi Fu<sup>4</sup>, Qiong Ding<sup>4</sup>,

5                   Edward Wai Chi Chan<sup>2,3</sup>, Wen Yao<sup>1\*</sup>, Sheng Chen<sup>2,3\*</sup>

6       <sup>1</sup>College of Animal Science and Technology, Nanjing Agriculture University, Nanjing, P.

7       R. China

8       <sup>2</sup>Shenzhen Key Laboratory for Food Biological Safety Control, Food Safety and

9       Technology Research Centre, The Hong Kong PolyU Shenzhen Research Institute,

10      Shenzhen, P. R. China.


11      <sup>3</sup> State Key Laboratory of Chirosciences, Department of Applied Biology and Chemical

12      Technology, The Hong Kong Polytechnic University, Hung Hom, Kowloon, Hong Kong.

13      <sup>4</sup> Wuhan Institute of Biotechnology, Wuhan, China

14

15



16

17 **Supplementary Figure 1 (SF1). PFGE profiles of the six cephalosporin-resistant *V.***  
18 ***alginolyticus* strains.**

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41


42

**Supplementary Figure 2 (SF2). S1-PFGE and Southern hybridization of *V. alginolyticus* strain VAS3-1 and the corresponding transconjugant T-VAS3-1.**

43


44

45



46

47



48

49

50 **Supplementary Figure 3 (SF3). Comparative alignment of *qnrVC4* bearing class I**  
51 **integrons in different bacterial species.**

52