Green et al.: "Initiation and persistence with dual antiplatelet therapy after acute myocardial infarction – a Danish nationwide population based cohort study"

Appendix A: ICD10 and ATC codes used for the identification of conditions and diseases

Disease/conditions	Codes
Heart failure	I11.0, I13.0, I13.2, I50
Ischaemic heart disease	I21-I25
Previous myocardial infarctions	I21–I23
Previous unstable angina pectoris	I20.0
Peripheral arterial disease	I70, I71, I74
Stroke total	I60–I66 and G45
Non-ischaemic stroke	I60, I61, I62.0, I62
Ischaemic stroke	I63-I66 and G45
Atrial fibrillation	I48
Chronic renal dysfunction	I15.0, I15.1,N03, N04, N05, N11, N18.4, N18.5, Q60, Q61, Z49.1, Z99.2
Diabetes mellitus	E10-E14 and/or ATC A10
Major bleeding	D62.9, I60, I61, I62, I85.0, K22.6, K25.0, K25.2, K25.4, K25.6, K26.0, K26.2, K26.4, K26.6, K27.0, K27.2, K27.4, K27.6, K28.0, K28.2, K28.4, K28.6, K29.0, K62.5, K92.0, K92.1, K92.2.
Moderate and severe liver disease	K71-K719, K721, K730-K768, R18
Bleeding diathesis/coagulation disease	D66, D67, D68, D68.0, D681, D68.2, D68.3, D68.4, D68.8, D68.9, D69, D69.1, D69.3, D69.4, D69.5, D69.6
Cancer	C00-C99

Appendix B: ATC codes used for the identification of drug treatment

Drug	Code
ACE-inhibitor	C09A/B
ARB	C09C/D
Beta-blocker	C07
Calcium channel blocker	C08
Insulin	A10A
Oral antidiabetic	A10B
Proton pump inhibitor	A02B C
Statin	C10AA
Warfarin/OAC	B01AA, B01AE, B01AF
NSAIDS	M01A
SSRI	N06A B