

Northcott et al. Supplementary Table 7

A

	Hazard ratio	.95 lower CI	.95 upper CI	logrank p-value
age18	0.66	0.241	1.817	0.419
Gender	1.17	0.709	1.936	0.537
Mstage.dM1	0.80	0.316	2.019	0.614
Mstage.dM2	1.21	0.434	3.374	0.739
Mstage.dM3	2.49	1.394	4.442	0.002
Resection	0.78	0.481	1.256	0.297
Histology.dDMB	0.58	0.140	2.374	0.434
Histology.dLGA	6.74	3.840	11.817	<0.001
WNT	0.14	0.035	0.579	0.002
SHH	0.42	0.219	0.798	0.006
C	6.74	4.040	11.231	<0.001
D	0.72	0.408	1.257	0.238

Univariate prognostic value - OS

B

	coef	exp(coef)	se(coef)	z	p
age18>18	-0.121	0.886	0.529	-0.228	0.820
GenderM	0.150	1.162	0.261	0.576	0.565
Resection1	-0.045	0.956	0.254	-0.177	0.860
HistologyDMB	-0.548	0.578	0.730	-0.751	0.453
HistologyLGA	1.783	5.949	0.314	5.675	0.000
MstageM1	-0.314	0.731	0.478	-0.657	0.511
MstageM2	-0.205	0.815	0.541	-0.379	0.705
MstageM3	0.420	1.522	0.324	1.296	0.195

Clinical multivariate Cox PH model for OS

C

	coef	exp(coef)	se(coef)	z	p
age18>18	0.770	2.160	0.584	1.319	0.187
GenderM	-0.077	0.926	0.269	-0.285	0.776
Resection1	0.089	1.094	0.264	0.338	0.735
HistologyDMB	0.107	1.112	0.746	0.143	0.886
HistologyLGA	1.660	5.260	0.316	5.252	0.000
MstageM1	-0.500	0.606	0.485	-1.031	0.303
MstageM2	-0.349	0.705	0.542	-0.645	0.519
MstageM3	0.165	1.179	0.322	0.512	0.609
SHH1	-0.182	0.834	0.569	-0.319	0.749
WNT1	-1.756	0.173	1.141	-1.540	0.124
C1	1.852	6.371	0.587	3.152	0.002
D1	0.391	1.479	0.570	0.687	0.492

Clinical/molecular multivariate Cox PH model for OS