

Supplementary Information

TLR signals posttranscriptionally regulate the cytokine trafficking mediator sortilin

Toshiki Yabe-Wada, Shintaro Matsuba, Kazuya Takeda, Tetsuya Sato, Mikita Suyama, Yasuyuki Ohkawa, Toshiyuki Takai, Haifeng Shi, Caroline C. Philpott, Akira Nakamura

Supplementary Information includes:

Supplementary Table I. Primer sequences used in this work

Supplementary Table II. RIP-seq Data from PCBP1 IP Experiments, Related to Figure 5.

Supplementary Table I: Primer sequences used in this work

Gene	Sequence	Use	Source
Gapdh	CATGGCCTTCCGTGTTTCCTA	qRT-PCR	Ref. 54
	CCTGCTTCACCACCTTCTTGAT		
Sortilin	ACTTCACTGGGCTTGCTTCC	qRT-PCR	This study
	CCTCTTCACAATTCCGCTCA		
	TGCCTGTTGTCCTCCCCTCT	RIP/RT-PCR	This study
	TGCAGTGGTGGTCTTGATCCT	qRT-PCR	
	GCATGTGGGGCTGTGAGGGGCAGCCG	Construction for pTRE2-CRE	This study
	CCAGGCGGCCGCACACAATGCTAAA		
IFNA1	GCCTTGACACTCCTGGTACAAATGAG	qRT-PCR	This study
	CAGCACATTGGCAGAGGAAGACAG		
PCBP1	CACGTAACGAGCCCAACTCC	qRT-PCR	This study
	CACCGACTCCCCTTTCTTCC		

References

- 54 Tsujita, Y. *et al.* Nuclear targeting of Akt antagonizes aspects of cardiomyocyte hypertrophy. *Proc Natl Acad Sci USA* **103**, 11946-11951, (2006).