
Copyright © 2015 International Society for Peritoneal Dialysis



Supplemental Materials for

The Peritoneal Dialysis Outcomes and Practice Patterns Study (PDOPPS): Unifying Efforts to Inform Practice and Improve Global Outcomes in Peritoneal Dialysis

Jeffrey Perl, Simon Davies, Mark Lambie, Ronald Pisoni, Keith McCullough, David Johnson, James

Sloand, Sarah Prichard, Hideki Kawanishi, Francesca Tentori, Bruce Robinson

Figure Legends:

Supplementary Figures

Supplementary Figure 1: Unadjusted 1, 2 and 3-year Peritoneal Dialysis Death-Censored Technique Survival (%) In Four Countries Enrolled in PDOPPS. Abbreviations: PDOPPS, Peritoneal Dialysis Outcomes and Practice Patterns Study; NZ, New Zealand

Adapted From: Nakamoto et al Perit Dial Int. 2006 Mar-Apr;26(2):136-43, Jose et al Nephrology 16 (2011) 19–29, Perl... Nessim et al CJASN 2012




Supplementary Figure 2: High Regional Variation in Technique Failure and Mortality: data from Canada.

Adjusted for age, gender, race, body mass index, end stage renal disease cause, comorbidity index, PD modality (automated vs. continuous ambulatory PD) employing inverse probability of treatment and censoring waiting.

Abbreviations: PD, peritoneal dialysis


Supplementary Figures

Supplementary Figure 1: Unadjusted 1, 2 and 3-year Peritoneal Dialysis Death-Censored Technique Survival (%) In Four Countries Enrolled in PDOPPS.



Adapted From: Nakamoto et al Perit Dial Int. 2006 Mar-Apr;26(2):136-43, Jose et al Nephrology 16 (2011) 19–29, Perl... Nessim et al CJASN 2012

Supplementary Figure 2: High Regional Variation in Technique Failure and Mortality: data from Canada.



Adjusted for age, gender, race, body mass index, end stage renal disease cause, comorbidity index, PD modality (automated vs. continuous ambulatory PD) employing inverse probability of treatment and censoring waiting