

1 Additional File 1: Table. Strains used in this study.

Species (original designation)	SBSEC (sub)species according to <i>groEL</i> sequence	Strain(s)	Country and place of origin	Isolation source	GenBank accession number	Reference
<i>Enterococcus faecalis</i>	n/a	JH2-2	UK	clinical specimen	AXOI01000000	[1]
<i>Lactobacillus rhamnosus</i>	n/a	GG (ATCC53103)	USA	feces of a healthy human	AP011548	[2]
<i>Lactobacillus reuteri</i>	n/a	DSM20016 ^T	Germany	intestine of adult		[3]
<i>Lactobacillus plantarum</i>	n/a	WCFS1	UK	human saliva, single colony isolate of NCIMB8826,	AL935263	[4]
<i>Lactobacillus plantarum</i>	n/a	NZ7114	see WCFS1	sortaseA knockout mutant of WCFS1		[5]
<i>S. alactolyticus</i>	<i>S. alactolyticus</i>	DSM20728 ^T	UK	pig intestine		[6]
<i>S. bovis</i>	<i>S. equinus</i>	ATCC33317 ^T	UK	cow dung	AUZG01000000	[7, 8]
<i>S. bovis</i>	<i>Sgp</i>	DSM20480 ^T	NY, USA			
<i>S. bovis</i>	<i>S. bovis</i>	ATCC700338		synovial fluid from the knee of a 70 year-old man with septic arthritis	AEEL00000000	[9], HMP ¹⁾
<i>S. bovis</i>	<i>S. lutetiensis</i>	ANSES 1366	Gers, Midi-Pyrenees, France	mastitis milk		[10]
<i>S. bovis</i>	<i>Sii:</i> 16S match to <i>S. infantarius</i> group; MLST within <i>Sii</i> <i>groEL</i> = match to <i>Sgm</i>	J2 40-2	Bangladesh	fermented cow milk		[11]
<i>S. equinus</i>	<i>S. equinus</i>	ATCC9812 ^T	UK	horse feces	GL698429	[12]
<i>S. equinus</i>	<i>S. equinus</i>	DSM20558 ^T				
<i>S. equinus</i>	<i>S. equinus</i>	HC5	Ithaca, NY; USA	cow rumen	JPGC01000000	[13]
<i>S. equinus</i>	<i>S. equinus</i>	HSISB1	The Netherlands	ileostomy effluent	ASKA01000000	[14]
<i>S. equinus</i>	<i>S. equinus</i>	JB1	Davis, CA, USA	cow rumen	AUZH01000000	[15, 7]
<i>S. equinus</i>	<i>S. equinus</i>	SN033	New Zealand	deer feces	NZ_ATWZ01000000	2)

Species (original designation)	SBSEC (sub)species according to <i>groEL</i> sequence	Strain(s)	Country and place of origin	Isolation source	GenBank accession number	Reference
<i>S. equinus</i>	<i>S. equinus</i>	B315	New Zealand	cow rumen	AUJD01000000	2)
<i>S. equinus</i>	<i>S. equinus</i>	2B	Scotland	sheep rumen	JNKQ01000000	2)
<i>Sii</i>	<i>Sii</i>	CJ251, CJ18, CJ246, CJ248, CJ241, CJi0763,	Kenya	fermented camel milk	CJ18: CP003295	[16, 17]
<i>Sii</i>	<i>Sii</i>	CJ244, CJi0210, CJ249, CJi0271, CJ76, 150A	Somalia	fermented camel milk		[16]
<i>Sii</i>	<i>Sii</i>	AB2B2-5, AV2A(1), AV3B(1), AZV1B(3), B2VA2-2, BEV4C(1), L2VB3-3, LV1A(2), P2VC1-1, P2VC1-2,	Côte d'Ivoire	fermented cow milk		[17]
<i>Sii</i>	<i>Sii</i>	11FA-1, 11GY-2, 13AF, 13AY-1, 3AG-1, 6BY-11B, 6C,	Mali	fermented cow milk		[18]
<i>Sii</i>	<i>S. equinus</i>	CCUG4214	UK	human infant feces		[19, 20]
<i>Sii</i>	<i>Sii</i>	CCUG35647	Sweden	human with acute lymphatic leukemia ³⁾		http://www.cug.se
<i>Sii</i>	<i>Sii</i>	CCUG38214	Sweden	human blood, mechanical valve, asthma		http://www.cug.se
<i>Sii</i>	<i>Sii</i>	CCUG38224	Sweden	human ³⁾		http://www.cug.se
<i>Sii</i>	<i>Sii</i>	CCUG43820 ^T	UK	human infant feces		[21]
<i>Sii</i>	<i>Sii</i>	CCUG43821	UK	frozen peas		[22]
<i>S. lutetiensis</i>		CCUG43822	UK	human infant feces		[22]
<i>Sii</i>	<i>Sii</i>	CCUG44960	Sweden	human blood, 78-year old man		http://www.cug.se
<i>Sii</i>	<i>Sii</i>	CCUG46015	Sweden	human ³⁾		http://www.cug.se
<i>S. infantarius</i> group	<i>S. lutetiensis</i>	SA61, SM51, TA83	Ethiopia	human infant feces		[23]
<i>Sii</i>	<i>S. lutetiensis</i>	12290	Israel	human blood		[24]

Species (original designation)	SBSEC (sub)species according to <i>groEL</i> sequence	Strain(s)	Country and place of origin	Isolation source	GenBank accession number	Reference
<i>Sii</i>	<i>Sii</i>	5147432-1, 5334570	Israel	human blood		[24]
<i>Sii</i>	<i>Sii</i>	P-24	Spain	colonic polyps		[25]
<i>Sgg</i>	<i>Sgg</i>	ATCC BAA2069	Germany	human blood, infective endocarditis	FR824043	[26]
<i>Sgg</i>	<i>Sgg</i>	ATCC43143	Belgium	human blood	AP012053	[27]
<i>Sgg</i>	<i>Sgg</i>	DSM16831 ^T	Australia	koala bear feces		[28]
<i>Sgg</i>	<i>Sgg</i>	LMG17956	Netherlands	calf	CCBC010000000	[29]
<i>Sgg</i>	<i>Sgg</i>	UCN34	France	human blood, infective endocarditis	NC_013798	[30]
<i>Sgg</i>	<i>Sgg</i>	TX20005	USA	heart, human	NZ_GL39173	HMP ¹⁾
<i>Sgm</i>	<i>Sgm</i>	DSM15879 ^T	Greece	Greek kasseri cheese		[31]
<i>Sgm</i>	<i>Sgm</i>	135D, CJi0257	Somalia	fermented camel milk		[16]
<i>Sgm</i>	<i>Sgm</i>	28F, 34I	Mali	fermented cow milk		[18]
<i>Sgm</i>	<i>Sgm</i>	PV2(3)	Côte d'Ivoire	fermented cow milk		[17]
<i>Sgp</i>	<i>Sgp</i>	ATCC43144	Belgium	human blood	AP012054	[27]
<i>Sgp</i>	<i>Sgp</i>	DSM15351 ^T	France	human cerebrospinal fluid		[32]
<i>S. lutetiensis</i>	<i>S. lutetiensis</i>	033	China	infant feces	CP003025	[33]
<i>S. thermophilus</i>	n/a	DSM20259	Weihenstephan, Germany	yoghurt		http://www.dsmz.de

2 n/a: not applicable; 1) HMP: Human Microbiome Project; 2) DOE Joint Genome Institute - The Hungate 1000. A catalogue of reference
 3 genomes from the rumen microbiome. 3) body site/material of strain isolation (e.g. feces or blood) unknown.

4 References Supporting Additional File 1

- 5 1. Jacob AE, Hobbs SJ. Conjugal transfer of plasmid-borne multiple antibiotic resistance in *Streptococcus faecalis* var. *zymogenes*. J
 6 Bacteriol. 1974;117:360-72.

- 7 2. Silva M, Jacobus NV, Deneke C, Gorbach SL. Antimicrobial substance from a human *Lactobacillus* strain. *Antimicrob Agents*
8 *Chemother.* 1987;31:1231-3.
- 9 3. Kandler O, Stetter KO, Köhl R. *Lactobacillus reuteri* sp. nov., a new species of heterofermentative lactobacilli. *Zentralblatt Bakteriol*
10 *Parasitenkd Infekt Hyg.* 1980;C:264-9.
- 11 4. Kleerebezem M, Boekhorst J, van Kranenburg R, Molenaar D, Kuipers OP, Leer R et al. Complete genome sequence of *Lactobacillus*
12 *plantarum* WCFS1. *Proc Natl Acad Sci U S A.* 2003;100:1990-5.
- 13 5. Remus DM, Bongers RS, Meijerink M, Fusetti F, Poolman B, de Vos P et al. Impact of *Lactobacillus plantarum* sortase on target
14 protein sorting, gastrointestinal persistence, and host immune response modulation. *J Bacteriol.* 2013;195:502-9.
- 15 6. Farrow JAE, Kruze J, Phillips BA, Bramley AJ, Collins MD. Taxonomic studies on *Streptococcus bovis* and *Streptococcus equinus*:
16 description of *Streptococcus alactolyticus* sp. nov. and *Streptococcus saccharolyticus* sp. nov. *Syst Appl Microbiol.* 1984;5:467-82.
- 17 7. Benahmed FH, Gopinath GR, Harbottle H, Cotta MA, Luo Y, Henderson C et al. Draft genome sequences of *Streptococcus bovis*
18 strains ATCC 33317 and JB1. *Genome Announc.* 2014;2.
- 19 8. Shattock PMF. The streptococci of group D; serological grouping of *Streptococcus bovis* and observations on serologically refractory
20 group D strains. *J Gen Microbiol.* 1949;3:80-92.
- 21 9. Grant RJ, Shang WY, Whitehead TR. Isolated septic arthritis due to *Streptococcus bovis*. *Clin Infect Dis.* 1997;24:1021.
- 22 10. Chuzeville S, Puymège A, Madec JY, Haenni M, Payot S. Characterization of a new CAMP factor carried by an integrative and
23 conjugative element in *Streptococcus agalactiae* and spreading in streptococci. *PLoS One.* 2012;7:e48918.

- 24 11. Rashid MH, Togo K, Ueda M, Miyamoto T. Identification and characterization of dominant lactic acid bacteria isolated from
25 traditional fermented milk ‘Dahi’ in Bangladesh. *World J Microbiol Biotechnol.* 2007;23:125-33.
- 26 12. Andrewes FW, Horder TJ. A study of the streptococci pathogenic for man. *Lancet.* 1906;2:708-13.
- 27 13. Mantovani HC, Kam DK, Ha JK, Russell JB. The antibacterial activity and sensitivity of *Streptococcus bovis* strains isolated from the
28 rumen of cattle. *FEMS Microbiol Ecol.* 2001;37:223-9.
- 29 14. Van den Bogert B, Boekhorst J, Herrmann R, Smid EJ, Zoetendal EG, Kleerebezem M. Comparative genomics analysis of
30 *Streptococcus* isolates from the human small intestine reveals their adaptation to a highly dynamic ecosystem. *PLoS One.* 2013;8:e83418.
- 31 15. Russell JB, Baldwin RL. Substrate preferences in rumen bacteria: evidence of catabolite regulatory mechanisms. *Appl Environ
32 Microbiol.* 1978;36:319-29.
- 33 16. Jans C, Bugnard J, Njage PMK, Lacroix C, Meile L. Lactic acid bacteria diversity of African raw and fermented camel milk products
34 reveals a highly competitive, potentially health-threatening predominant microflora. *LWT-Food Sci Technol.* 2012;47:371-9.
- 35 17. Jans C, Kaindi DWM, Böck D, Njage PMK, Kouamé-Sina SM, Bonfoh B et al. Prevalence and comparison of *Streptococcus
36 infantarius* subsp. *infantarius* and *Streptococcus galloyticus* subsp. *macedonicus* in raw and fermented dairy products from East and
37 West Africa. *Int J Food Microbiol.* 2013;167:186-95.
- 38 18. Wullschleger S, Lacroix C, Bonfoh B, Sissoko-Thiam A, Hugenschmidt S, Romanens E et al. Analysis of lactic acid bacteria
39 communities and their seasonal variations in a spontaneously fermented dairy product (Malian fènè) by applying a cultivation/genotype-
40 based binary model. *Int Dairy J.* 2013;29:28-35.

- 41 19. Biarc J, Nguyen IS, Pini A, Gossé F, Richert S, Thiersé D et al. Carcinogenic properties of proteins with pro-inflammatory activity
- 42 from *Streptococcus infantarius* (formerly *S. bovis*). *Carcinogenesis*. 2004;25:1477-84.
- 43 20. Sharpe ME, Shattock PM. The serological typing of group D streptococci associated with outbreaks of neonatal diarrhoea. *J Gen*
- 44 *Microbiol*. 1952;6:150-65.
- 45 21. Sharpe ME. Group D streptococci in the faeces of healthy infants and of infants with neonatal diarrhoea. *J Hyg (Lond)*. 1952;50:209-
- 46 28.
- 47 22. Schlegel L, Grimont F, Collins MD, Régnault B, Grimont PAD, Bouvet A. *Streptococcus infantarius* sp. nov., *Streptococcus*
- 48 *infantarius* subsp. *infantarius* subsp. nov. and *Streptococcus infantarius* subsp. *coli* subsp. nov., isolated from humans and food. *Int J Syst*
- 49 *Evol Microbiol*. 2000;50:1425-34.
- 50 23. Birri DJ, Brede DA, Tessema GT, Nes IF. Bacteriocin production, antibiotic susceptibility and prevalence of haemolytic and
- 51 gelatinase activity in faecal lactic acid bacteria isolated from healthy Ethiopian infants. *Microb Ecol*. 2013;65:504-16.
- 52 24. Lazarovitch T, Shango M, Levine M, Brusovansky R, Akins R, Hayakawa K et al. The relationship between the new taxonomy of
- 53 *Streptococcus bovis* and its clonality to colon cancer, endocarditis, and biliary disease. *Infection*. 2013;41:329-37.
- 54 25. Romero B, Morosini M-I, Loza E, Rodríguez-Baños M, Navas E, Cantón R et al. Reidentification of *Streptococcus bovis* isolates
- 55 causing bacteremia according to the new taxonomy criteria: still an issue? *J Clin Microbiol*. 2011;49:3228-33.
- 56 26. Hinse D, Vollmer T, Rückert C, Blom J, Kalinowski J, Knabbe C et al. Complete genome and comparative analysis of *Streptococcus*
- 57 *gallolyticus* subsp *gallolyticus*, an emerging pathogen of infective endocarditis. *BMC Genomics*. 2011;12:400.

- 58 27. Lin IH, Liu T-T, Teng Y-T, Wu H-L, Liu Y-M, Wu K-M et al. Sequencing and comparative genome analysis of two pathogenic
59 *Streptococcus gallolyticus* subspecies: genome plasticity, adaptation and virulence. PLoS One. 2011;6:e20519.
- 60 28. Osawa R, Fujisawa T, Sly LI. *Streptococcus gallolyticus* sp. nov.; gallate degrading organisms formerly assigned to *Streptococcus*
61 *bovis*. Syst Appl Microbiol. 1995;18:74-8.
- 62 29. Romero-Hernández B, Tedim AP, Sánchez-Herrero JF, Librado P, Rozas J, Muñoz G et al. *Streptococcus gallolyticus* subsp.
63 *gallolyticus* from human and animal origins: genetic diversity, antimicrobial susceptibility, and characterization of a vancomycin-resistant
64 calf isolate carrying a *vanA*-Tn1546-like element. Antimicrob Agents Chemother. 2015;59:2006-15.
- 65 30. Rusniok C, Couvé E, Da Cunha V, El Gana R, Zidane N, Bouchier C et al. Genome sequence of *Streptococcus gallolyticus*: insights
66 into its adaptation to the bovine rumen and its ability to cause endocarditis. J Bacteriol. 2010;192:2266-76.
- 67 31. Tsakalidou E, Zoidou E, Pot B, Wassill L, Ludwig W, Devriese LA et al. Identification of streptococci from Greek Kasseri cheese and
68 description of *Streptococcus macedonicus* sp. nov. Int J Syst Bacteriol. 1998;48:519-27.
- 69 32. Poyart C, Quesne G, Trieu-Cuot P. Taxonomic dissection of the *Streptococcus bovis* group by analysis of manganese-dependent
70 superoxide dismutase gene (*sodA*) sequences: reclassification of '*Streptococcus infantarius* subsp. *coli*' as *Streptococcus lutetiensis* sp.
71 nov. and of *Streptococcus bovis* biotype II.2 as *Streptococcus pasteurianus* sp. nov. Int J Syst Evol Microbiol. 2002;52:1247-55.
- 72 33. Jin D, Chen C, Li L, Lu S, Li Z, Zhou Z et al. Dynamics of fecal microbial communities in children with diarrhea of unknown
73 etiology and genomic analysis of associated *Streptococcus lutetiensis*. BMC Microbiol. 2013;13:141.