

	sex	age	lat	dur	avp	crt	sds	srs	vf	hl	
401	0	29	0b	6	2.9	22	42	18	1.3	68.8	G-4
402	1	43	1	14	4.8	12	25	30	1.3	46.7	G-4
403	1	39	0b	9	1.7	15	24	24	2	28	G-4
404	0	55	0	10	9.3	8	30	11	0.5	50	G-4
405	0	37	0	12	4.4	12	32	12	1.7	66	G-4
406	1	63	1	9	1.5	15	45	14	0.5	31.3	G-4
407	1	39	0	20	3	20	48	15	3.3	68	G-4
408	0	49	1	12	1.3	8	38	17	1	55.7	G-4
409	0	71	1	30	2.6	14	22	10	2.5	48.8	G-4
410	0	47	0b	35	5.9	19	24	22	0.5	60	G-4
411	0	58	1	45	1.1	26	33	12	0.5	43.8	G-4
412	1	73	0b	36	1.8	30	50	24	0.5	73.8	G-4
413	1	59	1	45	2	12	48	16	1	50	G-4
414	0	45	1b	70	1.4	14	50	37	1	37.5	G-4
415	0	43	0	36	1.3	15	46	20	0.5	62.5	G-4
416	1	62	1	10	3.8	10	24	24	1.7	23.8	G-4
417	0	53	1	40	0.9	22	28	25	2	61.3	G-4
418	1	64	1	110	1.4	25	32	13	2.7	68	G-4
419	0	63	0	36	3	10	34	12	0.5	22.5	G-4
420	0	55	0	36	12	12	38	30	1.7	77.5	G-4
421	0	39	1	48	5.9	25	44	16	1.7	37.5	G-4
422	0	56	0	27	16	20	25	17	2.5	63.8	G-4
423	0	53	1	33	2.9	10	28	18	1.7	40	G-4
424	1	44	1	66	12	5	24	22	3.3	66.7	G-4
425	0	42	1	20	0.8	6	45	13	1	75	G-4
426	0	41	0	15	1.7	18	22	14	2.5	28.2	G-4
427	1	73	0b	38	2.7	22	42	18	3	33.6	G-4
428	1	43	1b	66	6.8	12	25	14	0.5	55	G-4
429	0	43	1	50	2.2	28	24	16	0.5	63.8	G-4
430	0	33	1	4	0.8	15	30	10	3.3	38.8	G-4
431	1	34	1	45	2	24	32	26	1.7	30	G-4
432	0	65	0	100	1.5	28	45	12	2.3	40.5	G-4
433	1	47	0	48	1.4	10	48	10	1.7	40.3	G-4
434	1	53	1	80	1.8	11	38	23	1	40.5	G-4
435	0	63	0	38	4.4	16	22	12	2.3	28.8	G-4
436	1	47	1	20	2.6	18	24	25	2	45	G-4
437	0	29	1	38	1	14	33	22	0.5	56.3	G-4
438	1	23	1	3	1.2	10	22	20	1.7	32	G-4
439	0	48	0	42	4.2	12	48	12	0.5	47.5	G-4
440	0	45	1b	48	1.4	28	50	32	1.3	66.3	G-4
441	0	62	0	35	1.7	10	26	12	1	61	G-4
442	0	58	1	60	3.2	25	24	11	2.5	42.5	G-4
443	0	55	1	3	1.5	22	28	20	0.5	46	G-4
444	0	61	0	48	11	16	32	12	0.5	73.8	G-4

445	0	76	1	66	3	8	34	22	0.5	36.3	G-4
446	0	34	0	50	1	10	38	22	2.5	76.3	G-4
447	0	43	1b	25	3.4	24	44	21	3.5	51.3	G-4
448	0	63	0	49	2.3	25	25	30	3.3	43.5	G-4
449	1	39	0	4	1.9	18	28	23	1	32	G-4
450	1	58	1	40	1.4	10	36	15	1	70	G-4
451	0	46	1	20	6.7	14	28	18	0.5	53.4	G-4
452	1	42	0	12	2.9	22	36	24	2	62.6	G-4
453	1	45	0	30	3.8	16	48	25	1.5	38.8	G-4
454	0	64	0	35	0.9	25	50	26	2	40.3	G-4
455	0	45	0	4	1.4	30	22	12	0.5	30	G-4
456	0	49	0	10	4.5	33	23	14	2.5	28.8	G-4
457	0	45	1	33	1	25	40	24	3.5	36.3	G-4
458	0	55	1	25	5.9	22	22	17	3.3	46	G-4
459	1	37	0b	12	0.8	6	55	16	4	51.3	G-4
460	1	41	1	18	2.9	8	30	19	4	55	G-4
60	22	49.7	32	34	3.3	17	34	19	1.7	49.1	
	38	11.9	28	23	3.1	7.2	9.8	6.3	1.1	15.1	