

S2 Table. Primer sequences used for qRT-PCR.

Gene symbol	Gene full name	Forward primer (5'→3')	Reverse primer (5'→3')
<i>CCND2</i>	Cyclin D2	GACTGAGCTGCTGGCTAAGAT	CTTGGATCCGTCACGTTGGT
<i>CD24</i>	CD24 molecule	GCTCCTACCCACGCAGATTTA	GACCACGAAGAGACTGGCTG
<i>CD44</i>	CD44 molecule (Indian blood group)	CCTGGCAGCCCCGATTATTT	AAGGACACACCCAAGCAAGG
<i>CDH13</i>	Cadherin 13	GCAGGCAATTCACCACCAA	AAATGCAGGTTGGTGCCCAT
<i>CXCL14</i>	C-X-C motif chemokine ligand 14	AGCACTTTTTACCAACGGTCAG	TGGAGCACAAGAGAGATGGG
<i>EPCAM</i>	Epithelial cell adhesion molecule	TGCTGGAATTGTTGTGCTGG	AAGATGTCTTCGTCACACGC
<i>FZD6</i>	Frizzled class receptor 6	GTATGAAAATGGCCTACAACATGAC	TCCAGATTTGCGAGAGGAAGAA
<i>GAS1</i>	Growth arrest specific 1	CTCGTCTGCCGTCCAGAAAG	GCACCTCCCTTCGAGTCC
<i>KIT</i>	KIT proto-oncogene receptor tyrosine kinase	ACAATGGCACGGTTGAATGT	CAGGGTGTGGGGATGGATTT
<i>KLF4</i>	Kruppel like factor 4	ATCTTTCTCCACGTTTCGCGTCTG	AAGCACTGGGGGAAGTCGCTTC
<i>LYN</i>	LYN proto-oncogene, Src family tyrosine kinase	CCAGGGAGGAGCCCATTAC	AAGCAGCACTTTGCCACCTT
<i>PROM1</i>	Prominin 1 (CD133)	CCATTGACTTCTTGGTGCTGT	TGGAGTTACGCAGGTTTCTCT
<i>NES</i>	Nestin	AGTGATGCCCTTCACCTTG	GCTCGCTCTACTTTCCCC
<i>SLIT2</i>	Slit guidance ligand 2	TGACCAACGGACCAATGACC	CATGGCCCTCCAAGCACTTA
<i>WNT2</i>	Wnt family member 2	TGGCTCCCTCTGCTCTTGAC	CTGGCACATTATCGCACATCAC
<i>HSP90AB1</i>	Heat shock protein 90kDa alpha (cytosolic), class B member 1	CGCATGAAGGAGACACAGAA	TCCCATCAAATTCCTTGAGC