Supplementary Online Content

Kim Y, Margonis GA, Prescott JD, et al. Nomograms to predict recurrence-free and overall survival after curative resection of adrenocortical carcinoma. *JAMA Surg.* Published online December 16, 2015. doi:10.1001/jamasurg.2015.4516.

eTable. Baseline Patient and Tumor Characteristics of the Patients Undergoing Surgical Resection for ACC **eFigure.** Kaplan-Meier Curves Demonstrating Recurrence-Free and Overall Survival for Patients Following Resection for ACC

This supplementary material has been provided by the authors to give readers additional information about their work.

© 2015 American Medical Association. All rights reserved.


eTable. Baseline Patient and Tumor Characteristics of the Patients Undergoing Surgical Resection for ACC

Characteristic	Total (n=148)
Age, yr, median (IQR)	53.0(44.0-62.0)
Sex	
Female	97 (65.5)
Male	51 (34.5)
Race (n=143)	
White	117 (81.8)
Black	9 (6.3)
Others	17 (11.9)
Size, cm, median (IQR)	11.2 (8.0-15.0)
Body Mass Index, Kg/m2, median (IQR)	28.0(24.0-33.0)
Incidentaloma	75 (50.7)
Nodal status	
Negative	39 (26.3)
Positive	13 (8.8)
Not harvested	96 (64.9)
T stage	
T1/T2	76 (51.4)
T3/T4	72 (48.6)
ASA*	
1/11	48 (44.8)
III/IV	59 (55.2)
Hormonal secretion	
Glucocorticoid	28 (18.9)
Mineralocorticoid	8 (5.4)
Virilizing/Feminizing	16 (10.8)
Nonsecreting	96 (64.9)
Operation approach	
Open abdominal or posterior	95 (64.6)
Minimally invasive Surgery	28 (19.1)
Thoracoabdominal Surgery	24 (16.3)
Margin	
R0	115 (77.7)
R1	33 (22.3)
Laterality**	
Left	75 (51.4)
Right	73 (31.4)
Capsular invasion***	71 (40.0)
No	46 (42.2)
Yes	
	63 (57.8)
Other organ resected	65 (43.9)
Transfusion	36 (24.3)
Complication	40 (27.0)
Grade of complications	28 (70 0)
Grade I and II	28 (70.0)
Grade III and IV	12 (30.0)
Neoadjuvant chemotherapy	2 (1.4)
Adjuvant chemotherapy	15 (10.1)
Adjuvant radiotherapy	15 (10.4)
Postoperative Mitotane	46 (31.1)
Estimated blood loss, ml ASA, American Society of Anesthesiologist: * n=107: **	600.0 (200.0-1600.0)

ASA, American Society of Anesthesiologist; * n=107; ** n=146; *** n=109

© 2015 American Medical Association. All rights reserved.

eFigure. Kaplan-Meier Curves Demonstrating Recurrence-Free and Overall Survival for Patients Following Resection for ACC



© 2015 American Medical Association. All rights reserved.