

```

FREQUENCIES VARIABLES=GNCluster HBBTrainInt HBBTrainRef Gloves CordAlcohol Cor
dGV CordOther CordOtherDes Mouth2Mouth TradRXEver TradRXObsLabor TradRxPlacent
a TradRxBleed TradRxFever TradRxOther TradRxOtherText PayforTBA TBAPayKSH KSHC
ost TBAPayBarter
TBAPayOther PlacManual PlacMassage PlacOxytocin PlacRefer PlacOther PlacOtherT
ext Report2Elder ReferObsLabor ReferProLabor ReferBleed ReferRetainPlac ReferC
ordProlapse ReferPreterm ReferNoFetalHR ReferMomBP ReferMomSeize ReferBreech R
eferBabyAsphy
ReferOther ReferOtherDesc HCFriendly HCCommunicate HCFamInteract
/ORDER=ANALYSIS.

```

Frequencies

[DataSet1] C:\Documents and Settings\shbucher\Desktop\Old PC\shbucher\Global Network Kenya-specific research\TBA survey\SPSS data analysis\CLEAN_Kenya only CBA survey data.sav

Statistics

| | | GNCluster | Receive HBB initial training? | Receive HBB refresher training? | Do you have gloves? | Apply alcohol to cord |
|---|---------|-----------|-------------------------------|---------------------------------|---------------------|-----------------------|
| N | Valid | 101 | 101 | 101 | 101 | 101 |
| | Missing | 0 | 0 | 0 | 0 | 0 |

Statistics

| | | Apply gentian violet to cord | Other reported cord care | Description | Have you used mouth to mouth to resuscitate a baby? | Ever used TradRx/herbs for pregnant/laboring moms? |
|---|---------|------------------------------|--------------------------|-------------|---|--|
| N | Valid | 101 | 101 | 101 | 101 | 101 |
| | Missing | 0 | 0 | 0 | 0 | 0 |

Statistics

| | | Used TradRx/herbs for obs/prolonged labor. | Used TradRx/herbs for retained placenta | Used TradRx/herbs for bleeding | Used TradRx/herbs for fever | Other reported use of TradRx/herbs |
|---|---------|--|---|--------------------------------|-----------------------------|------------------------------------|
| N | Valid | 101 | 101 | 101 | 101 | 101 |
| | Missing | 0 | 0 | 0 | 0 | 0 |

Statistics

| | | Description of other herb use | Do you charge for TBA services? | TBA charges in shillings | Average TBA charge in KSH | Accept barter for TBA services? |
|---|---------|-------------------------------|---------------------------------|--------------------------|---------------------------|---------------------------------|
| N | Valid | 101 | 101 | 101 | 100 | 101 |
| | Missing | 0 | 0 | 0 | 1 | 0 |

Statistics

| | | Other reported ways to pay for TBA services | Manage retained placenta: manual extraction | Manage retained placenta: uterine massage | Manage retained placenta: Oxytocin | Manage retained placenta: refer to health facility |
|---|---------|---|---|---|------------------------------------|--|
| N | Valid | 101 | 101 | 101 | 101 | 101 |
| | Missing | 0 | 0 | 0 | 0 | 0 |

Statistics

| | | Manage retained placenta: other reported | Other methods manage retained placenta | Report outcomes to elder/chief? | Ever referred to health facility for obstructed labor | Ever referred to health facility for prolonged labor |
|---|---------|--|--|---------------------------------|---|--|
| N | Valid | 101 | 101 | 101 | 101 | 101 |
| | Missing | 0 | 0 | 0 | 0 | 0 |

Statistics

| | | Ever referred to health facility for bleeding | Ever referred to health facility for retained placenta | Ever referred to health facility for prolapsed cord | Ever referred to health facility for prematurity | Ever referred to health facility for no fetal heart rate |
|---|---------|---|--|---|--|--|
| N | Valid | 101 | 101 | 101 | 101 | 101 |
| | Missing | 0 | 0 | 0 | 0 | 0 |

Statistics

| | | Ever referred to health facility for mom hypertension | Ever referred to health facility for mom seizures | Ever referred to health facility for breech | Ever refer to health facility for baby not breathe | Ever refer for other conditions |
|---|---------|---|---|---|--|---------------------------------|
| N | Valid | 101 | 101 | 101 | 101 | 101 |
| | Missing | 0 | 0 | 0 | 0 | 0 |

Statistics

| | | Other reported referral conditions | HCFriendly | HCCommunicate | HCFamInteract |
|---|---------|------------------------------------|------------|---------------|---------------|
| N | Valid | 101 | 100 | 101 | 101 |
| | Missing | 0 | 1 | 0 | 0 |

Frequency Table

GNCluster

| | | Frequency | Percent | Valid Percent | Cumulative Percent | |
|-------|-----------|-----------|---------|---------------|--------------------|--|
| Valid | Alupe | 6 | 5.9 | 5.9 | 5.9 | |
| | Makunga | 7 | 6.9 | 6.9 | 12.9 | |
| | Matayos | 6 | 5.9 | 5.9 | 18.8 | |
| | Moding | 6 | 5.9 | 5.9 | 24.8 | |
| | Mumias | 6 | 5.9 | 5.9 | 30.7 | |
| | Nambale | 6 | 5.9 | 5.9 | 36.6 | |
| | Nasewa | 5 | 5.0 | 5.0 | 41.6 | |
| | Sirisia | 6 | 5.9 | 5.9 | 47.5 | |
| | Amukura | 7 | 6.9 | 6.9 | 54.5 | |
| | Bokoli | 4 | 4.0 | 4.0 | 58.4 | |
| | Bumula | 7 | 6.9 | 6.9 | 65.3 | |
| | Bumala B | 6 | 5.9 | 5.9 | 71.3 | |
| | Chwele | 7 | 6.9 | 6.9 | 78.2 | |
| | Khunyangu | 7 | 6.9 | 6.9 | 85.1 | |
| | Kocholia | 7 | 6.9 | 6.9 | 92.1 | |
| | Lukolis | 6 | 5.9 | 5.9 | 98.0 | |
| | Naswea | 1 | 1.0 | 1.0 | 99.0 | |
| | Unknown | 1 | 1.0 | 1.0 | 100.0 | |
| | Total | | 101 | 100.0 | 100.0 | |

Receive HBB initial training?

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 77 | 76.2 | 76.2 | 76.2 |
| | Yes | 23 | 22.8 | 22.8 | 99.0 |
| | Missing | 1 | 1.0 | 1.0 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Receive HBB refresher training?

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 98 | 97.0 | 97.0 | 97.0 |
| | Yes | 2 | 2.0 | 2.0 | 99.0 |
| | Missing | 1 | 1.0 | 1.0 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Do you have gloves?

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | No | 3 | 3.0 | 3.0 | 3.0 |
| | Yes | 98 | 97.0 | 97.0 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Apply alcohol to cord

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 99 | 98.0 | 98.0 | 98.0 |
| | Missing | 2 | 2.0 | 2.0 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Apply gentian violet to cord

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 99 | 98.0 | 98.0 | 98.0 |
| | Missing | 2 | 2.0 | 2.0 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Other reported cord care

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 46 | 45.5 | 45.5 | 45.5 |
| | Yes | 53 | 52.5 | 52.5 | 98.0 |
| | Missing | 2 | 2.0 | 2.0 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Description

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|--------------|-----------|---------|---------------|--------------------|
| Valid | Jik (bleach) | 1 | 1.0 | 1.0 | 1.0 |
| | Missing | 2 | 2.0 | 2.0 | 3.0 |
| | Nothing | 44 | 43.6 | 43.6 | 46.5 |
| | Oil | 2 | 2.0 | 2.0 | 48.5 |
| | Powder | 15 | 14.9 | 14.9 | 63.4 |
| | Powder, Oil | 2 | 2.0 | 2.0 | 65.3 |
| | Spirit | 35 | 34.7 | 34.7 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Have you used mouth to mouth to resuscitate a baby?

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 65 | 64.4 | 64.4 | 64.4 |
| | Yes | 23 | 22.8 | 22.8 | 87.1 |
| | Missing | 13 | 12.9 | 12.9 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Ever used TradRx/herbs for pregnant/laboring moms?

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | No | 82 | 81.2 | 81.2 | 81.2 |
| | Yes | 19 | 18.8 | 18.8 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Used TradRx/herbs for obs/prolonged labor.

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 89 | 88.1 | 88.1 | 88.1 |
| | Yes | 2 | 2.0 | 2.0 | 90.1 |
| | Missing | 10 | 9.9 | 9.9 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Used TradRx/herbs for retained placenta

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 86 | 85.1 | 85.1 | 85.1 |
| | Yes | 9 | 8.9 | 8.9 | 94.1 |
| | Missing | 6 | 5.9 | 5.9 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Used TradRx/herbs for bleeding

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 88 | 87.1 | 87.1 | 87.1 |
| | Yes | 3 | 3.0 | 3.0 | 90.1 |
| | Missing | 10 | 9.9 | 9.9 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Used TradRx/herbs for fever

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 90 | 89.1 | 89.1 | 89.1 |
| | Yes | 1 | 1.0 | 1.0 | 90.1 |
| | Missing | 10 | 9.9 | 9.9 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Other reported use of TradRx/herbs

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 90 | 89.1 | 89.1 | 89.1 |
| | Yes | 1 | 1.0 | 1.0 | 90.1 |
| | Missing | 10 | 9.9 | 9.9 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Description of other herb use

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|------------------|-----------|---------|---------------|--------------------|
| Valid | | 100 | 99.0 | 99.0 | 99.0 |
| | Lack of appetite | 1 | 1.0 | 1.0 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Do you charge for TBA services?

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | Never | 2 | 2.0 | 2.0 | 2.0 |
| | Sometimes | 48 | 47.5 | 47.5 | 49.5 |
| | Always | 48 | 47.5 | 47.5 | 97.0 |
| | Missing | 3 | 3.0 | 3.0 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

TBA charges in shillings

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 3 | 3.0 | 3.0 | 3.0 |
| | Yes | 97 | 96.0 | 96.0 | 99.0 |
| | Missing | 1 | 1.0 | 1.0 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Average TBA charge in KSH

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---------|--------|-----------|---------|---------------|--------------------|
| Valid | 0 | 3 | 3.0 | 3.0 | 3.0 |
| | 20 | 1 | 1.0 | 1.0 | 4.0 |
| | 30 | 1 | 1.0 | 1.0 | 5.0 |
| | 50 | 2 | 2.0 | 2.0 | 7.0 |
| | 90 | 1 | 1.0 | 1.0 | 8.0 |
| | 100 | 20 | 19.8 | 20.0 | 28.0 |
| | 150 | 1 | 1.0 | 1.0 | 29.0 |
| | 200 | 37 | 36.6 | 37.0 | 66.0 |
| | 250 | 1 | 1.0 | 1.0 | 67.0 |
| | 300 | 18 | 17.8 | 18.0 | 85.0 |
| | 400 | 2 | 2.0 | 2.0 | 87.0 |
| | 500 | 11 | 10.9 | 11.0 | 98.0 |
| | 600 | 1 | 1.0 | 1.0 | 99.0 |
| | 700 | 1 | 1.0 | 1.0 | 100.0 |
| | Total | 100 | 99.0 | 100.0 | |
| Missing | System | 1 | 1.0 | | |
| Total | | 101 | 100.0 | | |

Accept barter for TBA services?

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------|-----------|---------|---------------|--------------------|
| Valid | No | 80 | 79.2 | 79.2 | 79.2 |
| | Yes | 20 | 19.8 | 19.8 | 99.0 |
| | Missing | 1 | 1.0 | 1.0 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Other reported ways to pay for TBA services

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|------------------|-----------|---------|---------------|--------------------|
| Valid | 82 | 81.2 | 81.2 | 81.2 |
| Chicken | 14 | 13.9 | 13.9 | 95.0 |
| Chicken, maize | 1 | 1.0 | 1.0 | 96.0 |
| Lunch | 1 | 1.0 | 1.0 | 97.0 |
| Maize | 1 | 1.0 | 1.0 | 98.0 |
| Maize, Cassava | 1 | 1.0 | 1.0 | 99.0 |
| Sugar, tea leave | 1 | 1.0 | 1.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Manage retained placenta: manual extraction

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 85 | 84.2 | 84.2 | 84.2 |
| Yes | 15 | 14.9 | 14.9 | 99.0 |
| Missing | 1 | 1.0 | 1.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Manage retained placenta: uterine massage

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 53 | 52.5 | 52.5 | 52.5 |
| Yes | 47 | 46.5 | 46.5 | 99.0 |
| Missing | 1 | 1.0 | 1.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Manage retained placenta: Oxytocin

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 94 | 93.1 | 93.1 | 93.1 |
| Yes | 6 | 5.9 | 5.9 | 99.0 |
| Missing | 1 | 1.0 | 1.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Manage retained placenta: refer to health facility

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 39 | 38.6 | 38.6 | 38.6 |
| Yes | 61 | 60.4 | 60.4 | 99.0 |
| Missing | 1 | 1.0 | 1.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Manage retained placenta: other reported

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 84 | 83.2 | 83.2 | 83.2 |
| Yes | 16 | 15.8 | 15.8 | 99.0 |
| Missing | 1 | 1.0 | 1.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Other methods manage retained placenta

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|---|-----------|---------|---------------|--------------------|
| Valid | 85 | 84.2 | 84.2 | 84.2 |
| Cooking stick down throat | 2 | 2.0 | 2.0 | 86.1 |
| Cooking stick or chain of beads down mom's throat | 1 | 1.0 | 1.0 | 87.1 |
| Give mother hot porridge | 1 | 1.0 | 1.0 | 88.1 |
| Herbal oxytocin | 2 | 2.0 | 2.0 | 90.1 |
| Herbs | 6 | 5.9 | 5.9 | 96.0 |
| Lantana leaves | 1 | 1.0 | 1.0 | 97.0 |
| Nipple massage | 1 | 1.0 | 1.0 | 98.0 |
| Put beads in mom's throat; rubs a stone on spine | 1 | 1.0 | 1.0 | 99.0 |
| Rub grinding stone on mother's back | 1 | 1.0 | 1.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Report outcomes to elder/chief?

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 13 | 12.9 | 12.9 | 12.9 |
| Yes | 84 | 83.2 | 83.2 | 96.0 |
| Missing | 4 | 4.0 | 4.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Ever referred to health facility for obstructed labor

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 10 | 9.9 | 9.9 | 9.9 |
| Yes | 91 | 90.1 | 90.1 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Ever referred to health facility for prolonged labor

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 13 | 12.9 | 12.9 | 12.9 |
| Yes | 88 | 87.1 | 87.1 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Ever referred to health facility for bleeding

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 7 | 6.9 | 6.9 | 6.9 |
| Yes | 94 | 93.1 | 93.1 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Ever referred to health facility for retained placenta

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 16 | 15.8 | 15.8 | 15.8 |
| Yes | 85 | 84.2 | 84.2 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Ever referred to health facility for prolapsed cord

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 9 | 8.9 | 8.9 | 8.9 |
| Yes | 92 | 91.1 | 91.1 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Ever referred to health facility for prematurity

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------|-----------|---------|---------------|--------------------|
| Valid No | 20 | 19.8 | 19.8 | 19.8 |
| Yes | 81 | 80.2 | 80.2 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

Ever referred to health facility for no fetal heart rate

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | No | 45 | 44.6 | 44.6 | 44.6 |
| | Yes | 56 | 55.4 | 55.4 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Ever referred to health facility for mom hypertension

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | No | 77 | 76.2 | 76.2 | 76.2 |
| | Yes | 24 | 23.8 | 23.8 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Ever referred to health facility for mom seizures

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | No | 19 | 18.8 | 18.8 | 18.8 |
| | Yes | 82 | 81.2 | 81.2 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Ever referred to health facility for breech

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | No | 30 | 29.7 | 29.7 | 29.7 |
| | Yes | 71 | 70.3 | 70.3 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Ever refer to health facility for baby not breathe

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | No | 19 | 18.8 | 18.8 | 18.8 |
| | Yes | 82 | 81.2 | 81.2 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Ever refer for other conditions

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-------|-----------|---------|---------------|--------------------|
| Valid | No | 87 | 86.1 | 86.1 | 86.1 |
| | Yes | 14 | 13.9 | 13.9 | 100.0 |
| | Total | 101 | 100.0 | 100.0 | |

Other reported referral conditions

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|----------------|-----------|---------|---------------|--------------------|
| Valid | 96 | 95.0 | 95.0 | 95.0 |
| Big baby | 1 | 1.0 | 1.0 | 96.0 |
| Goiter | 1 | 1.0 | 1.0 | 97.0 |
| Unable to push | 1 | 1.0 | 1.0 | 98.0 |
| Yellow baby | 2 | 2.0 | 2.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

HCFriendly

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-----------------|-----------|---------|---------------|--------------------|
| Valid Very Poor | 7 | 6.9 | 7.0 | 7.0 |
| Poor | 5 | 5.0 | 5.0 | 12.0 |
| Fair | 17 | 16.8 | 17.0 | 29.0 |
| Good | 69 | 68.3 | 69.0 | 98.0 |
| Very Good | 2 | 2.0 | 2.0 | 100.0 |
| Total | 100 | 99.0 | 100.0 | |
| Missing System | 1 | 1.0 | | |
| Total | 101 | 100.0 | | |

HCCommunicate

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-----------------|-----------|---------|---------------|--------------------|
| Valid Very poor | 7 | 6.9 | 6.9 | 6.9 |
| Poor | 5 | 5.0 | 5.0 | 11.9 |
| Fair | 18 | 17.8 | 17.8 | 29.7 |
| Good | 68 | 67.3 | 67.3 | 97.0 |
| Very Good | 3 | 3.0 | 3.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

HCFamInteract

| | Frequency | Percent | Valid Percent | Cumulative Percent |
|-----------------|-----------|---------|---------------|--------------------|
| Valid Very poor | 7 | 6.9 | 6.9 | 6.9 |
| Poor | 5 | 5.0 | 5.0 | 11.9 |
| Fair | 19 | 18.8 | 18.8 | 30.7 |
| Good | 68 | 67.3 | 67.3 | 98.0 |
| Very Good | 2 | 2.0 | 2.0 | 100.0 |
| Total | 101 | 100.0 | 100.0 | |

```
FREQUENCIES VARIABLES=GNCluster TradRXEver TradRXObsLabor TradRxPlacenta TradR
xBleed TradRxFever TradRxOther TradRxOtherText PayforTBA TBAPayKSH KSHCost TBA
PayBarter TBAPayOther HCFamInteract HCFriendly HCCommunicate
  /ORDER=ANALYSIS.
GET
  FILE='C:\Documents and Settings\shbucher\Desktop\Old PC\shbucher\Global Netw
ork Kenya-specific research\TBA survey\SPSS data analysis\CLEAN_Kenya only CBA
survey data.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
```