

Medication for Attention-Deficit/Hyperactivity Disorder and Risk for Depression: A Nationwide Longitudinal Cohort Study

Supplemental Information

Table S1. Baseline characteristics of ADHD patients with and without medication

	Men Without Medication (n = 12,786)	Men With Medication (n = 13,463)	Women Without Medication (n = 6507)	Women With Medication (n = 5996)
Age in 2006				
8-15	5407 (42.3%)	7554 (56.1%)	2224 (34.2%)	2095 (34.9%)
16-25	4499 (35.2%)	3306 (25.6%)	2172 (33.4%)	1926 (32.1%)
26-35	1643 (12.8%)	1375 (10.2%)	1150 (17.7%)	970 (16.2%)
36-46	1237 (9.7%)	1228 (9.1%)	961 (14.8%)	1005 (16.8%)
Civil status in 2006				
Unmarried	6599 (51.6%)	5271 (38.8%)	3299 (50.7%)	2988 (49.8%)
Married	424 (3.3%)	389 (2.9%)	537 (8.2%)	483 (8.1%)
Divorced	347 (2.7%)	299 (2.2%)	442 (6.8%)	421 (7.0%)
Widowed	9 (0.1%)	4 (<0.1%)	5 (0.1%)	9 (0.1%)
Younger than 16 years old	5407 (42.3%)	7554 (56.1%)	2224 (34.2%)	2095 (34.9%)
Employed in 2006				
Yes	1808 (14.1%)	1305 (9.7%)	1132 (17.4%)	927 (15.5%)
No	5571 (43.6%)	4604 (34.2%)	3151 (48.4%)	2974 (49.6%)
Younger than 16 years old	5407 (42.3%)	7554 (56.1%)	2224 (34.2%)	2095 (34.9%)
In school in 2006				
Yes	2403 (18.8%)	1923 (14.3%)	1380 (21.2%)	1268 (21.2%)
No	4976 (38.9%)	3986 (29.6%)	2903 (44.6%)	2633 (43.9%)
Younger than 16 years old	5407 (42.3%)	7554 (56.1%)	2224 (34.2%)	2095 (34.9%)
Living in a metropolitan area in 2006	1801 (14.1%)	1722 (12.8%)	900 (13.8%)	823 (13.7%)
Other psychiatric disorders before 2006	4439 (34.7%)	4512 (33.5%)	2268 (34.8%)	2357 (39.3%)
Depression in 2009	886 (6.9%)	643 (4.8%)	878 (13.5%)	580 (9.7%)