

# Product datasheet

# Anti-MST1 antibody [EPR6207] ab124787

## **WRabMAb**<sup>®</sup>

## 2 图像

- 1	400	<b>4</b>
- 7	W+	7/15
-1	w	100

产**品名称** Anti-MST1抗体[EPR6207]

**描述** 兔单克隆抗体[EPR6207] to MST1

经测试应用 WB, IHC-P, Flow Cyt

种属反应性 与反应: Mouse, Rat, Human

免疫原 Synthetic peptide corresponding to residues in Human MST1.

**阳性**对照 HepG2, 293T and Caco-2 cell lysates. Human liver carcinoma tissue.

常规说明 This product is a recombinant rabbit monoclonal antibody.

Produced using Abcam's RabMAb® technology. RabMAb® technology is covered by the

following U.S. Patents, No. 5,675,063 and/or 7,429,487.

## 性能

形式 Liquid

**存放说明** Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

存储溶液 PBS 49%,Sodium azide 0.01%,Glycerol 50%,BSA 0.05%

纯**度** Tissue culture supernatant

**同种型** IgG

#### 应用


Our Abpromise guarantee covers the use of ab124787 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

应用	Abreviews	说 <b>明</b>
WB		1/1000 - 1/10000. Detects a band of approximately 85 kDa (predicted molecular
		weight: 80 kDa).

应用	Abreviews	说明	
IHC-P		1/50 - 1/100. Perform heat mediated antigen retrieval before commencing with	
		IHC staining protocol.	
Flow Cyt		1/10 - 1/100. ab172730-Rabbit monoclonal lgG, is suitable for use as an isotype	
		control with this antibody.	
应用说明	Is unsuitable for ICC or IP.		
<b>靶</b> 标			
功能	Probably has sites are not o	no proteolytic activity, since crucial characteristic of serine proteases catalytic conserved.	
序列相似性	Belongs to the peptidase S1 family. Plasminogen subfamily. Contains 4 kringle domains. Contains 1 PAN domain. Contains 1 peptidase S1 domain.		
翻译后修饰	May be cleave separate poly	ed after Arg-483, to yield two chains held together by disulfide bonds, or two peptides.	
细胞定位	Secreted.		

## Anti-MST1 antibody [EPR6207] 图像



**All lanes :** Anti-MST1 antibody [EPR6207]

(ab124787) at 1/1000 dilution


Lane 1 : HepG2 cell lysate
Lane 2 : 293T cell lysate
Lane 3 : Caco-2 cell lysate

Lysates/proteins at 10 µg per lane.

## Secondary

Standard HRP labelled goat anti-rabbit at 1/2000 dilution

**Predicted band size**: 80 kDa **Observed band size**: 85 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-MST1 antibody [EPR6207] (ab124787)

ab124787 at 1/50 dilution staining MST1 in paraffin-embedded Human liver carcinoma tissues by Immunohistochemistry.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit http://www.abcam.cn/abpromise or contact our technical team.

## Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors