



(a) Frequency

Study or Subgroup	Low dose		Standard dose		Weight	Risk Ratio		Year
	Events	Total	Events	Total		M-H, Random, 95% CI	Year	
Martinez-Pineiro 2002	65	247	124	252	31.8%	0.53 [0.42, 0.68]	2002	
Agrawal 2007	24	88	24	40	26.2%	0.45 [0.30, 0.70]	2007	
Inamoto 2013	3	18	6	20	8.9%	0.56 [0.16, 1.90]	2013	
Odeens J 2013	150	657	160	659	33.1%	0.94 [0.77, 1.14]	2013	
Total (95% CI)		1010		971	100.0%	0.62 [0.41, 0.95]		
Total events	242		314					
Heterogeneity: Tau ² = 0.13; Chi ² = 17.71, df = 3 (P = 0.0005); I ² = 83%								
Test for overall effect: Z = 2.21 (P = 0.03)								




(b) Hematuria

Study or Subgroup	Low dose		Standard dose		Weight	Risk Ratio		Year
	Events	Total	Events	Total		M-H, Random, 95% CI	Year	
Martinez-Pineiro 2002	40	247	90	252	28.8%	0.45 [0.33, 0.63]	2002	
Irie 2003	3	39	7	41	15.1%	0.45 [0.13, 1.62]	2003	
Agrawal 2007	4	88	12	40	17.9%	0.15 [0.05, 0.44]	2007	
Odeens J 2013	150	657	148	659	30.0%	1.02 [0.83, 1.24]	2013	
Inamoto 2013	4	18	1	20	8.2%	4.44 [0.55, 36.18]	2013	
Total (95% CI)		1049		1012	100.0%	0.57 [0.28, 1.15]		
Total events	201		258					
Heterogeneity: Tau ² = 0.41; Chi ² = 29.69, df = 4 (P < 0.00001); I ² = 87%								
Test for overall effect: Z = 1.57 (P = 0.12)								




(c) Cystitis

Study or Subgroup	Low dose		Standard dose		Weight	Risk Ratio		Year
	Events	Total	Events	Total		M-H, Random, 95% CI	Year	
Martinez-Pineiro 2002	34	247	84	252	48.1%	0.41 [0.29, 0.59]	2002	
Odeens J 2013	382	657	385	659	51.9%	1.00 [0.91, 1.09]	2013	
Total (95% CI)		904		911	100.0%	0.65 [0.27, 1.59]		
Total events	416		469					
Heterogeneity: Tau ² = 0.40; Chi ² = 23.34, df = 1 (P < 0.00001); I ² = 96%								
Test for overall effect: Z = 0.94 (P = 0.35)								



(a) Fever

Study or Subgroup	Low dose		Standard dose		Weight	Risk Ratio		
	Events	Total	Events	Total		M-H, Random, 95% CI	Year	
Martinez-Pineiro 2002	32	247	68	252	31.7%	0.48	[0.33, 0.70]	2002
Irie 2003	2	39	5	41	5.0%	0.42	[0.09, 2.04]	2003
Agrawal 2007	16	88	24	40	25.1%	0.30	[0.18, 0.50]	2007
Inamoto 2013	2	18	7	20	5.9%	0.32	[0.08, 1.34]	2013
Odeens J 2013	44	657	62	659	32.3%	0.71	[0.49, 1.03]	2013
Total (95% CI)		1049		1012	100.0%	0.47	[0.32, 0.68]	
Total events	96		166					
Heterogeneity: Tau ² = 0.08; Chi ² = 7.76, df = 4 (P = 0.10); I ² = 48%								
Test for overall effect: Z = 3.95 (P < 0.0001)								



(b) Malaise

Study or Subgroup	Low dose		Standard dose		Weight	Risk Ratio		
	Events	Total	Events	Total		M-H, Random, 95% CI	Year	
Martinez-Pineiro 2002	21	247	41	252	30.3%	0.52	[0.32, 0.86]	2002
Agrawal 2007	12	88	12	40	19.4%	0.45	[0.22, 0.92]	2007
Odeens J 2013	91	657	113	659	50.3%	0.81	[0.63, 1.04]	2013
Total (95% CI)		992		951	100.0%	0.63	[0.44, 0.92]	
Total events	124		166					
Heterogeneity: Tau ² = 0.05; Chi ² = 3.98, df = 2 (P = 0.14); I ² = 50%								
Test for overall effect: Z = 2.41 (P = 0.02)								

