

Supplemental Table for:
Chromosome 17p Homodisomy Is Associated with Better Outcome in 1p19q Non Codeleted and Idh Mutated Gliomas
Marianne Labussière et al.

Table S1: Primers used for initial amplification

Exon	Primer forward	Primer reverse	Amplicon size
2	tgaagcagccattcttttct	aattttcgcttcccacaggt	334
3	actgtgagtgatccattgga	atctggacctgggtcttca	338
4	ctgctctttcaccatctaca	attgaagtctcatggaagccag	342
5	tgtttctttgctgccgtct	agtgaggaatcagaggcct	337
6	agtcacagcacatgacgg	cctactgctcacctggag	335
7	acaggtctcccaaggcgca	aaatcggtaagaggtgggccagg	272
8	ttctctccacctactgg	aggcataactgcaccctg	335
9	tgtttgtcctgtcctgg	gaaaacggcattttgagtgttaga	333
10	ggtacttgaagtgcagtttctacta	agctgcctttgacatgaa	343
11	tcatctctcctcctgctt	tggtatgtcctactccatc	328

Supplemental Table for:

Chromosome 17p Homodisomy Is Associated with Better Outcome in 1p19q Non Codeleted and Idh Mutated Gliomas

Marianne Labussière et al.