



Appendix Figure 1



NH, Non-Hispanic; PI, Pacific Islander

Appendix Figure 2



NH, Non-Hispanic; PI, Pacific Islander

Appendix
Follow-Up of Abnormal Breast and Colorectal Cancer Screening by Race/Ethnicity
McCarthy et al.

Appendix Table 1. Logistic Regression of Timely Follow-up Defined as 6 Months (9 Months for BI-RADS 3)^a

Race/Ethnicity	OR (95% CI)				
	Breast ^a	Breast ^b	Breast ^c	Colorectal ^a	Colorectal ^c
N total	N=17,735	N=6561	N=6444	n=21,228	n=21,037
N.H. white	1.00 (ref)	1.00 (ref)	1.00 (ref)	1.00 (ref)	1.00 (ref)
N.H. black	0.64 (0.49-0.84)	0.65 (0.49-0.86)	0.77 (0.56-1.06)	0.93 (0.83,1.03)	1.05 (0.94,1.17)
Hispanic	0.93 (0.69-1.25)	0.90 (0.65-1.26)	1.16 (0.80-1.67)	1.12 (1.03,1.21)	1.20 (1.11,1.31)
Asian/PI	0.73 (0.46-1.16)	0.64 (0.38-1.09)	0.64 (0.38-1.10)	1.08 (0.98,1.20)	1.06 (0.96,1.17)

^a Logistic regression model adjusted for study site, age, year of test. (All sites)

^b Logistic regression model adjusted for study site, age, year of test. (VT excluded)

^c Logistic regression model adjusted for study site, age, year of test, income (ZIP code median), and insurance. (VT excluded from mammography analysis)

BI-RADS, Breast Imaging-Reporting and Data System; N.H., Non-Hispanic; PI, Pacific Islander; VT, University of Vermont

Appendix
Follow-Up of Abnormal Breast and Colorectal Cancer Screening by Race/Ethnicity
McCarthy et al.

Appendix Table 2. Logistic Regression of Timely Follow-up of Abnormal Screening Tests by Study Site and Screening Type
OR (95% CI)

Race/Ethnicity	Breast ^a				Colorectal ^b		
	D-BWH n=4,915	UPenn n=1,649	VT n=11,175	GH n=938	KPNC n=12,223	KPSC n=12,936	PHHS- UTSW n=414
N.H. white	1.00 (ref)	1.00 (ref)	1.00 (ref)	1.00 (ref)	1.00 (ref)	1.00 (ref)	1.00 (ref)
N.H. black	0.73 (0.51-1.05)	0.32 (0.19-0.53)	0.31 (0.12-0.78)	1.00 (0.53,1.88)	1.04 (0.89,1.22)	0.98 (0.85,1.13)	0.63 (0.32,1.24)
Hispanic	0.97 (0.68-1.38)	0.37 (0.08-1.64)	0.91 (0.45-1.86)	0.95 (0.50,1.84)	1.03 (0.92,1.17)	1.18 (1.07,1.31)	0.84 (0.42,1.69)
Asian/PI	0.66 (0.36-1.19)	0.67 (0.15-2.91)	0.92 (0.34-2.52)	0.91 (0.60,1.37)	0.95 (0.85,1.07)	1.04 (0.90,1.19)	0.32 (0.10,1.08)

^a Logistic regression model adjusted for age and year of test.

^b Logistic regression model adjusted for age, year of test, insurance, and income (ZIP code median).

DBWH, Geisel School of Medicine at Dartmouth and Brigham and Women's Hospital; GH, Group Health Research Institute; KPNC, Kaiser Permanente Northern California; KPSC, Kaiser Permanente Southern California; N.H., Non-Hispanic; PHHS-UTSW, Parkland Health and Hospital System - University of Texas Southwestern; PI, Pacific Islander; UPenn, University of Pennsylvania; VT, University of Vermont