


SUPPLEMENTAL MATERIAL

Supplemental Table 1. APPEAR study sites

Clinic Name	Location	Number of Physicians Participating	Number of Patients Enrolled
Advanced Cardiovascular Specialists	Beaumont, TX	8	50
Alaska Heart Institute	Anchorage, AK	10	26
Arizona Cardiology Group	Phoenix, AZ	8	52
Arkansas Cardiology	Little Rock, AK	1	50
Cardiology Consultants	Toms River, NJ	4	50
Cardiology Consultants of Philadelphia (2 sites)	Philadelphia, PA	12	100
Cardiovascular Consultants of Cape Cod	Cape Cod, MA	5	50
Cardiovascular Medical Associates	Downey, CA	4	50
First Coast Cardiovascular Institute	Jacksonville, FL	4	50
Greenwich Cardiology Associates	Greenwich, CT	1	50
INTEGRIS Baptist Medical Center	Oklahoma City, OK	17	51
Krannert Institute of Cardiology	Indianapolis, IN	4	50
Michigan Heart Group	Troy, MI	4	50
Missouri Cardiovascular Specialists	Columbia, MO	9	50
Parkview Research Center	Fort Wayne, IN	9	49
ProMedica Toledo Hospital	Toledo, OH	5	50
Rapeport Medical Corporation	La Mesa, CA	2	50
Saint Luke's Cardiovascular Consultants	Kansas City, MO	13	70
Sigal Heart Center	Tyler, TX	2	55
Southern Oregon Cardiology	Medford, OR	9	50
Swedish Heart & Vascular	Seattle, WA	4	56
UnityPoint Clinic Cardiology	Cedar Rapids, IA	7	50
Virtua - The Cardiology Group	Marlton, NJ	12	50
W. Spencer Tilley, Jr.	Greensboro, NC	1	50

Supplemental Figure 1. APPEAR Study Sites



Supplemental Table 2. Physician descriptions of patient's symptoms, among patients whose angina was appropriately recognized

		Recognized Angina n=238
<hr/>		
Category of symptoms		
	Typical angina	45.8%
	Atypical angina	38.2%
	Non-cardiac chest pain	16.0%
Associated symptoms		
	Dyspnoea	43.5%
	Nausea	3.4%
	Confusion	0.4%
	Light-headedness	3.4%
	Sweating	3.8%
	Other	9.2%
Provocation/relief factors		
	Provoked by exertion	68.8%
	Provoked by emotional stress	28.3%
	Relieved by rest	66.2%
	Relieved by short-acting nitrates	41.8%
<hr/>		