eTable 5. Odds ratios for poor instrumental activities of daily living: gender and social
participation interactions (n=14,956)

	OR ^a	(95% CI)
Number of social groups		
1 (reference: zero)	0.51	(0.41 - 0.63)*
2 (reference: zero)	0.32	(0.23 - 0.43)*
≥ 3 (reference: zero)	0.10	(0.07 - 0.16)*
Male (reference: female)	1.65	(1.37 - 2.00)*
Participation number × gender	p<0.001	
Volunteer groups	_	
Several times a year (reference: non-participation)	0.59	(0.34 - 1.00)*
Several times a month (reference: non-participation)	0.49	(0.29 - 0.84)*
Once or more a week (reference: non-participation)	0.41	(0.24 - 0.70)*
Male (reference: female)	2.32	(1.97 - 2.73)*
Participation frequency \times gender	p=0.002	
Sports groups	-	
Several times a year (reference: non-participation)	0.28	(0.08 - 0.90)*
Several times a month (reference: non-participation)	0.10	(0.03 - 0.31)*
Once or more a week (reference: non-participation)	0.16	(0.10 - 0.25)*
Male (reference: female)	2.09	(1.77 - 2.46)*
Participation frequency \times gender	p<0.001	
Hobby groups	_	
Several times a year (reference: non-participation)	0.44	(0.27 - 0.71)*
Several times a month (reference: non-participation)	0.27	(0.19 - 0.39)*
Once or more a week (reference: non-participation)	0.19	(0.13 - 0.29)*
Male (reference: female)	1.92	(1.62 - 2.28)*
Participation frequency \times gender	p<0.001	
Senior citizens' clubs	_	
Several times a year (reference: non-participation)	0.80	(0.56 - 1.12)
Several times a month (reference: non-participation)	0.59	(0.41 - 0.82)*
Once or more a week (reference: non-participation)	0.35	(0.19 - 0.66)*
Male (reference: female)	2.41	(2.04 - 2.84)*
Participation frequency \times gender	p=0.474	
Neighborhood community associations	_	
Several times a year (reference: non-participation)	0.31	(0.23 - 0.41)*
Once or more a month (reference: non-participation)	0.14	(0.07 - 0.28)*
Male (reference: female)	2.00	(1.69 - 2.37)*
Participation frequency \times gender	p<0.001	
Cultural groups	_	
Several times a year (reference: non-participation)	0.27	(0.14 - 0.53)*
Several times a month (reference: non-participation)	0.24	(0.13 - 0.43)*
Once or more a week (reference: non-participation)	0.21	(0.09 - 0.48)*
Male (reference: female)	2.20	(1.87 - 2.59)*
Participation frequency \times gender	p<0.001	
CL confidence interval: OR odds ratio	•	

CI, confidence interval; OR, odds ratio.

* p<0.05

^aAdjusted for age, family structure, BMI, pensions, occupational status, the number of medications used, self-reported medical conditions, self-rated health, smoking, alcohol consumption, activities of daily living, depression, cognitive function, social network, social support, and social role