

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|-------------------------|-----------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. mallei</i> | Turkey #1 | CDC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 85-503 | CDC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 86-567-2 | CDC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 120 | NCTC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 3708 | NCTC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 3709 | NCTC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 10229 | NCTC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 10247 | NCTC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 10248 | NCTC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 10260 | NCTC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 10399 | ATCC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 15310 | ATCC | Bm | Bm | NT | + | - | - | + |
| <i>B. mallei</i> | 23344 | ATCC | Bm | Bm | NT | + | - | - | + |
| <i>B. thailandensis</i> | E27 | UC | Bp | - | + | - | - | + | + |
| <i>B. thailandensis</i> | E96 | UC | Bp | - | + | - | - | + | + |
| <i>B. thailandensis</i> | E125 | UC | Bp | - | + | - | - | + | + |
| <i>B. thailandensis</i> | E135 | UC | Bp | - | + | - | - | + | + |
| <i>B. thailandensis</i> | E254 | NCTC | Bp | - | + | - | - | + | + |
| <i>B. thailandensis</i> | E255 | UC | Bp | - | + | - | - | + | + |
| <i>B. thailandensis</i> | E263 | UC | Bp | - | + | - | - | + | + |
| <i>B. thailandensis</i> | E264 | UC | Bp | - | + | - | - | + | + |
| <i>B. thailandensis</i> | E275 | UC | Bp | - | + | - | - | + | + |
| <i>B. thailandensis</i> | E286 | UC | Bp | - | + | - | - | + | + |
| <i>B. thailandensis</i> | 82172 | PHE | Bp | - | + | - | - | + | + |
| <i>B. pseudomallei</i> | 8 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 9 | PHE | Bp | Bp | NT | - | + | - | + |

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|------------------------|---------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. pseudomallei</i> | 14 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 16 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 17 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 18 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 19 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 20 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 24 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 25 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 31 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 33 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 35 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 36 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 38 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 39 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 40 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 43 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 44 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 45 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 46 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 47 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 53 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 66 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 67 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 68 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 71 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 72 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 73 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 75 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 79 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 83 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 84 | PHE | Bp | Bp | NT | - | + | - | + |

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|------------------------|------------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. pseudomallei</i> | 85 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 91 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 92 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 104 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 110 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 111 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 112 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 126 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 135* | PHE | Bm | - | - | - | - | - | - |
| <i>B. pseudomallei</i> | 208 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 211 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 216 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 392 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 2889 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 3477 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 3584 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 3783 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 3811 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 3871 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 4045 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 4075 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 4151 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 4152 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 98/SID2953 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 98/SID3292 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 99/SID4349 | PHE | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 8016 | NCTC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 10276 | NCTC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 11668 | ATCC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 13178 | NCTC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 15682 | ATCC | Bp | Bp | NT | - | + | - | + |

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|------------------------|----------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. pseudomallei</i> | 23343 | ATCC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | G9313 | CDC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | G9709 | CDC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | H929 | CDC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | H1406B | CDC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | H1442 | CDC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | H1689 | CDC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | K96243 | NCTC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | KC872 | CDC | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 80800117 | UDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | 81300007 | UDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 126 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 144 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 145 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 146 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 157 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 150 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 151 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 153 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 155 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 156 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 186 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 190 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 191 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 192 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 193 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 194 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 197 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 199 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 200 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 202 | RDH | Bp | Bp | NT | - | + | - | + |

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|------------------------|----------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. pseudomallei</i> | MSHR 203 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 206 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 207 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 208 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 209 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 225 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 255 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 257 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 267 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 283 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 284 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 307 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 309 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 347 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 351 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 352 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 357 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 363 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 368 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 369 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 370 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 371 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 395 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 397 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 398 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 402 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 403 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 406 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 414 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 415 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 417 | RDH | Bp | Bp | NT | - | + | - | + |

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|------------------------|-----------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. pseudomallei</i> | MSHR 419 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 434 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 523 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 630 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 684 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 695 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 861 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 867 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 906 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1001 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1062 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1073 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1076 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1036 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1042 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1057 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1080 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1081 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1084 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1088 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1089 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1097 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1122 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1144 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1148 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1174 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1186 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1223 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1281 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1286 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1316 | RDH | Bp | Bp | NT | - | + | - | + |

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|------------------------|-----------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. pseudomallei</i> | MSHR 1317 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1320 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1332 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1335 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1348 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1353 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1367 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1368 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1372 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1373 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1392 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1401 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1417 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1428 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1439 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1456 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1500 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1530 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1555 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1562 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1565 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1566 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1569 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1575 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1609 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1631 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1634 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1635 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1709 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1711 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1713 | RDH | Bp | Bp | NT | - | + | - | + |

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|------------------------|-----------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. pseudomallei</i> | MSHR 1714 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1725 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1749 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1759 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1763 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1764 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1766 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1768 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1775 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1777 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1816 | RDH | NMF | - | - | - | - | - | - |
| <i>B. pseudomallei</i> | MSHR 1829 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1840 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1848 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1859 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1865 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1866 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1868 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1884 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1886 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1890 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1891 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1893 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1895 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1896 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1905 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1912 | RDH | Bm | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1917 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1926 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1946 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1953 | RDH | Bp | Bp | NT | - | + | - | + |

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|------------------------|-----------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. pseudomallei</i> | MSHR 1954 | RDH | Bm | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1967 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 1986 | RDH | Bm | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2002 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2003 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2012 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2024 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2030 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2037 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2040 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2052 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2053 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2080 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2084 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2085 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2086 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2158 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2168 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2170 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2174 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2201 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2208 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2212 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2213 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2214 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2221 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2226 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2227 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2232 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2235 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2236 | RDH | Bp | Bp | NT | - | + | - | + |

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|------------------------|-----------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. pseudomallei</i> | MSHR 2238 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2243 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2245 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2251 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2255 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2258 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2263 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2269 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2350 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2351 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2366 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2375 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2380 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2381 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2385 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2386 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2388 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2391 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2393 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2394 | RDH | Bc/Bpy/Ba | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2395 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2398 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2400 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2403 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. pseudomallei</i> | MSHR 2409 | RDH | Bp | Bp | NT | - | + | - | + |
| <i>B. ambifaria</i> | BAA-244 | ATCC | NT | - | - | - | - | - | - |
| <i>B. andropogonis</i> | 23061 | ATCC | NT | - | - | - | - | - | - |
| <i>B. cepacia</i> | 10856 | ATCC | NT | - | - | - | - | - | - |
| <i>B. cepacia</i> | 25416 | ATCC | NT | - | - | - | - | - | - |
| <i>B. gladioli</i> | 10248 | ATCC | NT | - | - | - | - | - | - |

| Species | Isolate | Source | GC-FAME (RBTR3) | U'Ren <i>et al.</i> , (2005) qPCR | Thibault <i>et al.</i> , (2004) qPCR | 16.5 kDa (Bm) | <i>Orf11</i> (Bp) | 70 kDa (Bt) | <i>fliC</i> (Bp Complex) |
|-------------------------|---------|--------|--------------------|--------------------------------------|---|------------------|----------------------|----------------|-----------------------------|
| <i>B. glathei</i> | 29196 | ATCC | NT | - | - | - | - | - | - |
| <i>B. graminis</i> | 700544 | ATCC | NT | - | - | - | - | - | - |
| <i>B. multivorans</i> | BAA-247 | ATCC | NT | - | - | - | - | - | - |
| <i>B. pyrrocina</i> | 15958 | ATCC | NT | - | - | - | - | - | - |
| <i>B. sordidicola</i> | 49583 | CCUG | NT | - | - | - | - | - | - |
| <i>B. vandii</i> | 51545 | ATCC | NT | - | - | - | - | - | - |
| <i>B. vietnamiensis</i> | BAA-248 | ATCC | NT | - | - | - | - | - | - |
| <i>P. aeruginosa</i> | 15442 | ATCC | NT | - | - | - | - | - | - |
| <i>R. solancearum</i> | 11696 | ATCC | NT | - | - | - | - | - | - |
| <i>S. maltophilia</i> | 13637 | ATCC | NT | - | - | - | - | - | - |

Ba, *B. ambifaria*; Bc, *B. cenocepacia*; Bm, *B. mallei*; Bp, *B. pseudomallei*; Bpy, *B. pyrrocina*; NMF, No Matches Found; NT, Not tested;
*, Misclassified bacterial isolates

ATCC, American Type Culture Collection; CCUG, Culture Collection, University of Göteborg; CDC, Centers for Disease Control and Prevention;
RDH, Royal Darwin Hospital; NCTC, National Collection of Type Cultures; PHE, Public Health England; UC, University of Calgary; UDH, Utah
Department of Health