

Supplemental Table 1. General characteristics of study participants across final study population and excluded participants

	Final study population (n=478)	Excluded study participants (n=82)	p-value
Gender			
Men	124 (25.94)	22 (26.83)	0.87
Women	354 (74.06)	60 (73.17)	
Age (y)			
60-69	220 (46.03)	27 (36.59)	0.15
70-79	237 (49.58)	44 (60.98)	
≥80	21 (4.39)	2 (2.44)	
History of hypertension			
No	225 (47.07)	52 (63.41)	<0.01
Yes	253 (52.93)	30 (36.59)	
History of diabetes mellitus			
No	397 (83.05)	72 (87.80)	0.28
Yes	81 (16.95)	10 (12.20)	
Regular alcohol consumption			
No	364 (76.15)	58 (89.23)	0.02
Yes	114 (23.85)	7 (10.77)	
Did not answer		n=17	
Smoking status			
Smoker	28 (5.86)	3 (4.41)	0.79
Ex-smoker	33 (6.90)	3 (4.41)	
Non-smoker	417 (87.24)	62 (91.18)	
Did not answer		n=14	
Education level			
<Primary	138 (28.87)	17 (25.76)	0.78
Primary-Secondary	213 (44.56)	29 (43.94)	
≥Secondary	127 (26.57)	20 (30.30)	
Did not answer		n=16	
Body mass index (kg/m ²)			
<25.0	271 (56.69)	45 (54.88)	0.19
25.0-29.9	188 (39.33)	30 (36.59)	
≥30	19 (3.97)	7 (8.54)	

Values are presented as number (%).