


Supplementary Figure 1



Supplementary Table 1. Baseline demographics and disease characteristics

	Panitumumab + FOLFOX4 (n = 253)	FOLFOX4 (n = 252)
Sex		
Male	170 (67)	158 (63)
Female	83 (33)	94 (37)
Age (years), median (range)	61 (27–81)	61 (24–82)
ECOG performance score, n (%)		
0 or 1	238 (94)	235 (93)
2	15 (6)	17 (7)
Primary tumour diagnosis, n (%)		
Colon	165 (65)	164 (65)
Rectum	88 (35)	88 (35)
Prior adjuvant chemotherapy, n (%)		
Yes	42 (17)	38 (15)
No	211 (83)	214 (85)
Median EuroQoL score (range)		
Health State Index	0.796 (−0.484, 1.00)	0.796 (−0.005, 1.00)
Overall Health Rating	77.0 (0.0, 100)	70.0 (6.0, 100)

Abbreviations: ECOG = Eastern Cooperative Oncology Group; EQ-5D, EuroQoL 5-domain.

Supplementary Table 2. Skin toxicity adverse events (any grade) occurring in ≥5% of patients in either treatment arm

Adverse event, n (%)	Panitumumab + FOLFOX4	FOLFOX4
	(n = 253)	(n = 252)
Rash	139 (56)	20 (8)
Dermatitis acneiform	85 (34)	0 (0)
Pruritus	64 (26)	11 (4)
Dry skin	56 (22)	13 (5)
Erythema	42 (17)	9 (4)
Skin fissures	42 (17)	1 (<1)
Acne	37 (15)	1 (<1)
Palmar-plantar erythrodysesthesia syndrome	27 (11)	7 (3)