

**Table 2. Prevalence and correlates of CrAg positivity among HIV-infected adults with advanced immunosuppression in Namibia, 2013-14.**

<b>Variable</b>	<b>CrAg Prevalence (95% CI) <sup>a</sup></b>	<b>Standard error</b>	<b>Relative standard error</b>	<b>P-value</b>
<b>Overall</b>	3.3 (2.3 – 4.9)	0.6	18.6	
<b>Sex</b>				
Female	2.9 (1.6 – 5.2)	0.9	29.7	0.58
Male	3.6 (2.2 – 5.9)	0.9	24.6	
<b>Age</b>				
15 - 34 years	4.0 (2.2 – 7.1)	1.2	29.6	0.43
≥ 35 years	3.0 (1.8 – 4.8)	0.7	24.7	
<b>CD4<sup>+</sup> count strata 1 ,</b>				
< 100 cells/μL	3.9 (2.5 – 6.0)	0.9	21.9	0.22
100 - 200 cells/μL	2.3 (1.1 – 4.8)	0.9	37.4	
<b>CD4<sup>+</sup> count strata 2,</b>				
< 50 cells/μL	7.2 (3.6 – 11.3)	1.8	24.4	0.001
50 - 200 cells/μL	2.2 (1.5 – 2.9)	0.3	14.2	

*a. 95% confidence intervals are binomial exact, two-sided CI interval where no cases of CrAg were detected.*