

Supplementary Material

Synthesis and biological evaluation of *N*-cyanoalkyl-, *N*-aminoalkyl-, and *N*-guanidinoalkyl-substituted 4-aminoquinoline derivatives as potent, selective, brain permeable antitrypanosomal agents

Irene Sola^a, Albert Artigas^a, Martin C. Taylor^b, F. Javier Pérez-Areales^a, Elisabet Viayna^a, M. Victòria Clos^c, Belén Pérez^c, Colin W. Wright^d, John M. Kelly^b, Diego Muñoz-Torrero^{a,*}

^a *Laboratory of Pharmaceutical Chemistry (CSIC Associated Unit), Faculty of Pharmacy and Food Sciences, and Institute of Biomedicine (IBUB), University of Barcelona, Av. Joan XXIII, 27-31, E-08028, Barcelona, Spain*

^b *Department of Pathogen Molecular Biology, London School of Hygiene and Tropical Medicine, Keppel Street, London WC1E 7HT, United Kingdom*



^c *Department of Pharmacology, Therapeutics and Toxicology, Institute of Neurosciences, Autonomous University of Barcelona, E-08193, Bellaterra, Barcelona, Spain*



^d *Bradford School of Pharmacy, University of Bradford, West Yorkshire BD7 1 DP, United Kingdom*

* Corresponding author. Tel.: +34 934024533; fax: +34 934035941.



E-mail address: dmunoztorrero@ub.edu (D. Muñoz-Torrero).

Copies of ^1H and ^{13}C NMR spectra of the new compounds









^{13}C NMR (100.6 MHz, CD_3OD)





^1H NMR (400 MHz, CD_3OD)





^{13}C NMR (100.6 MHz, CD_3OD)





¹H NMR (400 MHz, CD₃OD)





¹³C NMR (100.6 MHz, CD₃OD)





¹H NMR (400 MHz, CD₃OD)





^{13}C NMR (100.6 MHz, CD₃OD)





¹H NMR (400 MHz, CD₃OD)





^{13}C NMR (100.6 MHz, CD_3OD)





¹H NMR (400 MHz, CD₃OD)





¹³C NMR (100.6 MHz, CD₃OD)









^{13}C NMR (100.6 MHz, CD_3OD)





¹H NMR (400 MHz, CD₃OD)





¹³C NMR (100.6 MHz, CD₃OD)





^1H NMR (400 MHz, CD_3OD)





¹³C NMR (100.6 MHz, CD₃OD)





¹H NMR (400 MHz, CD₃OD)





^{13}C NMR (100.6 MHz, CD_3OD)





^1H NMR (400 MHz, CD_3OD)



¹³C NMR (100.6 MHz, CD₃OD)



¹H NMR (400 MHz, CD₃OD)



¹³C NMR (100.6 MHz, CD₃OD)