## Multimedia Appendix 4: Results from joinpoint analysis for marijuana use

Statistical outputs	5 week period	10 week period	15 week period
Segment 1 (week)	1-14	1–18	1-11
Slope, RSVª/week	1.13 (1.1 to 1.2)	0.83 (0.8 to 0.9)	
(95% CI)		-0.15 (-0.3 to	
		-0.1)	
P value <sup>b</sup>	<.001	<.001	0.60
Segment 2 (week)	14-18	18-22	11-23
Slope, RSV/week	-3.81 (-4.1 to	-3.50 (-3.9 to	1.09 (1.0 to 1.2)
(95% CI)	-3.5)	-3.1)	
P value <sup>b</sup>	<.001	.003	<.001
Segment 3 (week)	18-21	22-25	23-26
Slope, RSV/week	3.61 (3.0 to 4.2)	-3.31 (-4.5 to	
(95% CI)		-2.1)	
4.08 (3.4 to 4.7)			
P value <sup>b</sup>	.03	.06	0.34
Segment 4 (week)	21-24	25-33	26-43
Slope, RSV/week	-1.57 (-1.9 to -1.3	-0.13 (-0.2 to	0.46 (0.4 to 0.5)
(95% CI)		-0.02)	
P value <sup>b</sup>	.06	0.67	<.001

<sup>&</sup>lt;sup>a</sup>RSV: relative search volume.

 $<sup>^{\</sup>rm b}$ Statistical significance was defined as P < .05.