

Supplementary Materials: Bioactive Steroids from the Formosan Soft Coral *Umbellulifera petasites*

Chiung-Yao Huang, Che-Wei Chang, Yen-Ju Tseng, Jessica Lee, Ping-Jyun Sung, Jui-Hsin Su, Tsong-Long Hwang, Chang-Feng Dai, Hui-Chun Wang and Jyh-Horng Sheu

List of Supplementary material:

No	Content	Page
Figure S1	HRESIMS spectrum of 1 .	2
Figure S2	¹ H NMR spectrum of 1 in CDCl ₃ at 400 MHz.	3
Figure S3	¹³ C NMR spectrum of 1 in CDCl ₃ at 100 MHz.	4
Figure S4	HRESIMS spectrum of 2 .	5
Figure S5	¹ H NMR spectrum of 2 in CDCl ₃ at 400 MHz.	6
Figure S6	¹³ C NMR spectrum of 2 in CDCl ₃ at 100 MHz.	7
Figure S7	HRESIMS spectrum of 3 .	8
Figure S8	¹ H NMR spectrum of 3 in CDCl ₃ at 400 MHz.	9
Figure S9	¹³ C NMR spectrum of 3 in CDCl ₃ at 100 MHz.	10





Figure S1. HRESIMS spectrum of 1.

Figure S2. ¹H NMR spectrum of 1 in CDCl₃ at 400 MHz.




Figure S3. ^{13}C NMR spectrum of 1 in CDCl_3 at 100 MHz.





Figure S4. HRESIMS spectrum of 2.

Figure S5. ¹H NMR spectrum of 2 in CDCl₃ at 400 MHz.




Figure S6. ¹³C NMR spectrum of 2 in CDCl₃ at 100 MHz.




Figure S7. HRESIMS spectrum of 3.




Figure S8. ¹H NMR spectrum of 3 in CDCl₃ at 400 MHz.




Figure S9. ^{13}C NMR spectrum of 3 in CDCl_3 at 100 MHz.