


Supplementary Figure S1


Chen et al




Supplementary Figure S2

Chen et al

CTLA-4 Blockade




Pre-treatment



Supplementary Figure 3

Chen et al

a




b

Treatment Timepoint	% Contact Between CD8 and CD68 Cells		
	Responders (n)	Non-Responders (n)	p-value
CTLA-4 Blockade			
Pre-treatment	<10% (2)	30-40% (3)	0.08
On treatment	10-20% (1)	30-40% (1)	N/A
PD-1 Blockade			
Pre-treatment	10-20% (3)	50-60% (3)	0.0495
On treatment	<10% (3)	30-40% (3)	0.0495

Supplementary Figure S4


Chen et al




Supplementary Figure 5

Chen et al


CD8



PD-1




PD-L1




Supplementary Figure 6

Chen et al



Supplementary Figure S7


Chen et al/




Supplementary Figure S8

Chen et al


PD-1 Blockade



Pre-treatment




On-treatment



Supplementary Figure S9


Chen et al



Supplementary Figure 10

Chen et al


CTLA-4 Blockade



Supplementary Figure 11

Chen et al

PD-1 Blockade




Supplementary Figure S12

Chen et al

Pre-treatment

Responders


Non-Responders



On treatment

Responders

Non-Responders



■ α-CTLA-4 naïve

■ Prior α-CTLA-4

Row Z-Score

-3 -1 1 3

Supplementary Figure S13

Chen et al

