

Hexafluoroisopropyl alcohol mediated synthesis of 2,3-dihydro-4H-pyrido[1,2-a]pyrimidin-4-ones

Mohammad A. Alam,* Zakeyah Alsharif^a, Hessa Alkhattabi^a, Derika Jones^a, Evan Delancey^a, Adam Gottsponer^a, Tianhong Yang^b

^a Department of Chemistry and Physics, College of Science and Mathematics, Arkansas State University, Jonesboro, AR 72467

^b Molecular Biosciences Graduate Program, Arkansas State University, Jonesboro, AR 72467

*corresponding author


Mohammad A Alam

E-mail: malam@astate.edu, Tel: +1-870-973-3319


Materials and instrumentation

All commercial chemicals and solvents are reagent grade and were used without further treatment unless otherwise noted. ¹H NMR spectra were obtained with a Varian Mercury-300MHz with TMS as internal standard. ¹³C NMR spectra were obtained with a Varian Mercury-75MHz with TMS as internal standard. ¹³C NMR were obtained by proton-decoupled data. IR spectra were recorded in Thermo Scientific NICOLET IS10. The ESI-FTMS Mass spectra were recorded Bruker ApexII-FTMS system. Low resolution mass spectra were recorded in Shimadzu QQQ instrument and LTQ-XL mass spectrometer. Melting points were recorded in MP 50 melting point system.

^1H NMR spectrum of **2**




^{13}C NMR spectrum of **2**




^1H NMR spectrum of **3**




^{13}C NMR spectrum of **3**




¹H NMR spectrum of **4**




^{13}C NMR spectrum of **4**




^1H NMR spectrum of **5**




^{13}C NMR spectrum of **5**




^1H NMR spectrum of **6**




^{13}C NMR spectrum of **6**




¹H NMR spectrum of 7




7




^{13}C NMR spectrum of **7**




^1H NMR spectrum of **8**




^{13}C NMR spectrum of **8**




^1H NMR spectrum of **9**




^{13}C NMR spectrum of **9**




^1H NMR spectrum of **10**




^{13}C NMR spectrum of **10**




^1H NMR spectrum of **11**




^{13}C NMR spectrum of **11**




^1H NMR spectrum of **12**




^{13}C NMR spectrum of **12**




^1H NMR spectrum of **13**




^{13}C NMR spectrum of **13**




^1H NMR spectrum of **14**




^{13}C NMR spectrum of **14**




¹H NMR spectrum of **15**




^{13}C NMR spectrum of **15**




¹H NMR spectrum of **16**




^{13}C NMR spectrum of **16**




¹H NMR spectrum of **17**




^{13}C NMR spectrum of **17**




¹H NMR spectrum of **18**




^{13}C NMR spectrum of **18**




¹H NMR spectrum of **19**



^{13}C NMR spectrum of **19**



¹H NMR spectrum of **20**



^{13}C NMR spectrum of **20**

