

Table A1. Multilevel regression on 4 indicators with characteristics on three levels, i.e. patient, therapist and practice

	Indicator 1	Indicator 2	Indicator 3	Indicator 8
Patient characteristics:				
Chronic patient (ref. acute patient)	-0.004 (0.003)	-0.001 (0.001)	0.004 (0.001)	0.011 (0.004)
Direct access patient (ref. referred patient)	n.a.*	n.a.*	-0.005 (0.001)	-0.038 (0.003)
Male (ref. female)	-0.000 (0.001)	-0.000 (0.001)	-0.001 (0.001)	-0.000 (0.002)
Age	0.000 (0.000)	-0.000 (0.000)	-0.000 (0.000)	0.000 (0.000)
EHR (ref. survey)	-0.024 (0.002)	-0.035 (0.001)	0.022 (0.001)	-0.003 (0.003)
Therapist characteristics:				
Male (ref. female)	-0.002 (0.002)	0.000 (0.002)	-0.004 (0.003)	-0.003 (0.005)
Age	-0.001 (0.000)	-0.000 (0.000)	0.000 (0.000)	0.000 (0.000)
Practice characteristics:				
Practice size >1 (ref. practice size =1)	0.000 (0.000)	-0.000 (0.000)	0.000 (0.000)	0.000 (0.000)

*n.a. = not applicable as indicator 1 is only for direct access patients and indicator 2 is only for referred patients

Bold: p<0.001