

## Supplementary Figure Legends

**Supp Fig 1** - (A) Genomic DNA sequence from *Mdm2<sup>PND/PND</sup>* mice. Sequence in blue is the deleted sequence form intron 3 of *Mdm2<sup>PND/PND</sup>* mice. (B) RT-qPCR for p53 targets in testes of *Mdm2<sup>PND/PND</sup>* mice. n=4, ± SEM.

**Supp Fig 2** - (A) Comparative weights of spleen, thymus and Brain from wild type and *Mdm2<sup>PND/PND</sup>* mice. (B) Representative images showing comparative size of brain in wild type and *Mdm2<sup>PND/PND</sup>* mice.


(A)

```

GCCAATGTGC
AATACCAACATGTCTGTCTACCGAGGGTGTGCAAGCACCTCACAGATTG
CAGCTTCGGAACAAGAGACTCTGGTTGGTATTCTGCCTCGAGTGTGTAATA
TAGCTTGTAAACCAGGTAATCGAGGAAACAAATTGAAACCTGGATTATCG
CACAGTCGTTTAAGTATTACCTACAAACTCTTAACCTTCGATTGCAATTG
CATTAGAGAGTGGTCACTGCGACCTATATTCCACAGCCCTCCCCTGACGCA
GGCTTTAGAACGataactcgataatgtatgcatacgaagttagatggatctagCTCGAGtacaagttgat
cxxxxxxxxxxxxxx...Neomycin...xxxxxxxxxxxxxxxxxxxxxgtcgacataac
ttcgataatgtatgcatacgaagtatGCACAGTGTGGGTGCTGCTGGTTGACATGATG
TTCTATCACTGTTCTAAATGGTAAACCGAAAGTCATAGAAGCATCCGTGCTT

```

(B)



Supplementary Figure 2: Pant et al

